



# Break-out session

Thomas De Rijdt

Copenhagen 21-10-2014

UZ Leuven Herestraat 49 B - 3000 Leuven www.uzleuven.be tel. +32 |6 33 22 || UNIVERSITY HOSPITALS LEUVEN





#### Bedside scanning ...


- The final checkpoint !
- Requirements
  - Fully deployed CPOE
  - Hardware and software
  - Barcode on every single dose
  - Change management
  - Education of staff
  - Escape-procedure







#### Check? 📼 Overzicht Hos 🔄 Insuline Pomp 👌 Shockbox spoed 😣 Chemotherapie 🧼 (Thuis)therapie 🧼 (Thuis)therapie V14 👫 Ambulant voorschrift 🌛 🗉 Voorschrift Schema 8 dagen ▼ 🕊 💽 Dat ▼ 28-04-2014 00:00 ▼ 🕨 💓 Medicatie Toed. za 03-05 ma di wo do vr 02-05 28-04 29-04 30-04 01-05 🌯 IV-Inf NATR.CHLORIDE 0,9 % (FL INF 50 ML VIAFLO) ihfi 🌯 IV-Inf NATR.CHLORIDE 0,9 % (FL INF 100 ML VIAFLO) 1 infuus ∮ sc NEULASTA MN (SPUIT 6 MG) 1 stuk Z OROMUC ≠3\*10 ml ≠4\*10 ml 4\*10 ml 4\*10 ml 4\*10 ml 4\*10 ml PERIO AID MONDSPOEL. (FL 500 ML 0.12 %) 4\*10 ml MAALOX ANTACID (ZAKJE 4,3 ML) 🖉 РО 3\*1 zakje # bij zure oprispingen 🥝 РО PANTOMED (TABL 20 MG) 20 mg 20 mc 20 ma 2**0** ma 📕 IV-Bolus 250 µg ALOXI (FL INJ 250 MCG/5 ML) 🖉 РО LAXOBERON (FL 15 ML) 10 drup 2\*10 drug 10 drup FORLAX (ZAKJE 10 G) 🥝 РО 1 zakje 🤗 РО 2\*1 zakie 1 zakie MOVICOL (ZAKJE NEUTRAAL 13.79 G) 2\*1 zakie 2\*1 zakie <sup>≠</sup> IV-Bolus 20 mg 40 mg LASIX (AMP INJ 20 MG/2 ML) 4\*1 g 4\*1 g DAFALGAN (TABL FORTE BRUIS 1 G) 🥙 РО 4\*1 g 4\*1 g 4\*1 g # bij pijn om de 6 uur HALDOL (FL DRP P.O. 2 MG/ML 15 ML) 🥙 РО 4\*5 drup 4\*5 drup 4\*5 drup 4\*5 drup 4\*5 drup 4\*5 drup #bij misselijkheid 🤗 РО 2\*5 mg 2\*5 mg 2\*5 mg 2\*5 mg







#### Hardware / Software : check





Single dose barcoded medication : D.I.Y & W.I.P.  $\rightarrow$  >95 % of doses are scanable (in UZ Leuven)

zo 04-05

20 mg

1 zakie

4\*1 g

10 drup 10 drup

ma 05-05

20 ma





#### Our needs ...

- Step 1: Identification
  - Unique identifier



- Used in translation tables (1 on n relation)
- Link to databases (measures, photo's, leaflets, ...)
- Step 2 : Traceability
  - Batch / serial
  - Expiration date

→ Already feasable for non-blister ?!





- Non-believers
  - Wait and see
- Believers without support
  - Try locally
  - Sometimes creative
- Visionaries
  - European or global approach
  - GS1 standard



















## **Repacking interferes with logistics**

- Impact on stock (<> EOQ)
- Impact on costs (<> dirtft)



- Impact on stability / quality ? (<> GxP)
- Impact on forecasting pharma industry (<> EOQ)
- Triggers for stock rupture on market





## **Repacking interferes with logistics**

- What in case of recall ?
- What in case of change of guidelines ?
- Pops up in tendering dossiers (asset value)
- Liability in case of incident ?
- Risk in battle against counterfeiting







#### **Pitfalls and challenges**

- Escape scenario
  - Exceptional but safe and easy
- Barcodescanners cannot read "]d2"
  No recognition / interpreting GS1
- Medication in clinical trials
  - Complete anarchy (~ annex 13)
  - Phonebook is easier to read
  - $\rightarrow$  Source of errors





