



The Global Language of Business

# GS1 Lightweight Messaging Standard for Verification of Product Identifiers

specifies requests and responses for Verification of Product Identifiers, especially for pharmaceuticals

*Release 1.0.2, Ratified, Jan 2019*

---



## 1 Document Summary

Document Item	Current Value
Document Name	GS1 Lightweight Messaging Standard for Verification of Product Identifiers
Document Date	Jan 2019
Document Version	1.0.2
Document Issue	1
Document Status	Ratified
Document Description	specifies requests and responses for Verification of Product Identifiers, especially for pharmaceuticals

## 2 Contributors

Name	Organisation
Allison Sheldon (Chair)	Pfizer, Inc.
Jeffery Denton (Chair)	Amerisource Bergen Corporation
Elizabeth Waldorf (Chair)	TraceLink (Chair)
Nirmal Annamreddy	Roche-Genenotech
Andrea Bell	Symbion Pharmacy Services
Robin Dunchack	Grifols
April Fitzgerald	Amgen Inc.
Mark Karhoff	Roche-Genenotech
Kevan MacKenzie	McKesson
Matt Sample	Amerisource Bergen Corporation
Greg Tilton	Cardinal Health
Matt Muldoon	FSEnet
Abhijeet Bhandari	Covectra, Inc.
Cyrille Bordier	Axway
Brian Daleiden	TraceLink
Christophe Devins	Adents High-Tech International
Julien Faury	Adents High-Tech International
Aaron Gomez	Drummond Group
Joseph Lipari	Systech International
Ted Osinski	MET Laboratories
Dirk Rodgers	Systech International
Ana Schleicher	LSPediA
Kelly Weidman	Bracket Global
Sarah Wu	Axway
Adrian Bailey	GS1 US
Kevin Dean	GS1 Canada
Catherine Koetz	GS1 Australia



Name	Organisation
Alexey Krotkov	GS1 Russia
Olga Soboleva	GS1 Russia
Peter Sturtevant	GS1 US
Stephan Wijnker	GS1 Australia
Justine Freisleben	Healthcare Distribution Alliance (HDA)
Mike Meakin	DHL
Peter Alvarez	GS1 Global Office
Henri Barthel	GS1 Global Office
Gena Morgan	GS1 Global Office
Craig Alan Repec	GS1 Global Office
Greg Rowe	GS1 Global Office
Tasha Wiehe	GS1 Global Office
Mark Harrison	Milecastle Media Limited

### 3 Log of Changes

Release	Date of Change	Changed By	Summary of Change
1.0	Dec 2018	M. Harrison & C. Repec	Initial publication based upon GSMP Work Request 18-061
1.0.1	Jan 2019	M. Harrison & C. Repec	Errata changes to additionalInfo parameter
1.0.2	Jan 2019	M. Harrison & C. Repec	Errata corrections to transposed fields in two of the examples in section 3

### 4 Disclaimer

GS1®, under its IP Policy, seeks to avoid uncertainty regarding intellectual property claims by requiring the participants in the Work Group that developed this **GS1 Lightweight Messaging Standard for Verification of Product Identifiers** to agree to grant to GS1 members a royalty-free licence or a RAND licence to Necessary Claims, as that term is defined in the GS1 IP Policy. Furthermore, attention is drawn to the possibility that an implementation of one or more features of this Specification may be the subject of a patent or other intellectual property right that does not involve a Necessary Claim. Any such patent or other intellectual property right is not subject to the licencing obligations of GS1. Moreover, the agreement to grant licences provided under the GS1 IP Policy does not include IP rights and any claims of third parties who were not participants in the Work Group.

Accordingly, GS1 recommends that any organisation developing an implementation designed to be in conformance with this Specification should determine whether there are any patents that may encompass a specific implementation that the organisation is developing in compliance with the Specification and whether a licence under a patent or other intellectual property right is needed. Such a determination of a need for licencing should be made in view of the details of the specific system designed by the organisation in consultation with their own patent counsel.

THIS DOCUMENT IS PROVIDED "AS IS" WITH NO WARRANTIES WHATSOEVER, INCLUDING ANY WARRANTY OF MERCHANTABILITY, NONINFRINGEMENT, FITNESS FOR PARTICULAR PURPOSE, OR ANY WARRANTY OTHERWISE ARISING OUT OF THIS SPECIFICATION. GS1 disclaims all liability for any damages arising from use or misuse of this document, whether special, indirect, consequential, or compensatory damages, and including liability for infringement of any intellectual property rights, relating to use of information in or reliance upon this document.

GS1 retains the right to make changes to this document at any time, without notice. GS1 makes no warranty for the use of this document and assumes no responsibility for any errors which may appear in the document, nor does it make a commitment to update the information contained herein.

GS1 and the GS1 logo are registered trademarks of GS1 AISBL.

27



# Table of Contents

28

29 **1 Introduction ..... 5**

30 1.1 Verification of Product Identifiers for pharmaceuticals ..... 8

31 1.2 Positioning within the GS1 Architecture ..... 9

32 1.3 Relationship to EPCIS ..... 9

33 1.4 Relationship to GS1 Digital Link ..... 9

34 1.5 Security considerations ..... 12

35 **2 Connectivity Requests ..... 14**

36 2.1 Example of a JSON connectivity test ..... 14

37 **3 Verification Requests ..... 16**

38 **4 Verification Responses ..... 19**

39 4.1 Examples of a JSON verification response ..... 19

40 4.1.1 Response following successful verification ..... 19

41 4.1.2 Response following failure verification ..... 20

42 **5 Open API Schema (including JSON) for Verification Request & Response .. 21**

43 **6 References and terms ..... 29**

44 6.1 References ..... 29

45 6.2 Abbreviations and Terms ..... 29

46

## 47 1 Introduction

48 Within the GS1 system, products are identified at class level via the Global Trade Item Number  
49 (GTIN), which serves as a lookup key for associated master data such as details of ingredients,  
50 technical specifications, product images, safety data and instructions for use etc. In a number of  
51 industry sectors, products are identified at a finer level of granularity, by combining a GTIN with a  
52 lot/batch number (to identify instances of a product that belong to a particular production lot/batch)  
53 or by combining a GTIN with a serial number that is unique within the GTIN and where the  
54 combination of GTIN and serial number (sometimes called SGTIN) identifies exactly one product  
55 instance, so that no two objects anywhere in the world should share the same combination of GTIN  
56 and serial number. This means that an individual instance level identifier such as the compound key  
57 of GTIN and serial number (SGTIN) can be used to record the unique lifecycle history or supply  
58 chain path taken by that individual product instance, thus supporting traceability data at the highest  
59 fidelity.

60 However, in the healthcare sector, it is common practice to use a GS1 DataMatrix symbol that  
61 encodes four data elements (GTIN, Serial Number, Lot/Batch Number and Expiry Date). It should  
62 be understood that in this situation, the combination of GTIN + Serial Number is a unique product  
63 instance identifier and that Lot/Batch Number and Expiry Date serve as data attributes of that  
64 unique identifier. They can be used by offline processes such as stock control, which may only need  
65 to check the expiry date or batch/lot number. Additionally, they can serve as additional factors  
66 within a product identifier verification check, to test whether they agree with the values recorded by  
67 the respective brand owner or manufacturer.

68 Finer grained identification of products assists traceability and unique instance identification via a  
69 serial number enables each individual object to be tracked or traced individually across the supply  
70 chain from the point of production to the final stakeholder in the supply chain and potentially as far  
71 as the point of dispensing to a consumer or patient.

72 Fine grained identification is also helpful for authentication of the product identifier, as a basic check  
73 of authenticity with the brand owner. This may include plausibility checks, such as asking the brand  
74 owner questions such as the following:


- 75 ■ Is this batch number plausible for this product GTIN?
- 76 ■ Does this combination of GTIN and Serial Number (SGTIN) correspond to a product that was  
77 actually commissioned by the brand owner / manufacturer?
- 78 ■ Is this expiry date plausible for this combination of GTIN and batch number?
- 79 ■ For this combination of GTIN and Serial Number, does this batch number and expiry date agree  
80 with the information recorded by the brand owner / manufacturer at the time of production?

81 This standard is intended to provide a simple standardised lightweight messaging framework for  
82 asking such verification questions and receiving actionable information that immediately enables the  
83 requesting party to determine whether to accept, reject or quarantine a product instance, based on  
84 such an authentication check of the product identifier and associated data. It defines a verification  
85 request message and a corresponding response message. The verification method is defined in  
86 section [4](#) of this standard. Additionally, section [3](#) of this standard defines a method for checking  
87 connectivity with a verification service, which could be used before making verification requests.

88 [Figure 1-1](#) shows how a client can interact directly with a known verification service, using the  
89 `checkConnectivity` method (1a) or the `verify` method (2a).

90  
91  
92

**Figure 1-1** A client may interact directly with a known verification service using either the `checkConnectivity` method (1a) defined in the “Connectivity Requests” section or the `verify` method (2a) defined in the “Verification Requests” section.



93  
94  
95  
96  
97  
98  
99

In situations where the client does not know in advance which verification service to use for a specific GTIN, the client may make use of resolver infrastructure developed for GS1 Digital Link Web URIs, as shown in [Figure 1-2](#). A resolver has its own internal database of redirection, which it uses to match against the GTIN within the GS1 Digital Link Web URI, in order to provide a redirection pointer to the appropriate verification service, depending on information configured by the respective brand owner of that GTIN.

100  
101  
102  
103

Resolvers for GS1 Digital Link URIs can provide referral links to various kinds of information and services specified by the brand owner. In order to indicate that the client wants to interact with a verification service, the client specifies within the URI query string a `linkType` value equal to 'verificationService'.

104  
105

A resolver will redirect to the appropriate verification service for that GTIN and the client will usually automatically retry the request at the location specified by the resolver; that request will respond.

106  
107  
108


The role of the resolver or lookup directory is to provide redirection so that instead of the client maintaining its own lookup table mapping every GTIN to a specific URL of a verification service, a resolver or lookup directory provides up-to-date redirection information.

109  
110  
111

In order to distinguish between the two methods ( `checkConnectivity` and `verify` ) defined for the standardised interface, the client either appends `&checkConnectivity=true` to the GS1 Digital Link URI - or does not.

112  
113

**Figure 1-2:** A client may use the resolver infrastructure for GS1 Digital Links to be redirected to the appropriate verification service for a specific GTIN, as specified by the respective brand owner.




114  
115  
116  
117  
118  
119

After a resolver for GS1 Digital Link Web URIs has returned an appropriate redirection pointer to the client to a target URL for either the `checkConnectivity` or `verify` method at a specific verification service, the client then retries their query using the target URL provided by the resolver. This is shown in [Figure 1-3](#)

120  
121  
122

**Figure 1-3** Following on from the step illustrated in [Figure 1-2](#), when a resolver for GS1 Digital Link URIs has returned a target URL to the client, the client retries their HTTPS query by interacting directly with whichever is the appropriate verification service for that GTIN.




123  
124  
125

126 It is important to note that the verification requests and responses do not flow through a resolver;  
 127 the resolver merely redirects to an appropriately formatted URL at the verification service and the  
 128 client retries their query there, using that target URL indicated in the redirection response from the  
 129 resolver.

130 [Figure 1-4](#) and [Figure 1-5](#) provide further examples of how the initial GS1 Digital Link Web URI is  
 131 reformatted to return the target URLs of the `checkConnectivity` and `verify` methods of the  
 132 appropriate verification service (depending on the specific GTIN value appearing in the GS1 Digital  
 133 Link URI - and possibly depending on other factors, such as the value of the `context` parameter and  
 134 even expiry date [to handle partitioning of referral links to deal with mergers and acquisitions]).

135 **Although this standard was driven by an urgent need from a US regulation affecting the**  
 136 **pharmaceutical sector, it has been developed as a generic lightweight framework that**  
 137 **should promote re-use and extension for other product sectors (e.g. food, components in**  
 138 **technical industries) and for use in all geographic regions.** Specifically, the `context`  
 139 parameter within each verification request serves as a reference to a bundle of input parameters for  
 140 the product identifier and selected master data attributes, as well as an interpretation (or reference  
 141 to an interpretation) of the true/false response. The response also supports the provision of  
 142 additional information, such as current status or disposition (e.g. 'recalled').

143  The term “lightweight” is intended to convey the streamlined, purpose-built nature of this  
 144 standard, and has no impact either on its normative character or on its versatility across  
 145 multiple sectors and regulatory jurisdictions for future applications that choose to leverage it.

## 146 1.1 Verification of Product Identifiers for pharmaceuticals

147 Under the Drug Supply Chain Security Act (DSCSA) § 582(c)(4)(D), beginning November 27, 2019,  
 148 wholesaler distributors are required to verify the product identifier including Standardized Numerical  
 149 Identifier (SNI) of products returned to them before the returned products can be placed into  
 150 inventory for resale. DSCSA defines verification as the process of “determining whether the product  
 151 identifier affixed to, or imprinted upon a package or homogeneous case corresponds to the [SNI] ...  
 152 assigned to the product by the manufacturer or the repackager....” [§ 581(28)]

153 “Verification” or “verify” means “determining whether the product identifier affixed to, or imprinted  
 154 upon on a package or homogeneous case corresponds to the [SNI] ... assigned to the product by the  
 155 manufacturer or the repackager....” [§ 581(28)]. A manufacturer who receives a verification request  
 156 from a repackager, wholesale distributor, or dispenser must respond to that request within 24 hours  
 157 (or such other time the Food and Drug Administration (FDA) establishes) [§ 582(b)(4)(C)]. A  
 158 repackager also has 24 hours to respond [§ 582(e)(4)(C)].

159 Supply chain parties are expected to exchange information in “a secure, interoperable, electronic  
 160 manner in accordance with the standards established under the guidance issued pursuant to  
 161 paragraphs (3) and (4) of subsection (h), including any revision of such guidance issued in  
 162 accordance with paragraph (5) of such subsection.” Sec. 203, [§ 582(g)(1)(A)]. “The form and  
 163 format of exchanges shall comply with widely recognized international standards development  
 164 organization.” Sec. 203, [§ 582(h)(4)(A)(i)].

165 The Drug Supply Chain Security Act (DSCSA) defines the requirements for Standards in section:

166 (h) Guidance Documents.--

167 (4) Standards for interoperable data exchange.--

168 (i) identifies and makes recommendations with respect to the standards necessary for  
 169 adoption in order to support the secure, interoperable electronic data exchange among the  
 170 pharmaceutical distribution supply chain that complies with a form and format developed by a  
 171 widely recognized international standards development organization.

172 **This standard specifies requests and responses for Verification of Pharmaceutical**  
 173 **Products, including but not limited to the Verification of Saleable Pharmaceutical Returns**  
 174 **in the context of DSCSA requirements and the Healthcare Distribution Alliance (HDA)’s**  
 175 **Verification Router Service (VRS) requirements.**



## 176 1.2 Positioning within the GS1 Architecture

177 This standard is a new addition to the “Share” layer of GS1 standards. At a high level, the  
178 request/response is a form of transactional messaging, albeit without a direct link to existing GS1  
179 EDI standards.

180 This is the first GS1 standard to include JSON as a message response syntax; it is also the first GS1  
181 “Share” standard to leverage the new GS1 Digital Link (Web URI) standard for the request syntax.

182 This standard can also be viewed as a very minimal kind of Checking Service in the sense that given  
183 a serialised product identifier and other parameters as input, it triggers an authentication check to  
184 be performed on the product identifier and the result that is returned is actionable information that  
185 enables a decision to be made about how to handle the product instance and whether it should be  
186 quarantined or destroyed or actually remains viable for onward distribution and sale or dispensing.

## 187 1.3 Relationship to EPCIS

188 This standard is independent of EPCIS and does not require the use of EPCIS, although users are  
189 encouraged to implement EPCIS to capture their supply chain events and to leverage the EPCIS  
190 query interface to retrieve the data required to respond to a request for product verification.

191 Although EPCIS event data can record the commissioning or decommissioning of products, as well  
192 as current disposition (such as 'recalled') and instance/lot master data (such as 'expiry date'), it  
193 does not provide a sufficiently lightweight or convenient interface to perform a simple verification  
194 check of product identifiers at batch or serial level.

195 Current standardisation work already underway on EPCIS / CBV v2.0 includes development of a  
196 JSON/JSON-LD data binding (as a more lightweight alternative to XML) and a REST web interface for  
197 query and capture (as a simpler alternative to SOAP-based Web Services). However, provision of a  
198 dedicated lightweight interface for authentication of product identifiers is outside of the scope of the  
199 current EPCIS/CBV 2.0 standardisation work. This standard for lightweight messaging for  
200 authentication of product identifiers therefore fills that gap and does not duplicate functionality  
201 being developed in EPCIS/CBV v2.0. It also ensures that a GS1 standard for such lightweight  
202 messaging is available quickly to meet the urgent needs of the US DSCSA requirements, long before  
203 EPCIS / CBV v2.0 is scheduled for ratification, while also being designed in a way that promotes re-  
204 use and extension globally and across other product sectors.

## 205 1.4 Relationship to GS1 Digital Link

206 This standard is the first GS1 technical standard to make use of the new GS1 Digital Link syntax in  
207 order to enable a basic automated authenticity check of a serialised product identifier and the  
208 associated expiry date and batch number via a lightweight web-based request/response message  
209 pair, initiated by a simple HTTP/HTTPS GET request and returning a lightweight machine-readable  
210 response message formatted in JavaScript Object Notation (JSON).

211 GS1 Digital Link is primarily concerned with providing simple on-demand access to consumer-facing  
212 master data and related services about things identified using GS1 identifiers at any level of  
213 granularity (e.g. products identified by GTIN, GTIN+Lot, GTIN+Serial, GTIN+Consumer Product  
214 Variant, as well as locations identified by GLN, assets identified by GRAI or GIAI etc.), with the  
215 ability to provide a response that is either human-readable (e.g. a web page formatted for humans)  
216 and/or machine-readable (such as a block of structured data formatted in JSON / JSON-LD or XML),  
217 such that it can be consumed by computer software (also including search engines, smartphone  
218 apps etc.).

219 Section [3](#) of this document provides a brief introduction to the GS1 Digital Link syntax, as it applies  
220 to product instances identified by the combination of GTIN, Batch/Lot, Serial Number and Expiry  
221 Date.

222 The GS1 Digital Link infrastructure includes resolvers, which function as redirection services to  
223 redirect to various web addresses specified by the respective licensee of the GS1 identification key  
224 (such as the brand owner for a specific GTIN) for various types of service or information.

225 Resolvers are being defined and developed for GS1 Digital Link for general use for various purposes,  
226 including support of this standard. A resolver for a GS1 Digital Link is simply a redirection service



227 that redirects one Web URI to one or more other Web URIs or URLs, nominated by the respective  
228 brand owner; in this sense, they play a similar role to the HDA Lookup Directory concept.

229 A GS1 Digital Link resolver is already operational at id.gs1.org and can be configured with a number  
230 of typed redirection links by each licensee of a GS1 identification key. One of these typed links can  
231 point to the relevant service for verification of product identifiers, as nominated by the respective  
232 brand owner.

233 A `context` parameter enables additional context to be provided within each `linkType` value. In this  
234 specification, the value of `linkType` is set to `verificationService` and the value of `context` may  
235 be set to `dscsaSaleableReturn` to ensure that the verification service that receives the request  
236 understands that it should use the appropriate configuration, rules and interpretation for the US  
237 DSCSA regulations regarding verification of Saleable Returns of pharmaceuticals. In future, the  
238 value of `context` may be set to other values in order to reference other configurations and rules to  
239 support product identifier authentication checks for other product sectors or other regions or for  
240 commercial / non-regulatory purposes.

241 This standard does not mandate the use of the GS1 Digital Link resolver at id.gs1.org; the  
242 messaging and URI structure can equally well be used by other lookup directories that perform a  
243 similar role; the only difference is a different domain name or hostname instead of id.gs1.org.


244 References throughout this document to a 'resolver for GS1 Digital Links' also apply to any  
245 redirection service or resolver service that conforms to the GS1 Digital Link specification for  
246 resolver. This might also include lookup directories aligned with the HDA Lookup Directory  
247 specification.

248 The team developing the GS1 Digital Link resolver prototype at id.gs1.org are carefully examining  
249 HDA requirements and draft specifications for Lookup Directories, to ensure that equivalent  
250 functional capabilities can be supported by the GS1 Digital Link resolver at id.gs1.org, including the  
251 ability to handle redirection to multiple verification services for the same GTIN concurrently, in order  
252 to deal with specific issues when mergers and acquisitions of companies and brands require  
253 concurrent operations over a period of time during the changeover period while products with the  
254 same GTIN from the previous brand owner and new brand owner coexist within the supply chain but  
255 can be distinguished e.g. by different expiry dates and may require redirection to one or other  
256 verification service endpoint, accordingly.

257 [Figure 1-4](#) and [Figure 1-5](#) illustrate how GS1 Digital Link Web URIs could be redirected to  
258 corresponding URIs for verification service implementations, both for the connectivity check ([Figure  
259 1-4](#)) and for the actual verification request ([Figure 1-5](#)).

260  
261  
262

**Figure 1-4:** A resolver can be configured to redirect the GS1 Digital Link URI to the `checkConnectivity` method of a specific verification service when `linkType=verificationService` and `checkConnectivity=true` are both present in the URI query string.




263  
264

265 In [Figure 1-4](#) and [Figure 1-5](#), the hostnames `resolver.example.org` and  
266 `verificationService.example.com` are fictitious, for illustrative purposes, to make clear that the  
267 resolver is not expected to implement the `verify` or `checkConnectivity` methods; those are to be  
268 implemented by a verification service. In some situations, a solution provider may implement a  
269 resolver or lookup directory and a verification service co-located on the same domain name or  
270 hostname but this is not always the case.

271  
272

273  
274  
275

**Figure 1-5** . A resolver can be configured to redirect the GS1 Digital Link URI to the `verify` method of a specific verification service when `linkType=verificationService` is present in the URI query string but `checkConnectivity=true` is absent.



276  
277

278 *Figure 1-4* and *Figure 1-5* are intended to indicate that a resolver for GS1 Digital Link URI is capable  
279 of redirecting one Web URI to another. Internally, it may enable a brand owner to specify one or  
280 more patterns to match valid GS1 Digital Link URIs for a specific set of GTINs or GS1 Company  
281 Prefixes, as well as URI templates for the target redirection URLs, which allow values (e.g. for GTIN,  
282 reqGLN etc.) to be matched and extracted from the initial GS1 Digital Link URI and substituted  
283 within appropriate placeholders of the target URL template, so that the resolver provides the client  
284 with the appropriate target redirection URL for that GTIN and other specified parameters, even if the  
285 resolver needed to rearrange the GS1 Digital Link URI into a different structure for the target  
286 redirection URL.

287 **1.5 Security considerations**

288 **Note** (non-normative):

289 This standard specifies a standardised interface and a machine-readable response message for  
290 performing verification checks on product identifiers. It should be noted that verification of product  
291 identifiers is only one element of ensuring security of products; further checks may involve physical  
292 inspection of the product and its packaging, including the integrity of any tamper-evident seals.

293 A verification service performs a check of the product identifier, potentially at the granularity of an  
294 individual product instance identified by the combination of GTIN (AI 01) and Serial Number (AI 21).  
295 For example, within the context of US DSCSA legislation on verification of saleable returns of  
296 pharmaceutical products, the verification checks may include checking that the specific combination  
297 of GTIN & Serial Number was actually commissioned by the manufacturer / brand owner and that  
298 the lot number and expiry date that were also scanned from the data carrier agree with the lot  
299 number and expiry date recorded by the manufacturer / brand owner at the time the GTIN & Serial  
300 Number was commissioned.

301 An implementation of a verification service may use standard HTTP response codes to indicate  
302 'Forbidden' (403), 'Unauthorized' (401) or 'Bad Request' (400).

303 The request includes a Requestor GLN. It is expected that prior to honouring any requests from a  
304 specific previously unknown Requestor GLN, a verification service may require registration by each




305 requestor and the operator of a verification service may appropriate background checks to  
306 determine that the requestor is a bona fide stakeholder who has a justification for using the service.

307 An implementation may also maintain an audit trail of requests and monitor this for unusual  
308 patterns of behaviour, including a high frequency of verification requests that result in failure, which  
309 may indicate an attempted brute force attack. When this is detected, an implementation may return  
310 a 'Forbidden' status for a pre-determined period of time, in order to block or rate-limit suspicious or  
311 malicious requests.

312

## 2 Connectivity Requests

Prior to performing a verification request, it is possible to perform a connectivity check, to confirm that a web connection exists to the corresponding verification service and that the verification service is online and responding.


 **Note** (non-normative):

The `checkConnectivity` method of a verification service enables a check of connectivity with the verification service and does return appropriate HTTP status codes. If the Requestor GLN (`reqGLN`) was not recognised, the verification service can respond with an HTTP 401 'Unauthorized' response, provided that it receives the request. If the Requestor GLN (`reqGLN`) is not permitted to make requests, the verification service can respond with an HTTP 403 'Forbidden' response.

In situations where a resolver for GS1 Digital Link Web URIs is used to route the request to the appropriate verification service specified by the brand owner of a specific GTIN, a resolver for GS1 Digital Link will not be able to route the request to the appropriate verification service if the GTIN is invalid or syntactically incorrect. In this situation, it is the responsibility of a resolver for GS1 Digital Link to indicate any syntax error in the client's request, since such a request might never even reach the verification service.

The connectivity check of a verification service is a simple HTTPS GET request in which where the URI path information ends with `/checkConnectivity` and the following two parameters are specified in the URI query string:

- GTIN (for routing purposes)
- Requestor GLN (to uniquely identify the requestor)

 **Note** (non-normative):

The `corrUUID` parameter introduced in section 3 is not required for a connectivity check; it is only required for verification requests, to correlate the response with the request, particularly when the requests and responses are later archived. The resolver makes no use of `corrUUID` but will pass it through if it is specified. A verification service will ignore any parameter that it does not understand, so because the `checkConnectivity` method does not understand `corrUUID`, it will simply ignore it. The REST interface and JSON Schema validation within it uses a 'must ignore' default (open shape validation), rather than the 'must understand' assumption of XSD (closed shape validation).

### 2.1 Example of a JSON connectivity test

The example below illustrates a sample JSON connectivity test in the context of verification of saleable returns when communicating with a known verification service. The HTTP `Accept:` header with value `application/json` is used to indicate to the verification service that the client would like to receive a response to the connectivity check in JavaScript Object Notation (JSON) format.

```
GET /checkConnectivity?gtin=01234567890128&reqGLN=0321012345676
Accept: application/json
```

The response to such a connectivity check request is an HTTP response containing a JSON body payload formatted as follows:

```
{
  "responderGLN": "{responderGLN}"
}
```

If the responder GLN were 012341234567, the following JSON body would be expected in the response if the connection is successful and returns an HTTP 200 status code:



```
363     {  
364     "responderGLN": "012341234567"  
365     }  
366
```

367 If no successful connection can be established, appropriate HTTP status codes and helpful  
368 descriptions will be returned, as appropriate.

369  
370 If the Web address of the appropriate verification service for a specific GTIN is not known in  
371 advance, the GS1 Digital Link syntax can be used in combination with a resolver for GS1 Digital Link  
372 Web URIs, such as the prototype resolver at [id.gs1.org](http://id.gs1.org), in order to contact the appropriate  
373 verification service nominated by the respective brand owner or licensee of the GTIN, by setting the  
374 value of `linkType` to `verificationService` and appending `&checkConnectivity=true` to the URI  
375 query string, as shown in [Figure 1-4](#).

376  
377 For example, the resolver for GS1 Digital Link URIs at [id.gs1.org](http://id.gs1.org) could be configured to redirect a  
378 request for

```
380 https://id.gs1.org/gtin/00361414567894/lot/1908642E/ser/400806?exp=170728&li  
381 nkType=verificationService&context=dscsaSaleableReturn&reqGLN=0321012345676&  
382 checkConnectivity=true
```

```
383  
384 to  
385
```

```
386 https://other.example.com/checkConnectivity?gtin=00361414567894&reqGLN=03210  
387 12345676&context=dscsaSaleableReturn
```

```
388
```





### 3 Verification Requests

389  
390  
391  
392  
393  
394  
395  
396  
397  
398  
399  
400  
401  
402  
403  
404  
405  
406  
407  
408  
409  
410  
411  
412  
413  
414  
415  
416  
417  
418  
419  
420  
421  
422  
423  
424  
425  
426  
427  
428  
429  
430  
431  
432  
433  
434  
435  
436  
437

A product instance can be uniquely identified by the following four data elements:

- GTIN
- Serial Number
- Lot
- Expiry Date

Typically these are encoded within a GS1 DataMatrix symbol, as the following concatenated element strings:

```
(01){gtin}(17){exp}(10){lot}(21){ser}
```

where {gtin}, {exp}, {lot} and {ser} are placeholders for the actual values, such as:

```
(01)00361414567894(17)170728(10)1908642E(21)400806
```

The GS1 Digital Link (Web URI) syntax provides an alternative way to express GTIN, serial number, lot/batch and expiry date within a single Web URI format. GS1 element strings can also be translated into a GS1 Digital Link Web URI with the following structure or URI template:

```
https://id.gs1.org/gtin/{gtin}/lot/{lot}/ser/{ser}?exp={exp}
```

or

```
https://other.example.com/gtin/{gtin}/lot/{lot}/ser/{ser}?exp={exp}
```

The URI templates above include four placeholders indicated by curly brackets, indicating where the actual values should be substituted for the actual values of GTIN {gtin}, Lot number {lot}, Serial number {ser} and Expiry Date {exp}.

The GS1 Digital Link syntax is simply an alternative way of expressing a concatenation of one or more GS1 element strings but formatted in a way that functions as a web address. It is important to note that the GS1 Digital Link syntax does not require any changes whatsoever to current practices of marking products with GS1 barcodes, whether 1-D or 2-D; pharmaceutical packages will continue to be marked using GS1 DataMatrix symbols that encode the four elements above.

As part of the adoption strategy for GS1 Digital Link, GS1 is currently developing free open source translation functions (in JavaScript, PHP and Java) that will enable translation between GS1 element strings and the GS1 Digital Link / Web URI syntax, in both directions. This can then be included within the software / firmware of barcode scanners or further downstream, within information systems, so that the GS1 Digital Link / Web URI syntax can always be generated on demand, whenever it is required, without requiring any change to how GS1 identifiers are currently encoded and marked on product packaging. In other words, it will be possible to scan a set of four element strings (GTIN, Lot/Batch, Serial Number and Expiry Date) from an existing GS1 DataMatrix barcode on a product package, and have that GS1 element string translated into a GS1 Digital Link Web URI format whenever it is useful to do so.

Note that in the first example, 'id.gs1.org' is the hostname for the prototype GS1 resolver (redirection service) for GS1 Digital Link, while in the second example, 'other.example.com' is a dummy value representing any other hostname, such as the hostname of a resolver or an actual endpoint for a verification service.

We anticipate that the id.gs1.org resolver prototype will redirect to the appropriate server of the responder, but other resolvers (and lookup directories) may be available. However, the structure from /gtin/ onwards will remain consistent, irrespective of which domain name or hostname is used in the Web URI.





438 As an actual example of performing these substitutions within URI templates, if the values of the  
439 four data elements were:

440	GTIN (01):	00361414567894
441	Serial Number (21):	400806
442	Batch or Lot Number (10):	1908642E
443	Expiry (17):	170728

444 then the resulting GS1 Digital Link Web URIs would be:

445 <https://id.gs1.org/gtin/00361414567894/lot/1908642E/ser/400806?exp=170728>  
446

447 or something like:

448 <https://other.example.com/gtin/00361414567894/lot/1908642E/ser/400806?exp=170728>  
449

450 By default, making a web request for such a GS1 Digital Link Web URI may often redirect to a  
451 consumer-facing product description page or to a list of all available links for services and  
452 information about that product, as specified by the respective brand owner. However, it is also  
453 possible to specify a value for an extra parameter, `linkType` within the URI query string, in order to  
454 request a specific type of information or service.

455 An HTTPS GET request can be made to request verification of a given serialised product by  
456 specifying `linkType=verificationService` and by specifying the verification context (e.g., DSCSA  
457 Saleable Return), as well as the following details of the request, supplied via the URI query string:

- 458 ■ Correlation UUID (universally unique identifier, uniquely generated by the requestor)
- 459 ■ Requestor GLN (to uniquely identify the requestor)
- 460 ■ Context (indicates objective or purpose for the verification request)

461 Although a Web request typically returns a synchronous response, both the request and  
462 corresponding response may later be archived for audit purposes. It is for this reason that both  
463 share the same Correlation UUID, in order that each request may be matched with the  
464 corresponding response, even when archived.

465 The Requestor GLN may be used by a verification service as an input to an access control decision,  
466 where access may only be granted to recognised values of Requestor GLN; requests with  
467 unrecognised values of Requestor GLN may be redirected to a registration page (via an HTTP 403  
468 'Forbidden' response), through which the requestor can register for access, by providing  
469 appropriate credentials and justification.

470 The `context` parameter is a general parameter for use in conjunction with any `linkType` parameter.  
471 It has meaning within that link type. Within a `linkType` value of `verificationService`, it provides  
472 a verification service with context about the request, indicating a particular profile, which may  
473 indicate whether the verification should be performed in accordance with the rules and semantics of  
474 a specific jurisdiction or regulatory requirement (as is the case for `context=dscsaSaleableReturn`)  
475 or for other purposes, such as verification purely for commercial reasons. The `context` parameter  
476 therefore provides flexibility to use the same Lightweight Messaging Framework to support different  
477 verification requirement profiles.

478 The full GS1 Digital Link Web URI templates for a verification request are therefore generated by  
479 adding the following additional parameters to the URI query string:

```
480 &linkType=verificationService  
481 &context={context}  
482 &reqGLN={Requestor GLN}  
483 &corrUUID={Correlation UUID}
```


484 This results in the following URI templates:

485 <https://id.gs1.org/gtin/{gtin}/lot/{lot}/ser/{ser}?exp={exp}&linkType=verificationService&context={context}&reqGLN={Requestor GLN}&corrUUID={Correlation UUID}>  
486

487 or

488 <https://other.example.com/gtin/{gtin}/lot/{lot}/ser/{ser}?exp={exp}&linkType=verificationService&context={context}&reqGLN={Requestor GLN}&corrUUID={Correlation UUID}>

490 [Figure 1-5](#) showed how a resolver for GS1 Digital Link URIs could be configured to redirect a GS1  
491 Digital Link URI with these additional parameters in the query string (and the absence of the  
492 checkConnectivity=true parameter) to the verify method of the appropriate verification service  
493 specified by the respective brand owner and licensee of that GTIN.

494  **Note:** that some of these parameters (e.g., Correlation UUID) are explicitly required for the  
495 dscsaSaleableReturn context, but may not be relevant to other uses of this lightweight  
496 standard in other sectors or regulatory jurisdictions.

497 The examples below use the previous example values for GTIN, Lot number, Serial number and  
498 Expiry date, together with the following example values for Requestor GLN, Correlation UUID and  
499 context:

500	<b>linkType:</b>	verificationService
501	<b>context:</b>	dscsaSaleableReturn
502	<b>Requestor GLN:</b>	0321012345676
503	<b>Correlation UUID:</b>	21EC2020-3AEA-4069-A2DD-08002B30309D

504 After substituting these values into the full URI templates above, this results in GS1 Digital Link Web  
505 URIs such as:

506 <https://id.gs1.org/gtin/00361414567894/lot/1908642E/ser/400806?exp=170728&linkType=verificationService&context=dscsaSaleableReturn&corrUUID=21EC2020-3AEA-4069-A2DD-08002B30309D&reqGLN=0321012345676>

508 or

509  
510  
511 <https://other.example.com/gtin/00361414567894/lot/1908642E/ser/400806?exp=170728&linkType=verificationService&context=dscsaSaleableReturn&corrUUID=21EC2020-3AEA-4069-A2DD-08002B30309D&reqGLN=0321012345676>

514 By making a simple HTTPS GET request for such Web URIs, the requestor would be redirected to the  
515 respective brand owner's verification service (provided this is known to a resolver for GS1 Digital  
516 Link Web URIs), which could then use the translation functions to convert back into the  
517 corresponding element string and process the verification request and issue an appropriate  
518 response.

519

520

## 4 Verification Responses

JSON syntax will be used to respond to all verification requests.

Verification Responses **SHALL**, at a minimum indicate...

- Responder GLN
- Correlation UUID indicated by the requestor in the original Verification Request
- Whether the request was verified (`true`) or not verified (`false`)
- Where NOT verified, indication of the **reason for non-verification** via the value of the `verificationFailureReason` parameter using one of the following code values:

Code value	Meaning
"No_match_GTIN_Serial"	No match between GTIN and Serial Number <i>(For a serialised product, if GTIN and Serial do not match, there is no need to check whether Lot or Expiry also match)</i>
"No_match_GTIN_Serial_Lot_Expiry"	No match between (GTIN and Serial Number) and Lot Number and Expiry Date
"No_match_GTIN_Serial_Lot"	No match between (GTIN and Serial Number) and Lot Number
"No_match_GTIN_Serial_Expiry"	No match between (GTIN and Serial Number) and Expiry Date
"No_reason_provided"	No reason provided

Future combinations of GS1 Keys / Application Identifiers will need to be defined in subsequent application standards and will result in extensions to this table in a future minor revision.

**OPTIONAL** additional information may be provided via the `additionalInfo` parameter. The value of the `additionalInfo` parameter is not a free text description; it expects a code value from the following table:

Code value	Meaning
"Recalled"	The product has been recalled

### 4.1 Examples of a JSON verification response

#### 4.1.1 Response following successful verification

##### 4.1.1.1 Verification without additional information

The example below illustrates a sample JSON response to a request for verification of saleable returns with Correlation UUID 21EC2020-3AEA-4069-A2DD-08002B30309D, following **successful verification, without providing additional information**:

```

HTTP 1.1 200 OK
Cache-Control: private, no-cache
Content-Type: application/json

{
  "verificationTimestamp": "2018-08-14T23:29:00.000-08:00",

```

```
549     "responderGLN": "0312231245676",
550     "data" : {
551         "verified": true
552     },
553     "corrUUID": "21EC2020-3AEA-4069-A2DD-08002B30309D"
554 }
```

#### 555 4.1.1.2 Verification including additional information

556 The example below illustrates a sample JSON response to a request for verification of saleable  
557 returns with Correlation UUID 21EC2020-3AEA-4069-A2DD-08002B30309D, following **successful**  
558 **verification, including additional information:**

```
559 HTTP 1.1 200 OK
560 Cache-Control: private, no-cache
561 Content-Type: application/json
562
563 {
564     "verificationTimestamp": "2018-08-14T23:29:00.000-08:00",
565     "responderGLN": "0312231245676",
566     "data" : {
567         "verified": true
568         "additionalInfo": "recalled"
569     },
570     "corrUUID": "21EC2020-3AEA-4069-A2DD-08002B30309D"
571 }
572
573
```

#### 574 4.1.2 Response following failure verification

575 The example below illustrates a sample JSON response to a request for verification of saleable  
576 returns with Correlation UUID 21EC2020-3AEA-4069-A2DD-08002B30309D, following **failure of**  
577 **verification:**

```
578 HTTP 1.1 200 OK
579 Cache-Control: private, no-cache
580 Content-Type: application/json
581
582 {
583     "verificationTimestamp": "2018-08-14T23:29:00.000-08:00",
584     "responderGLN": "0312231245676",
585     "data" : {
586         "verified": false,
587         "verificationFailureReason": "No_match_GTIN_Serial_Expiry",
588     },
589     "corrUUID": "21EC2020-3AEA-4069-A2DD-08002B30309D"
590 }
591
592
```

## 5 Open API Schema (including JSON) for Verification Request & Response

593

594

595

596

597

598

599

600

601

602

603

604

605

606

607

608

609

610

611

612

613

614

615

616

617

618

619

620

621

622

623

624

625

626

627

628

629

630

631

632

633

634

635

636

637

638

639

640

641

642

643

644

645

646

647

```

{
  "openapi": "3.0.0",
  "info": {
    "version": "1.0.0",
    "title": "GS1 Verification Messaging Standard",
    "contact": {
      "name": "GS1",
      "url": "https://www.gs1.org",
      "email": "gsmp@gs1.org"
    },
    "description": "This the API specification for peer-to-peer communication between
Verification Router Services or VRS"
  },
  "servers": [{
    "url": "https://vrs.example.com/gateway/placeholder"
  }],
  "paths": {
    "/checkConnectivity": {
      "get": {
        "tags": [
          "Test"
        ],
        "description": "Test connection to endpoints",
        "parameters": [{
          "name": "gtin",
          "in": "query",
          "description": "Global Trade Item Number",
          "required": true,
          "schema": {
            "$ref": "#/components/schemas/gtin"
          }
        },
        {
          "name": "reqGLN",
          "in": "query",
          "description": "Requestor GLN",
          "required": true,
          "schema": {
            "$ref": "#/components/schemas/gln"
          }
        }
      ],
      {
        "name": "context",
        "in": "query",
        "description": "Verification Context",
        "required": true,
        "schema": {
          "$ref": "#/components/schemas/context"
        }
      }
    ],
    "responses": {
      "200": {

```



```
648         "description": "A response code of 200 means the request was successful and
649 details about the response can be found in the body of the response. Only a 200 response
650 will issue a JSON payload.",
651         "content": {
652             "application/json": {
653                 "schema": {
654                     "$ref": "#/components/schemas/ConnectivityCheckResponse"
655                 }
656             }
657         },
658     },
659     "400": {
660         "description": "Bad Request. The request was not formatted properly.
661 Please verify the request conforms to the specification, and re-issue the request in the
662 correct format."
663     },
664     "401": {
665         "description": "Unauthorized. The request was not allowed because the
666 request did not pass authentication."
667     },
668     "403": {
669         "description": "Forbidden. The request was valid, but the server is
670 refusing to provide a response because the requestor lacks permission."
671     },
672     "404": {
673         "description": "Not found. The requested resource does not exist."
674     },
675     "405": {
676         "description": "Method Not Allowed. The request method is not supported."
677     },
678     "408": {
679         "description": "Request Timeout. The server timed out waiting for the
680 request."
681     },
682     "500": {
683         "description": "Internal Server Error. System failed to process the
684 request because of an error inside the system."
685     },
686     "502": {
687         "description": "Bad Gateway. The server was acting as a gateway or proxy
688 and received an invalid response from the upstream server. Indicates that one server tried
689 to use another VRS system and that system was down."
690     },
691     "503": {
692         "description": "Service Unavailable. System is undergoing maintenance or is
693 otherwise temporarily unavailable for API queries."
694     },
695     "504": {
696         "description": "Gateway Timeout. The server, while acting as a gateway or
697 proxy, performed multiple retries but did not receive a timely response from the upstream
698 server specified by the URI (e.g. HTTP, FTP, LDAP) or some other auxiliary server (e.g.
699 DNS) it needed to access in attempting to complete the request."
700     }
701 }
702 }
703 },
704 "/verify/gtin/{gtin}/lot/{lot}/ser/{ser}": {
705     "get": {
```

```
706     "tags": [  
707         "Verification"  
708     ],  
709     "description": "Verify a saleable return",  
710     "parameters": [{  
711         "name": "gtin",  
712         "in": "path",  
713         "description": "Global Trade Item Number",  
714         "required": true,  
715         "schema": {  
716             "$ref": "#/components/schemas/gtin"  
717         }  
718     },  
719     {  
720         "name": "lot",  
721         "in": "path",  
722         "description": "Lot/Batch Number",  
723         "required": true,  
724         "schema": {  
725             "$ref": "#/components/schemas/lotNum"  
726         }  
727     },  
728     {  
729         "name": "ser",  
730         "in": "path",  
731         "description": "Serial Number",  
732         "required": true,  
733         "schema": {  
734             "$ref": "#/components/schemas/serialNumber"  
735         }  
736     },  
737     {  
738         "name": "exp",  
739         "in": "query",  
740         "description": "Expiry",  
741         "required": true,  
742         "schema": {  
743             "$ref": "#/components/schemas/expiryDate"  
744         }  
745     },  
746     {  
747         "name": "linkType",  
748         "in": "query",  
749         "description": "Typed Link",  
750         "required": true,  
751         "schema": {  
752             "$ref": "#/components/schemas/linkType"  
753         }  
754     },  
755     {  
756         "name": "context",  
757         "in": "query",  
758         "description": "Verification Context",  
759         "required": true,  
760         "schema": {  
761             "$ref": "#/components/schemas/context"  
762         }  
763     },
```



```
764     {
765         "name": "reqGLN",
766         "in": "query",
767         "description": "Requestor GLN",
768         "required": true,
769         "schema": {
770             "$ref": "#/components/schemas/gln"
771         }
772     },
773     {
774         "name": "corrUUID",
775         "in": "query",
776         "description": "Correlation UUID",
777         "required": true,
778         "schema": {
779             "$ref": "#/components/schemas/uuid"
780         }
781     }
782 ],
783 "responses": {
784     "200": {
785         "description": "A response code of 200 means the request was successful and
786 details about the response can be found in the body of the response. Only a 200 response
787 will issue a JSON payload.",
788         "content": {
789             "application/json": {
790                 "schema": {
791                     "oneOf": [{
792                         "$ref": "#/components/schemas/PositiveVerificationResponse"
793                     },
794                     {
795                         "$ref": "#/components/schemas/NegativeVerificationResponse"
796                     }
797                 ]
798             }
799         }
800     }
801 }
802 }
803 }
804 },
805 },
806 "components": {
807     "schemas": {
808         "gln": {
809             "type": "string",
810             "minLength": 13,
811             "maxLength": 13,
812             "example": "9071404000002",
813             "pattern": "^\\d{13}$"
814         },
815         "gtin": {
816             "type": "string",
817             "minLength": 8,
818             "maxLength": 14,
819             "example": 175304202,
820             "pattern": "^\\d{12,14}|\\d{8}$"
821         }
822     }
823 }
```



```

822     "lotNum": {
823         "type": "string",
824         "description": "Lot number for the asset to be verified",
825         "example": "LZ109B15"
826     },
827     "serialNumber": {
828         "type": "string",
829         "description": "Serial number for the asset to be verified",
830         "example": "XYZ12345AB"
831     },
832     "expiryDate": {
833         "type": "string",
834         "description": "Date of expiry for the item to be looked up in format YYYYMMDD",
835         "minLength": 6,
836         "maxLength": 6,
837         "example": "170728",
838         "pattern": "^\\d{6}$"
839     },
840     "uuid": {
841         "type": "string",
842         "description": "Globally Unique Identifier (UUID)",
843         "example": "59bc5c88-15f7-49a7-9687-73b05d2c50a4",
844         "pattern": "^[a-fA-F\\d]{8}-[a-fA-F\\d]{4}-4[a-fA-F\\d]{3}-[89abAB][a-fA-
845 F\\d]{3}-[a-fA-F\\d]{12}$"
846     },
847     "timestamp": {
848         "type": "string",
849         "description": "A timestamp to millisecond precision, with an explicit timezone
850 indicator (+/-hh:mm) relative to UTC",
851         "example": "2018-08-14T23:29:00.000-08:00",
852         "pattern": "^[0-9]{4}-(0[1-9]|1[0-2])-(0[1-9]|[1-2][0-9]|3[0-1])T(2[0-3]|[01][0-
853 9]):[0-5][0-9]:[0-5][0-9]\\.[0-9]{3}(Z|((\\+|\\-)((0[0-9]|1[0-3]):([0-5][0-9])|14:00)))"
854     },
855     "linkType": {
856         "type": "string",
857         "enum": [
858             "verificationService"
859         ],
860         "example": "verificationService"
861     },
862     "context": {
863         "type": "string",
864         "enum": [
865             "dscsaSaleableReturn"
866         ],
867         "example": "dscsaSaleableReturn"
868     },
869     "positiveVerificationStatus": {
870         "type": "boolean",
871         "description": "Please refer to the rules defined for the context for further
872 details of what constitutes successful verification. If verification succeeds, use true.",
873         "example": true,
874         "enum": [
875             true
876         ]
877     },
878     "negativeVerificationStatus": {
879         "type": "boolean",

```

```

880         "description": "Please refer to the rules defined for the context for further
881 details of what constitutes unsuccessful verification. If verification fails, use false
882 and select a value for 'verificationFailureReason'.",
883         "example": false,
884         "enum": [
885             false
886         ]
887     },
888     "verificationFailureReason": {
889         "type": "string",
890         "description": "Mandatory if verification failed. Used to indicate which PI
891 element(s) did not match, or to indicate that no reason has been provided (at the
892 discretion of the responder. Values: 'No_match_GTIN_Serial': 'No match between GTIN and
893 Serial Number', 'No_match_GTIN_Serial_Lot': 'No match between (GTIN and Serial Number) and
894 Lot Number', 'No_match_GTIN_Serial_Expiry': 'No match between (GTIN and Serial Number) and
895 Expiry Date', 'No_match_GTIN_Serial_Lot_Expiry': 'No match between (GTIN and Serial
896 Number) and Lot Number and Expiry Date', 'No_reason_provided'",
897         "enum": [
898             "No_match_GTIN_Serial",
899             "No_match_GTIN_Serial_Lot",
900             "No_match_GTIN_Serial_Expiry",
901             "No_match_GTIN_Serial_Lot_Expiry",
902             "No_reason_provided"
903         ],
904         "example": "No_match_GTIN_Serial_Lot"
905     },
906     "additionalInformation": {
907         "type": "string",
908         "description": "Optional. May be used to provide additional information of the
909 state of the SGTIN, for example, recalled. Instead of including an empty string or null, do
910 NOT include this field unless is populated with a descriptive, standardised text value.
911 Values: 'Recalled' - Product has been recalled and should not be sold. THIS IS NOT A FREE
912 TEXT DESCRIPTION. Additional values will be standardised in the future. NOTE THAT EPCIS IS
913 THE PREFERRED MECHANISM FOR INDICATING CHANGES IN PRODUCT DISPOSITION (e.g., recalled,
914 stolen, decommissioned).",
915         "enum": [
916             "Recalled"
917         ]
918     },
919     "ConnectivityCheckResponse": {
920         "required": [
921             "responderGLN"
922         ],
923         "properties": {
924             "responderGLN": {
925                 "$ref": "#/components/schemas/gln"
926             }
927         }
928     },
929     "PositiveVerificationResponse": {
930         "required": [
931             "verificationTimestamp",
932             "corrUUID",
933             "responderGLN",
934             "data"
935         ],
936         "properties": {
937             "verificationTimestamp": {

```

```

938         "$ref": "#/components/schemas/timestamp"
939     },
940     "corrUUID": {
941         "$ref": "#/components/schemas/uuid"
942     },
943     "responderGLN": {
944         "$ref": "#/components/schemas/gln"
945     },
946     "data": {
947         "type": "object",
948         "properties": {
949             "verified": {
950                 "$ref": "#/components/schemas/positiveVerificationStatus"
951             },
952             "additionalInfo": {
953                 "$ref": "#/components/schemas/additionalInformation"
954             }
955         },
956         "required": [
957             "verified"
958         ]
959     }
960 },
961 },
962 "NegativeVerificationResponse": {
963     "required": [
964         "verificationTimestamp",
965         "corrUUID",
966         "responderGLN",
967         "data"
968     ],
969     "properties": {
970         "verificationTimestamp": {
971             "$ref": "#/components/schemas/timestamp"
972         },
973         "corrUUID": {
974             "$ref": "#/components/schemas/uuid"
975         },
976         "responderGLN": {
977             "$ref": "#/components/schemas/gln"
978         },
979         "data": {
980             "type": "object",
981             "properties": {
982                 "verified": {
983                     "$ref": "#/components/schemas/negativeVerificationStatus"
984                 },
985                 "verificationFailureReason": {
986                     "$ref": "#/components/schemas/verificationFailureReason"
987                 },
988                 "additionalInfo": {
989                     "$ref": "#/components/schemas/additionalInformation"
990                 }
991             },
992             "required": [
993                 "verified",
994                 "verificationFailureReason"
995             ]

```



```
996  
997  
998  
999  
1000  
1001  
1002
```

}  
}  
}  
}  
}  
}

1003

## 1004 6 References and terms

### 1005 6.1 References

Document	author / year
CBV v 1.2 <a href="https://www.gs1.org/sites/default/files/docs/epc/CBV-Standard-1-2-2-r-2017-10-12.pdf">https://www.gs1.org/sites/default/files/docs/epc/CBV-Standard-1-2-2-r-2017-10-12.pdf</a>	GS1, 2016
EPCIS v 1.2 <a href="https://www.gs1.org/sites/default/files/docs/epc/EPCIS-Standard-1.2-r-2016-09-29.pdf">https://www.gs1.org/sites/default/files/docs/epc/EPCIS-Standard-1.2-r-2016-09-29.pdf</a>	GS1, 2016
EPCIS & CBV Implementation Guideline v 1.2 <a href="https://www.gs1.org/docs/epc/EPCIS_Guideline.pdf">https://www.gs1.org/docs/epc/EPCIS_Guideline.pdf</a>	GS1, 2016
GS1 Digital Link (also known as "GS1 Web URI Structure Standard") <a href="https://www.gs1.org/standards/Digital-Link/">https://www.gs1.org/standards/Digital-Link/</a>	GS1, 2018
GS1 General Specifications v 18.0 <a href="https://www.gs1.org/docs/barcodes/GS1_General_Specifications.pdf">https://www.gs1.org/docs/barcodes/GS1_General_Specifications.pdf</a>	GS1, 2018
JavaScript Object Notation (JSON) specification (published as IETF RFC 8259 and ECMA 404) <a href="https://tools.ietf.org/html/rfc8259">https://tools.ietf.org/html/rfc8259</a>	IETF, 2017 EMCA, 2017
OpenAPI Specification <a href="https://www.openapis.org/">https://www.openapis.org/</a>	Open API Initiative, 2018
Verification Router Service Request and Response Messaging Standard v 1.0	HDA, 2018

1006

### 1007 6.2 Abbreviations and Terms

Abbreviation	Term
CBV	Core Business Vocabulary, a GS1 and ISO companion standard to EPCIS that specifies vocabulary elements to be utilized in conjunction with visibility event data, in order to ensure a common understanding of data semantics and underpin the interoperability of EPCIS implementations.
context	Parameter within each verification request which serves as a reference to a bundle of input parameters for the product identifier and selected master data attributes, as well as an interpretation (or reference to an interpretation) of the true/false response; for example, "dscsaSaleableReturn" indicates a verification application within the US DSCSA's provision for Verification of Saleable Returns.
DSCSA	Drug Supply Chain Security Act, comprising Title II of the DQSA, outlines steps to build an electronic, interoperable system to identify and trace certain prescription drugs as they are distributed in the United States



Abbreviation	Term
DQSA	US Drug Quality and Security Act, enacted by the Congress of the United States on November 27, 2013, outlines requirements to build electronic systems that identify and trace prescription drugs distributed in the US
EPCIS	Electronic Product Code Information Services, a GS1 and ISO Standard that defines a common data model for visibility data and interfaces for capturing and sharing visibility data within an enterprise and across an open supply chain
FDA	Food and Drug Administration, a federal agency of the United States Department of Health and Human Services
GLN	Global Location Number, a GS1 identification key used to identify physical locations or parties. The key comprises a GS1 Company Prefix, location reference, and check digit
GTIN	Global Trade Item Number, a GS1 identification key used to identify trade items. The key comprises a GS1 Company Prefix, an item reference and check digit
UUID	Universally Unique Identifier, a practically unique, 128-bit number used to identify information in computer systems
HDA	Healthcare Distribution Alliance, the US national organization representing primary pharmaceutical distributors
HTTP	Hypertext Transfer Protocol, an application protocol for distributed, collaborative, hypermedia information systems
HTTPS	Hypertext Transfer Protocol Secure, an extension of the Hypertext Transfer Protocol (HTTP) for secure communication over a computer network, widely used on the Internet
JSON	JavaScript Object Notation, an open-standard file format that uses human-readable text to transmit data objects consisting of attribute–value pairs and array data types
JSON-LD	JavaScript Object Notation for Linked Data, ia method of encoding Linked Data using JSON.
linkType	Specification of the nature of the information being linked to, to request a specific type of information or service; for example, "verificationService".
Requestor	Party that submits a verification request; for example, in the context of "dscsaSaleableReturn", a pharmaceutical wholesaler or distributor.
Responder	Party that responds to a verification request; for example, in the context of "dscsaSaleableReturn", a pharmaceutical manufacturer or repackager.
REST	Representational State Transfer, an architectural style that defines a set of constraints to be used for creating web services
SNI	Standardized Numerical Identifier, defined by the DSCSA as "a set of numbers or characters used to uniquely identify each package or homogenous case that is composed of the National Drug Code that corresponds to the specific product (including the particular package configuration) combined with a unique alphanumeric serial number of up to 20 characters."
URI	Uniform Resource Identifier, a string of characters that unambiguously identifies a particular resource
VRS	Verification Router Service, potential method to meet the 2019 Saleable Returns DSCSA Requirements, designed to reference a returned pharmaceutical product's GTIN or associated GCP to automatically query the appropriate manufacturer's database and return a response in real-time
XML	Extensible Markup Language, a markup language that defines a set of rules for encoding documents in a format that is both human-readable and machine-readable