



Business Message Standard (BMS) Common Library

BMS Release: 2.5.0, BRG Name: eCom

Issue 0.6.1, 26-Oct-2009



Document Summary

Document Item	Current Value
Document Title	Business Message Standard (BMS)
BMS Name	Common Library
BMS Release	2.5.0
BRG Name	eCom
Document Number	Issue 0.6.1
Date Last Modified	26-Oct-2009
Status	Approved
Owner	eCom BRG
BMS Template Version	1.9

Document Change History

Date of Change	Version	Changed By	Reason for Change	Summary of Change	Model Build #
07 – Dec – 2004	0.1.1	John Ryu	Maps to the GBM Structure. Ready for 1 st draft XML Development. Excludes Plan	Separated Common Library in chapter 3 (Common Components) and Chapter 4 (Process Common Components)	
09 – Dec- 2004	0.1.2	John Ryu	Updates Finished Plan Common Library	Detail changes are provided in Summary of Changes Plan Common library section added in 4.7	4948
13 – Dec- 2004	0.1.3.	John Ryu	Updated to common library	Detail changes are provided in Summary of Changes	MDL P4CL : 5055
13 – Dec- 2004	0.1.4	John Ryu	Added Code Lists	Added code list into section 1.5.4 Detail changes are provided in Summary of Changes	MDL P4CL : 5094
16 – Dec- 2004	0.1.5	John Ryu	Updated to the Code List	Detail changes are provided in Summary of Changes	
17 – Dec- 2004	0.1.6	John Ryu	Update	Detail changes are provided in Summary of Changes	
18 – Feb- 2005	0.1.7	John Ryu	Updates based on Order 2.0.1 work	Detail changes are provided in Summary of Changes	MDL P4CL :5774 BSD P4CL : 5781
28 – Feb- 2005	0.1.8	John Ryu	Updates based on public review Order	Detail changes are provided in Summary of Changes	MDL P4CL : 5805 BSD P4CL : 5806

Date of Change	Version	Changed By	Reason for Change	Summary of Change	Model Build #
11 – Mar - 2005	0.1.9	John Ryu	Based on 2.0.1 Plan work	Detail changes are provided in Summary of Changes	MDL P4CL : 6005 BSD P4CL :6006
29 – Mar-2005	0.1.10	Andrew Hearn	Update GDD Reports	GDD Reports were added to the document	BSD P4CL : 6189
31 – Mar-2005	0.1.11	John Ryu	Update GDD Reports	Expand Table of Content to include Class Diagram Section headers. Remove Data Type column from the GDD Report. Updated Order Common Definitions.	BSD P4CL : 6301
31 – Mar- 2005	0.1.12	Eric Kauz	Update GDD Reports and Models	Trade Item Hazardous Information Abstract Description Short Description Abstract Amount	
07 _ Apr- 2005	0.1.13	John Ryu	Added creationDateTime : DateTime in the ResponseDocument class	Detail changes are provided in Summary of Changes 1.5.1.45 Related Requirements 1.5.2.45 GDD 1.5.3.1.5 Class Diagram	MDL P4CL : 6352 BSD P4CL : 6360
24 – Ma-2005	0.2.0	Coen Janssen	Several updates for Upstream Standards and ebMeat + Peer review comments	Detail changes are provided in Summary of Changes	
14 – Jun- 2005	0.2.1	Coen Janssen	XML development comments	Added GoodsRequirementsLineItem Fixed some errors	
15 – Jun-2005	0.2.2	Eric Kauz	ebMeat Requirements	Added Extension Point to ItemContainmentClass	
16- Jun-2005	0.2.3	Eric Kauz	Errata	Updated Data Types for MeasurementCode, PackageDescriptionCode Updated Quantity for change to MeasurementCode Date Type. Changed IncoTerm List to Internal Code List	
20 – Jun-2005	0.2.4	John Ryu	Change Name of CodeList	Based on FTL Load Tender F2F Lawrenceville Meeting DeliverPaymentMethodCodeList→1.5.4.70 TransportationPaymentMethodCodeList	BSD P4CL: 6931
08- Jul-2005	0.2.5	John Ryu	Minor Typographical edits	Section 1.5.4.58 Service Level Code List Section 1.5.3.2.15 corrected typo in DeliverReference	BSD P4CL: 7097
11- Jul-2005	0.2.6	Coen Janssen	Added new class QuantityRange	Needed for BMS Purchase Conditions	BSD P4CL: 7103
21- Jul-2005	0.2.7	Coen Janssen	Technical Design Public Review	Functional changes, Detail changes are provided in Summary of Changes	
19 – Aug-2005	0.2.8	Coen Janssen	Technical Design Public Review	Functional changes, Detail changes are provided in Summary of Changes	

Date of Change	Version	Changed By	Reason for Change	Summary of Change	Model Build #
26 – Aug-2005	0.2.9	John Ryu	Technical Design Public Review	Detail changes are provided in Summary of Changes Added CurrencyExchangeRateInformation to Related Requirements/GDD/Class Diagram	MDL P4CL: 7363 BSD P4CL: 7365
13- Sep-2005	0.2.10	Coen Janssen	Technical Design Public Review	Functional changes, Detail changes are provided in Summary of Changes	
03- Oct-2005	0.2.11	Coen Janssen	TDPR Upstream Invoice	Functional changes to Payment Terms, Detail changes are provided in Summary of Changes	
14- Oct-2005	0.2.12	John Ryu	Quality check against reintroduced elements from Document Version 0.2.0—0.2.11	Detail changes are provided in Summary of Changes	BSD P4CL: 7582 MDL P4CL: 7570
01 – Nov-2005	0.2.13	John Ryu	Work from Pay Advanced Remittance Notice	Detail changes are provided in Summary of Changes	BSD P4CL: 7648
15- Nov-2005	0.2.14	Eric Kauz	Add FMCG Trade Item Identification	Detail changes are provided in Summary of Changes	BSD P4CL: 7648
02- Dec-2005	0.2.15	John Ryu	Modified Message Reason List	Detail changes are provided in Summary of Changes	BSD P4CL: 7862
06- Jan-2006	0.2.16	John Ryu	Modified Service Level code List	Detail changes are provided in Summary of Changes	BSD P4CL: 7969
06- Feb-2006	0.2.17	Coen Janssen	Bugfix on version 2.1 (upstream)	Detail changes are provided in Summary of Changes Added new attribute	BSD P4CL: 8022
14- Feb-2006	0.2.18	John Ryu	Based on Item Implementation Feedback Phase #1 work. BRAD p4cl: 7983	Marked targetMarketDescription for deprecation in the TargetMarketInformation.	BSD / MDL P4CL: 8074
01- Mar-2006	0.2.19	John Ryu	Based on Transportation Rate Response and Reply work	Moved into Deliver Common. Commodity Group and Equipment Information	MDL P4CL: 8123 BSD P4CL: 8124
09- Mar-2006	0.2.20	Esther Peelen	IRT Food & Beverage requirement	Added ExternalFileLink class	MDL P4CL: 8049
15- Mar-2006	0.2.21	John Ryu	Based on Align Item Work	Changed flash point temperature from mandatory to optional. Detail changes are provided in Summary of Changes	MDL/BSD P4CL: 8183

Date of Change	Version	Changed By	Reason for Change	Summary of Change	Model Build #
21- Mar-2006	0.2.21	Eric Kauz	IRT Food & Beverage requirement	Added UN_INFODDS_Code to Extended Data Types	CL 8213
12- May-2006	0.2.22	John Ryu	Advanced Remittance Notification	Added Payment Discount	MDL 8311 BSD 8340
26- May-2006	0.2.23	John Ryu	Updated For Major Release	Detail changes are provided in Summary of Changes	MDL: 8557 BSD: 8564
15-Mar-2007	0.3.0	John Ryu	Update for BMS Release Version 2.1	Updates to GDD Platform	BSD P4CL: 9066
23- Mar-2007	0.4.0	John Ryu	Updated for BMS Release Version 2.3		BSD P4CL: 9138
03- May-2007	0.4.1	John Ryu	Update based on public review	Detail changes are provided in Summary of Changes	MDL P4CL: 9289 BSD P4CL: 9290
25- May-2007	0.4.2	John Ryu	eCom BRG eballot approved	Updated BMS to approved	BSD p4cl: 9460
16-Jul-2007	0.4.3	Giovanni Biffi and Brian Bennett	Updated the GDD report for the flashPointTemperature to make it optional as it is requested by GDSN MR2 Fixed spelling error on Model Event Tactic	Updates related to GDSN Maintenance Release 2 Quality Assurance	
17-Jul-2007	0.5.0	John Ryu	Upgrade to BMS Release 2.4.0	Detail changes are provided in Summary of Changes.	MDL P4CL: 9617 BSD P4CL: 9668
02-Aug-2007	0.5.1	John Ryu	Added VAT Tax Extension into common	Detail changes are provided in Summary of Changes.	MDL P4CL: 9701 BSD P4CL: 9702
04-Sep-2007	0.5.2	John Ryu	Part of Stop Gap Report	Detail changes are provided in Summary of Changes.	MDL P4CL: 9910 BSD P4CL: 9913
25-Sep-2007	0.5.3	John Ryu	Part of BMS Release 2.4.0	Updated BMS to approved	BSD P4CL: 10035

Date of Change	Version	Changed By	Reason for Change	Summary of Change	Model Build #
1-Dec-2008	0.6.0	John Ryu	BMS Release 2.5.0 Public Review	Noted in summary of changes.	MDL 10752
06-Feb-2009	Issue 0.6.0	Lisa Herrick	BMS Release 2.5.0 eBallot Approved	Noted in summary of changes.	Not Applicable
26 –Oct-2009	Issue 0.6.1	John Ryu	Updated based on Performance Measurement	Noted in summary of changes	Not Applicable

Disclaimer

Whilst every effort has been made to ensure that the guidelines to use the GS1 standards contained in the document are correct, GS1 and any other party involved in the creation of the document HEREBY STATE that the document is provided without warranty, either expressed or implied, of accuracy or fitness for purpose, AND HEREBY DISCLAIM any liability, direct or indirect, for damages or loss relating to the use of the document. The document may be modified, subject to developments in technology, changes to the standards, or new legal requirements. Several products and company names mentioned herein may be trademarks and/or registered trademarks of their respective companies.

Table of Contents

1.	Business Solution Design	12
1.1.	Problem Statement / Business Need	12
1.2.	Objective	12
1.3.	Audience	12
1.4.	Artefacts	12
1.5.	References	12
1.6.	Acknowledgements	12
1.6.1.	BRG Members	12
1.6.2.	Task/Project Group Participants (<i>where applicable</i>)	13
1.6.3.	Design Team Members	13
1.6.4.	Business Context	13
2.	Common Library Common Components	14
2.1.	Package Overview: Common Library Common Components	14
2.2.	Package Overview: Components	14
2.2.1.	Class Diagram: Date and Time	14
2.2.2.	GDD Report: Date and Time	14
2.2.3.	Class Diagram:	16
2.2.4.	GDD Report: Document	16
2.2.5.	Class Diagram: Document Reference	17
2.2.6.	GDD Report: Document Reference	18
2.2.7.	Class Diagram: Quantity Range	19
2.2.8.	GDD Report: Quantity Range	19
2.2.9.	Class Diagram: Response Document	20
2.2.10.	GDD Report: Response Document	20
2.3.	Package Overview: Data Type	22
2.3.1.	Class Diagram: Data Type	22
2.3.2.	GDD Report: Data Type	22
2.4.	Package Overview: Compound Data Type	23
2.4.1.	Class Diagram Abstract Amount	23
2.4.2.	GDD Report: Abstract Amount	23
2.4.3.	Class Diagram: Amount	23
2.4.4.	GDD Report: Amount	23
2.4.5.	Class Diagram: Description	24
2.4.6.	GDD Report: Description	24
2.4.7.	Class Diagram: Long Description	24
2.4.8.	GDD Report: Description	24
2.4.9.	Class Diagram: Measurement	25
2.4.10.	GDD Report: Measurement	25
2.4.11.	Class Diagram: Quantity	25
2.4.12.	GDD Report: Quantity	26

2.5.	Package Overview: Extended Data Type	26
2.5.1.	Class Diagram: Extended Data Type	26
2.5.2.	GDD Report: Extended Data Type	27
2.6.	Package Overview: Identification	27
2.6.1.	Class Diagram: Entity Identification	27
2.6.2.	GDD Report: Entity Identification	27
2.6.3.	Class Diagram: Party Identification	28
2.6.4.	GDD Report: Party Identification	28
2.6.5.	Class Diagram: Logistic Unit Identification	29
2.6.6.	GDD Report: Logistic Unit Identification	30
2.6.7.	Class Diagram: Trade Item Identification	31
2.6.8.	GDD Report: Trade Item Identification	31
2.6.9.	Class Diagram: Typed Entity Identification	32
2.6.10.	GDD: Typed Entity Identification	32
3.	Common Library Process Common Components	33
3.1.	Package Overview Common Library Process Components	33
3.2.	Package Overview: Deliver Common	33
3.2.1.	Class Diagram: Deliver Date Information	33
3.2.2.	GDD Report: Deliver Date Information	33
3.2.3.	Class Diagram: Deliver Reference	34
3.2.4.	GDD Report: Deliver Reference	34
3.2.5.	Class Diagram: Despatch Information	35
3.2.6.	GDD Report: Despatch Information	35
3.2.7.	Class Diagram: Estimated Delivery	37
3.2.8.	GDD Report: Estimated Delivery	37
3.2.9.	Class Diagram: Inventory Status Line Item	38
3.2.10.	GDD Report: Inventory Status Line Item	38
3.2.11.	Class Diagram: Item Containment	40
3.2.12.	GDD Report: Item Containment	41
3.2.13.	Class Diagram: Location Information	42
3.2.14.	GDD Report: Location Information	43
3.2.15.	Class Diagram: Logistic Unit Measurement	43
3.2.16.	GDD Report: Logistic Unit Measurement	43
3.2.17.	Class Diagram: Logistic Units	44
3.2.18.	GDD Report: Logistic Units	44
3.2.19.	Class Diagram: Package Dimension	45
3.2.20.	GDD Report: Package Dimension	46
3.2.21.	Class Diagram: Transactional Item Data	46
3.2.22.	GDD Report: Transactional Item Data	47
3.2.23.	Class Diagram: Unit Measurement	48
3.2.24.	GDD Report: Unit Measurement	49
3.3.	Package Overview: Order Common	49
3.3.1.	Class Diagram: Order Header Indicator	49
3.3.2.	GDD Report: Order Header Indicator	50

3.3.3.	Class Diagram: Order Logistical Information	51
3.3.4.	GDD Report: Order Logistical Information	52
3.3.5.	Class Diagram: Order Party Information	56
3.3.6.	GDD Report: Order Party Information	57
3.3.7.	Class Diagram: Simple Order Line Item	58
3.3.8.	GDD Report: Simple Order Line Item	58
3.3.9.	Class Diagram: Shipment Detail	60
3.3.10.	GDD Report: Shipment Detail	60
3.3.11.	Class Diagram: Trade Agreement	61
3.3.12.	GDD Report: Trade Agreement	62
3.4.	Package Overview: Pay Common	62
3.4.1.	Class Diagram: Adjustment Reason	62
3.4.2.	GDD Report: Adjustment Reason	62
3.4.3.	Class Diagram: Financial Institution Information	63
3.4.4.	GDD Report: Financial Institution Information	63
3.4.5.	Class Diagram: Invoice Allowance Charge	65
3.4.6.	GDD Report: Invoice Allowance Charge	65
3.4.7.	Class Diagram: Invoice Party	66
3.4.8.	GDD Report: Invoice Party	66
3.4.9.	Class Diagram: Invoice Tax Information	67
3.4.10.	GDD Report: Invoice Tax Information	68
3.4.11.	Class Diagram: Payment Method	69
3.4.12.	GDD Report: Payment Method	69
3.5.	Package Overview: Plan Common	70
3.5.2.	Class Diagram: Goods Requirements Line Item	70
3.5.3.	GDD Report: Goods Requirements Line Item	70
3.5.4.	Class Diagram: Quantity Specification	72
3.5.5.	GDD Report: Quantity Specification	72
3.6.	Package Overview: Process Common	73
3.6.1.	Class Diagram: Contact	73
3.6.2.	GDD Report: Contact	73
3.6.3.	Class Diagram: Currency Exchange Rate Information	74
3.6.4.	GDD Report: Currency Exchange Rate Information	74
3.6.5.	Class Diagram: Name and Address	76
3.6.6.	GDD Report: Name and Address	76
3.6.7.	Class Diagram: Trade Item Tax Information	79
3.6.8.	GDD: Trade Item Tax Information	80
3.6.9.	Class Diagram: Shipment Transportation Information	81
3.6.10.	GDD Report: Shipment Transportation Information	81
3.7.	Package Overview: Terms	83
3.7.1.	Class Diagram: Allowance Charge	83
3.7.2.	GDD Report: Allowance Charge	84
3.7.3.	Class Diagram: Payment Terms	87
3.7.4.	GDD Report: Payment Terms	88

4. Code Lists	90
4.1. Account Number Type List.....	90
4.2. Additional Party Identification List	91
4.3. Additional Trade Item Identification List	92
4.4. Allowance Charge List	93
4.5. Allowance Or Charge List	94
4.6. Alternate Adjustment Reference List	94
4.7. Appointment Time Measurement Basis Type List	95
4.8. Bucket Size Type Code List	95
4.9. Change Reason Code List	95
4.10. Communication Channel Code List	96
4.11. Credit Reason Code List	96
4.12. Debit Credit Indicator List.....	97
4.13. Deliver Date Type List.....	97
4.14. Deliver Reference Code List	97
4.15. Delivery Time Measurement Type List	100
4.16. Demand Estimation Type List	100
4.17. Document Status List	101
4.18. Duty Tax Fee Type Code List	101
4.19. Effective Date List	101
4.20. Entity Type List.....	102
4.21. Error Or Warning List	105
4.22. Forecast Purpose Code List.....	107
4.23. Forecast Type Code List.....	108
4.24. Goods Requirements Type List	108
4.25. Incoterm Code List.....	108
4.26. Inventory Activity List	109
4.27. Inventory Document Type List	110
4.28. Inventory Measurement Basis Type List.....	110
4.29. Inventory Movement Type List.....	110
4.30. Inventory Status List.....	111
4.31. Invoice Type Code List.....	112
4.32. Item Scope Type List	113
4.33. Location Scope Parameter Type List.....	113
4.34. Location Scope Type List.....	114
4.35. Measurement Type Code List.....	115
4.36. Message Reason List.....	115
4.37. Order Line Item Action Code List.....	124
4.38. Out of Stock Measurement Type List.....	124
4.39. Payment Format List	125
4.40. Payment Method List	125
4.41. Payment Terms Event List.....	126
4.42. Payment Terms Type List	126
4.43. Performance Measure Type List.....	127

4.44.	Periodicity Type List	128
4.45.	Purchase Conditions Commitment Type List.....	128
4.46.	Quantity Identification List.....	129
4.47.	Receiving Condition Code List.....	129
4.48.	Replenishment Proposal Document Type List.....	130
4.49.	Replenishment Request Document Type List.....	130
4.50.	Replenishment Request Status List.....	130
4.51.	Reporting Code List	130
4.52.	Response Status List	131
4.53.	Routing Number Type List	131
4.54.	Sales Measurement Type List.....	131
4.55.	Service Level Basis Type List	131
4.56.	Service Level Code List	132
4.57.	Service Level Measurement Type List.....	133
4.58.	Settlement List	133
4.59.	Shipment Special Handling Code List.....	133
4.60.	Source Code List.....	135
4.61.	Special Order Condition Code List.....	135
4.62.	Structure Type List.....	136
4.63.	Synchronisation Calculation Type List.....	136
4.64.	Time Period List	136
4.65.	Time Period Scope Type List.....	136
4.66.	Transaction Handling Identifier List.....	137
4.67.	Transportation Method Type Code List.....	137
4.68.	VAT Category Code List	140
4.69.	VAT Payment Due List.....	140

5. Summary of Changes.....141

1. Business Solution Design

1.1. Problem Statement / Business Need

1.2. Objective

The objective to develop this common library is to enable the following.

- Contain and maintain all reusable data elements available in the GS1 BMS Standards.
- Standardize the design and development process to produce consistent and quality products.
- Aids and protects the integrity of the GBM
- Gives visibility to internal development staff and external users to our available reusable components.

1.3. Audience

The primary audience for this document are individuals assigned as GS1 Business Process Analysts, Business Requirements Groups Managers, GDD Managers, and XML System Developers who are responsible for the completion and delivery of the Business Message Standards.

The secondary audience for this document are users involved in the GSMP activities with BRG.

1.4. Artefacts

Artefact name	State	Artefact / State description
Not Applicable		

1.5. References

Reference Name	Description
GS1 Modeling Best Practices Version 0.6.0 for Publication 2.0	
eb Methodology	

1.6. Acknowledgements

1.6.1. BRG Members

Function	Name	Company
None		

1.6.2. Task/Project Group Participants (*where applicable*)

Function	Name	Company / organisation
Participant	None	

1.6.3. Design Team Members

Function	Name	Organisation
Modeller	John Ryu	GS1
XML Technical Designer		
GS1 Technical Designer		
Peer Reviewer		

1.6.4. Business Context


Context Category	Value(s)
Industry	All
Geopolitical	All
Product	All
Process	All
System Capabilities	All
Official Constraints	None

2. Common Library Common Components

2.1. Package Overview: Common Library Common Components

2.2. Package Overview: Components

2.2.1. Class Diagram: Date and Time




2.2.2. GDD Report: Date and Time

Class (ABIE)	Attribute (BBIE)	Association (ASBIE)	Secondary Class	Official Dictionary Entry Name	Definition	Multiplicity	Data Type Components	Related Requirements	Facets
DateTimePeriod				Date Time_ Time Period. Details	Definition Not Found				
	beginDateTime			Date Time_ Time Period. Begin Date Time_ Date Time. Code	The date and time on which this event begins	1..1	Code. Content Code List. Agency. Identifier Code List. Agency Name. Text		Facets constrained by code list values
	endDateTime			Date Time_ Time Period. End Date Time_ Date Time. Code	The date and time on which this event ends	1..1	Code. Content Code List. Agency. Identifier Code List. Agency Name. Text		Facets constrained by code list values

Class (ABIE)	Attribute (BBIE)	Association (ASBIE)	Secondary Class	Official Dictionary Entry Name	Definition	Multiplicity	Data Type Components	Related Requirements	Facets
TimeOrDateTimePeriod				Time Or Date Time Period. Details	Allows for the selection of time period which only includes date or Date Time Period which includes both date and time.				
			DateTimePeriod	Time Or Date Time Period. Choice Association. Date Time_ Time Period	The time or date time period is represented in date time format.	1..1			
			TimePeriod	Time Or Date Time Period. Choice Association. Date_ Time Period	The time or date time period is represented in date format without time.	1..1			
TimePeriod				Date_ Time Period. Details	Definition Not Found				
	beginDate			Date_ Time Period. Begin Date. Date_ Date Time	The date and time on which this event begins	1..1	Date Time. Content		Facets constrained by code list values
	endDate			Date_ Time Period. End Date. Date_ Date Time	The date and time on which this event ends	1..1	Date Time. Content		Facets constrained by code list values

2.2.3. Class Diagram:




2.2.4. GDD Report: Document

Class (ABIE)	Attribute (BBIE)	Association (ASBIE)	Secondary Class	Official Dictionary Entry Name	Definition	Multiplicity	Data Type Components	Related Requirements	Facets
Document				Electronic_ Document. Details	Used to specify basic information about the content of the message including version number, creation date and time.				
	contentVersion			Electronic_ Document. Content_ Version. Identifier	This is a version number for the content of the document.	0..1	Identification Scheme Agency. Identifier Identification Scheme Agency. Name. Text Identification Scheme Uniform Resource. Identifier		No restrictions
	creationDateTime			Electronic_ Document. Creation_ Date. Date Time	This is the date the message was created. The format is 'YYYYMMDDTHHMMSS'. This date is recommended to use as technical information	1..1	Date Time. Content Date Time. Format. Text		No restrictions
	documentStatus			Electronic_ Document. Status. Identifier	Indicates if the document is a copy or an original.	1..1	Identification Scheme Agency. Identifier Identification Scheme Agency. Name. Text Identification Scheme Uniform Resource. Identifier		No restrictions

Class (ABIE)	Attribute (BBIE)	Association (ASBIE)	Secondary Class	Official Dictionary Entry Name	Definition	Multiplicity	Data Type Components	Related Requirements	Facets
	documentStructureVersion			Electronic_ Document. Document Structure_ Version. Identifier	This is a version number for the structure of the document.	0..1	Identification Scheme Agency. Identifier Identification Scheme Agency. Name. Text Identification Scheme Uniform Resource. Identifier		No restrictions
	lastUpdateDate			Electronic_ Document. Last Update_ Date. Identifier	This is the last update date for the specific document. The format is 'YYYY-MM-DD'.	0..1	Identification Scheme Agency. Identifier Identification Scheme Agency. Name. Text Identification Scheme Uniform Resource. Identifier		No restrictions
LineItem				Line Item. Details	This external class originates from Document.				
	lineItemNumber			Line Item. Number. Numeric	Sequence number that identifies the line.	1..1	Numeric. Content Numeric. Format. Text		totalDigits='6'

2.2.5. Class Diagram: Document Reference




2.2.6. GDD Report: Document Reference

Class (ABIE)	Attribute (BBIE)	Association (ASBIE)	Secondary Class	Official Dictionary Entry Name	Definition	Multi plicity	Data Type Components	Related Requirements	Facets
DetailLevelReference				Despatch Advice_Line Item_ Detail Level Reference. Details	This class was included to accommodate the requirement for identifying the reference document line number per despatch advice line number. It does this using it's associations with ItemContainment and its association with Reference.				
			Reference	Despatch Advice_Line Item_ Detail Level Reference. Association. Entity Reference	This information on Reference for DetailLevelReference.	1..1			
DocumentLineReference				Document Line Reference. Details	Reference to another GS1 Business Message Line.				
			DocumentReference	Document Line Reference. Association. Document Reference	Identification of the business document to which the line belongs.	0..1			
			LineItem	Document Line Reference. Inheritance. Line Item	Identification of the referenced document line.	1..1			
DocumentOrDocumentLineReference				Document Or Document Line Reference. Details	Reference to another GS1 Business Message or Business Message Line.				
		purchaseConditionsDocumentOrDocumentLineReference	DespatchAdvice	Document Or Document Line Reference. Association. Despatch Advice		0..1			
		purchaseOrderDocumentOrDocumentLineReference	DespatchAdvice	Document Or Document Line Reference. Purchase Order Document Or Document Line Reference. Despatch Advice		0..1			
			DocumentLineReference	Document Or Document Line Reference. Choice_ Association. Document Line Reference	Provides the Document Line Reference information.	1..1			

Class (ABIE)	Attribute (BBIE)	Association (ASBIE)	Secondary Class	Official Dictionary Entry Name	Definition	Multi plicity	Data Type Components	Related Requirements	Facets
			DocumentR eference	Document Or Document Line Reference. Choice_ Association. Document Reference	Provides the Document Reference information.	1..1			
DocumentRe ference				Document Reference. Details	Reference to another GS1 Business Document.				
	creationD ateTime			Document Reference. Creation_ Date Time. Date Time	Date and time of creation of the referenced document.	0..1	Date Time. Content Date Time. Format. Text		No restrictio ns
			EntityIdentif ication	Document Reference. Association. Entity Identification	Identification of the refer-enced business document.	1..1			
Reference				Entity Reference. Details	Information with regards to a referenced document or message.				
	reference DateTime			Entity Reference. Date. Date Time	The date, time or date time related to a referenced document or message.	1..1	Date Time. Content Date Time. Format. Text		Facets constrain ed by code list values
	referenceI dentificati on			Entity Reference. Identification. Text	Unique identification of the entity referenced.	1..1	Text. Content		minLengt h='1' maxLeng th='80'

2.2.7. Class Diagram: Quantity Range




2.2.8. GDD Report: Quantity Range

Class (ABIE)	Attribute (BBIE)	Association (ASBIE)	Seconda ry Class	Official Dictionary Entry Name	Definition	Multi plicity	Data Type Components	Related Requirements	Facets
QuantityR ange				Quantity Range. Details	Provides the difference or interval between the minimum and				

					maximum value which may include the associated unit of measure.				
	maximum			Quantity Range. Maximum. Quantity	Specifies the upper limit of the quantity range.	1..1	Quantity. Content Quantity Unit. Code Quantity Unit. Code List Agency. Identifier		No Restrictions
	minimum			Quantity Range. Minimum. Quantity	Specifies the lower limit of the quantity range.	1..1	Quantity. Content Quantity Unit. Code Quantity Unit. Code List Agency. Identifier		No Restrictions

2.2.9. Class Diagram: Response Document



2.2.10. GDD Report: Response Document


Class (ABIE)	Attribute (BBIE)	Association (ASBIE)	Secondary Class	Official Dictionary Entry Name	Definition	Multiplicity	Data Type Components	Related Requirements	Facets
ReferenceDocument				Reference Document. Details	Contains the identification and date of the document referenced.				
	referenceDateTime			Reference Document. Reference Date Time. Date Time	Provides the date and optional time for referenced document.	0..1	Date Time. Content Date Time. Format. Text		No restrictions
	reference			Reference	Unique type of document referenced.	1..1	Numeric. Content		totalDi

Class (ABIE)	Attribute (BBIE)	Association (ASBIE)	Secondary Class	Official Dictionary Entry Name	Definition	Multiplicity	Data Type Components	Related Requirements	Facets
	eDocumentType			Document. Type. Numeric			Numeric. Format. Text		digits='4'
	referenceIdentification			Reference Document. Identification. Text	Unique identification of the document referenced.	1..1	Text. Content		No Restrictions
ResponseDocument				Response Document. Details	Specifies the type of response and the information of the referenced document.				
	contentVersion			Response Document.Content Version.Version_Identifier	This is a version number for the content of the document.	0..1	Identifier. Content		
	creationDateTime			Response Document.Creation Date Time.Date Time	The date and time the response document was created.	1..1	Date Time. Content Date Time. Format. Text		
	documentStatus			Response Document.Document Status.Document Status_ Code	Provides the status of the document.	0..1	Code. Content		
	documentStructureVersion			Response Document.Document Structure Version.Version_Identifier	This is a version number for the structure of the document.	0..1	Identifier. Content		
	lastUpdateDate			Response Document.Last Update Date.Date_ Date Time	This is the last update date for the specific document. The format is 'YYYY-MM-DD'.	0..1	Date Time. Content		
	responseStatusType			Response Document. Response Status Type. Code	Unique type of response to a document referenced.	1..1	Code. Content Code List. Agency. Identifier Code List. Agency Name. Text		Facets constrained by code list values
		responseIdentification	EntityIdentification	Response Document. Response Identification_	The identification of the response document.	1..1			

Class (ABIE)	Attribute (BBIE)	Association (ASBIE)	Secondary Class	Official Dictionary Entry Name	Definition	Multiplicity	Data Type Components	Related Requirements	Facets
				Association. Entity Identification					
		responseToOriginalDocument	ReferencedDocument	Response Document. Association. Reference Document	Contains the identification and date of the original document referenced.	1..1			

2.3. Package Overview: Data Type

2.3.1. Class Diagram: Data Type




2.3.2. GDD Report: Data Type

GDD report for Data type is not applicable.

2.4. Package Overview: Compound Data Type


2.4.1. Class Diagram Abstract Amount



2.4.2. GDD Report: Abstract Amount

Class (ABIE)	Attribute (BBIE)	Association (ASBIE)	Secondary Class	Official Dictionary Entry Name	Definition	Multiplicity	Data Type Components	Related Requirements	Facets
AbstractAmount				Abstract Amount. Details	n/a				
	currencyCode			Abstract Amount. Currency Code. ISO4217_Code	N/A	1..1	Code. Content		Facets constrained by code list values


2.4.3. Class Diagram: Amount



2.4.4. GDD Report: Amount

Class (ABIE)	Attribute (BBIE)	Association (ASBIE)	Secondary Class	Official Dictionary Entry Name	Definition	Multiplicity	Data Type Components	Related Requirements	Facets
MultiAmount				Multi-currency Amount. Details	Provides multiple iterations of monetary amount and an associated currency code.				
	amount			Multi-currency Amount. Amount. Numeric	Quantity of money	1..*	Numeric. Content. Numeric. Format. Text		No Restrictions


2.4.5. Class Diagram: Description



2.4.6. GDD Report: Description

Class (ABIE)	Attribute (BBIE)	Association (ASBIE)	Secondary Class	Official Dictionary Entry Name	Definition	Multiplicity	Data Type Components	Related Requirements	Facets
MultiDescription				Multi Description. Details	Provides multiple iterations of descriptive text with a maximum length of 70 and an associated language code.				
	description			Multi Description. Description. Text	A systematic means of communicating by the use of sounds or conventional symbols.	1..*	Text. Content		Unbounded


2.4.7. Class Diagram: Long Description



2.4.8. GDD Report: Description

No GDD Report for DataTypes


2.4.9. Class Diagram: Measurement



2.4.10. GDD Report: Measurement

Class (ABIE)	Attribute (BBIE)	Association (ASBIE)	Secondary Class	Official Dictionary Entry Name	Definition	Multiplicity	Data Type Components	Related Requirements	Facets
MultiMeasurementValue				Multi Measurement Value. Details	Provides multiple iterations of measurement value and an associated unit of measure code.				
	measurementValue			Multi Measurement Value. Measurement Value. Measure	Provides the measurement value with the corresponding unit of measure.	1..*	Measure. Content Measure Unit. Code Measure Unit. Code List Version. Identifier		No Restrictions Facets constrained by code list values

2.4.11. Class Diagram: Quantity




2.4.12. GDD Report: Quantity

GDD report for Data type is not applicable.

2.5. Package Overview: Extended Data Type

2.5.1. Class Diagram: Extended Data Type




2.5.2. GDD Report: Extended Data Type

GDD report for Extended Data type is not applicable.

2.6. Package Overview: Identification


2.6.1. Class Diagram: Entity Identification



2.6.2. GDD Report: Entity Identification

Class (ABIE)	Attribute (BBIE)	Association (ASBIE)	Secondary Class	Official Dictionary Entry Name	Definition	Multi plicity	Data Type Components	Related Requirements	Facets
EntityIdentifi cation				Entity Identification. Details	The unique identification of a document.				
	uniqueCreatorId entification			Entity Identification. Identification. Text	The unique creator identification for the message.	1..1	Text. Content		minLength=' 1' maxLength=' 80'
		contentOwner	PartyIdentifi cation	Entity Identification. Content Owner. Party Identification	Uniquely identifies the creator of the instance document.	1..1			

2.6.3. Class Diagram: Party Identification




2.6.4. GDD Report: Party Identification

Class (ABIE)	Attribute (BBIE)	Association (ASBIE)	Secondary Class	Official Dictionary Entry Name	Definition	Multiplicity	Data Type Components	Related Requirements	Facets
AdditionalPartyIdentification				Non GLN_ Party Identification. Details	Only one primary party identifier is used for each party. If an alternate identifier, other than GLN is used, there is no guarantee of data integrity across the process. It is the responsibility of the company electing the choice to ensure data integrity.				
	additionalPartyIdentificationType			Non GLN_ Party Identification. Identification Type. Code	Identification of a party by use of a code other than the Global Location Number.	1..1	Code. Content Code List. Agency. Identifier Code List. Agency Name. Text		Facets constrained by code list values
	additionalPartyIdentificationValue			Non GLN_ Party Identification. Identification. Text	A party identifier that is in addition to the GLN.	1..1	Text. Content		No Restrictions
PartyIdentification				Party Identification. Details	Unique location number identifying the Party for which the rest of the message defines.				

Class (ABIE)	Attribute (BBIE)	Association (ASBIE)	Secondary Class	Official Dictionary Entry Name	Definition	Multiplicity	Data Type Components	Related Requirements	Facets
	globalLocationNumber			Party Identification. Primary Identification. GLN_ Identifier	The Global Location Number (GLN) is a structured Identification of a physical location, legal or functional entity within an enterprise. The GLN is the primary party identifier. Each party identified in the trading relationship must have a primary party Identification.	1..1	Code. Content Code List. Agency. Identifier Code List. Agency Name. Text		Facets constrained by code list values
			Additional Party Identification	Party Identification. Additional. Non GLN_ Party Identification	Provides the optional additional formats of party identification	0..*			

2.6.5. Class Diagram: Logistic Unit Identification




Note: CR will be submitted to align the attribute `serialShipmentContainerCode` to General Specification for next MAJOR release.

2.6.6. GDD Report: Logistic Unit Identification

Class (ABIE)	Attribute (BBIE)	Association (ASBIE)	Secondary Class	Official Dictionary Entry Name	Definition	Multiplicity	Data Type Components	Related Requirements	Facets
AdditionalLogisticUnitIdentification				Additional Logistic Unit Identification. Details	Additional (non-SSCC) identification attached to a shipping container or shipping package and used for logistical and traceability purposes.				
	logisticUnitIdentification			Additional Logistic Unit Identification. Logistic Unit Identification. Text	A number which identifies shipping containers or shipping packages.	1..1	Text. Content		No restrictions
LogisticUnitIdentification				Logistic Unit Identification. Details	The globally unique identification attached to a shipping container or shipping package and used for logistical and traceability purposes.				
	serialShipmentContainerCode			Logistic Unit Identification. Serial Shipping Container Code. SSCC_Identifier	A single globally unique serial number which identifies shipping containers or shipping packages.	1..1	Identifier. Content		pattern='\d{18}'
			AdditionalLogisticUnitIdentification	Logistic Unit Identification. Association. Additional Logistic Unit Identification	Additional identification(s) attached to a shipping container or shipping package.	0..*			

2.6.7. Class Diagram: Trade Item Identification




2.6.8. GDD Report: Trade Item Identification

Class (ABIE)	Attribute (BBIE)	Association (ASBIE)	Secondary Class	Official Dictionary Entry Name	Definition	Multiplicity	Data Type Components	Related Requirements	Facets
AdditionalTradeItemIdentification				Non GTIN_ Trade Item Identification. Details	This optional code will be used to cross-reference the Vendors internal trade item number to the GTIN in a one to one relationship.				
	additionalTradeItemIdentificationType			Non GTIN_ Trade Item Identification. Identification Type. Code	Type of the identification system that is being used as an alternative to the Global Trade Item Number.	1..1	Code. Content Code List. Agency. Identifier Code List. Agency Name. Text		Facets constrained by code list values
	additionalTradeItemIdentificationValue			Non GTIN_ Trade Item Identification. Additional Trade Item Identification Value_ additional Trade Item Identification. Text	Alternative means to the Global Trade Item Number to identify a trade item.	1..1	Text. Content		minLength='1' maxLength='80'
TradeItemIdentification				Trade Item Identification. Details	Provides the GTIN as the unique identifier for the item and optionally additional formats of non GTIN identifiers for the item.				
	globalTradeItemNumber			Trade Item	A particular Global trade item	1..1	Code. Content		Facets

	emNumber			Identification. Primary_ Identification. GTIN_ Identifier	Number, a numerical value used to uniquely identify a trade item. A trade item is any trade item (trade item or service) upon which there is a need to retrieve pre-defined information and that may be planned, priced, ordered, delivered and or invoiced at any point in any supply chain.		Code List. Agency. Identifier Code List. Agency Name. Text		constrained by code list values
			Additional Trade Item Identification	Trade Item Identification. Additional. Non GTIN_ Trade Item Identification	This information on Additional Trade Item Identification for Trade Item Identification.	0..*			

2.6.9. Class Diagram: Typed Entity Identification



2.6.10. GDD: Typed Entity Identification

Class (ABIE)	Attribute (BBIE)	Association (ASBIE)	Secondary Class	Official Dictionary Entry Name	Definition	Multiplicity	Data Type Components	Related Requirements	Facets
TypedEntityIdentification				Typed_ Entity Reference. Details	Identifies the type of document and provide a unique identifier.				
	entityType			Typed_ Entity	Identifies from a pre-defined list, the class of	1..1	Numeric. Content		totalDigits='4'


				Reference. Entity Type. Integer_ Numeric	document that is referenced.				
			EntityIdentification	Typed_ Entity Reference. Association. Entity Identification	This information on EntityIdentification for TypedEntityIdentification.	1..1			

3. Common Library Process Common Components

3.1. Package Overview Common Library Process Components

3.2. Package Overview: Deliver Common

3.2.1. Class Diagram: Deliver Date Information




3.2.2. GDD Report: Deliver Date Information

Class (ABIE)	Attribute (BBIE)	Association (ASBIE)	Secondary Class	Official Dictionary Entry Name	Definition	Multiplicity	Data Type Components	Related Requirements	Facets
DeliverDateInformation				Deliver_ Date. Details	Provides the date information for the shipment.				
	deliverDate			Deliver_ Date. Delivery Date. Date_ Date Time	The date on which the shipment is delivered	1..1	Date Time. Content		Facets constrained by code list values

	deliverDateType			Deliver_ Date. Delivery Date_ Type. Code	A code identifying the type of date on which goods or services will or have been delivered.	1..1	Code. Content Code List. Agency. Identifier Code List. Agency Name. Text		Facets constrained by code list values

3.2.3. Class Diagram: Deliver Reference




3.2.4. GDD Report: Deliver Reference

Class (ABIE)	Attribute (BBIE)	Association (ASBIE)	Secondary Class	Official Dictionary Entry Name	Definition	Multiplicity	Data Type Components	Related Requirements	Facets
DeliverReference				Deliver_Entity Reference. Details	Number used to reference package or shipment for the purposes of status inquiry.				
	deliverReferenceIdentification			Deliver_Entity Reference. Transportation Reference Identification. Text	Identifies from a pre-defined list which unique identification mechanism is to be used as reference for delivery.	1..1	Text. Content		Facets constrained by code list values

	deliverReference Type			Deliver_Entity Reference.Transportation Reference.Type.Code	Identifies from a pre- defined list; the way delivery is refer- enced.	1..1	Code. Content Code List. Agency. Identifier Code List. Agency Name. Text		Facets constraine d by code list values
--	--------------------------	--	--	---	---	------	---	--	--

3.2.5. Class Diagram: Despatch Information




3.2.6. GDD Report: Despatch Information

Class (ABIE)	Attribute (BBIE)	Association (ASBIE)	Secondary Class	Official Dictionary Entry Name	Definition	Multiplicity	Data Type Components	Related Requirements	Facets
ActualS				Actual Shipping.	ActualShipping contains the			[BRAD Upstream Standards	

Class (ABIE)	Attribute (BBIE)	Association (ASBIE)	Secondary Class	Official Dictionary Entry Name	Definition	Multiplicity	Data Type Components	Related Requirements	Facets
Shipping				Details	attributes actualShipDateTime and estimatedDeliveryDateTime.			– Despatch, Receipt & Consumption Version 0.1.1}{7.1.1-18, 19}	
	actualShipDateTime			Actual Shipping. Actual Ship Date Time. Date Time	DateTime- The date and time the goods were shipped. The format is ISO 8601 CCYY-MM-DD "T" HH:MM:SS for all Date Time types.	1..1	Date Time. Content Date Time. Format. Text	[BRAD Upstream Standards – Despatch, Receipt & Consumption Version 0.1.1]{7.1.1-18, 19}	No restrictions
	estimatedDeliveryDateTime			Actual Shipping. Estimated Delivery Date Time. Date Time	DateTime- The estimated date and time of delivery.	0..1	Date Time. Content Date Time. Format. Text	[BRAD Upstream Standards – Despatch, Receipt & Consumption Version 0.1.1]{7.1.1-18, 19}	No restrictions
		estimatedDeliveryPeriod	TimeOrDateTimePeriod	Actual Shipping. Estimated Delivery Period Association. Time Or Date Time Period	Provides the estimated delivery period for the shipment.	0..1		[BRAD Upstream Standards – Despatch, Receipt & Consumption Version 0.1.1]{7.1.1-18, 19}	
Despatch Information				Despatch Information. Details	Information with regards to the despatching or shipping of goods.			[BRD Exchange Traceability and Processing History Data of Beef Products (Slaughter to Retail) Version 2.50]	
	despatchDateTime			Despatch Information. Despatch Date Time. Date Time	Date/time on which the goods are or are expected to be despatched or shipped.	0..1	Date Time. Content Date Time. Format. Text	[BRD Exchange Traceability and Processing History Data of Beef Products (Slaughter to Retail) Version 2.50]	No restrictions
	loadingDateTime			Despatch Information. Loading Date Time. Date Time	The date/time on which the stuffing of a container is to take place, or has taken place.	0..1	Date Time. Content Date Time. Format. Text	[BRD Exchange Traceability and Processing History Data of Beef Products (Slaughter to Retail) Version 2.50]	No restrictions
	pickUpDateTime			Despatch Information. Pick Up Date Time. Date Time	Date/time at which the cargo is picked up.	0..1	Date Time. Content Date Time. Format. Text	[BRD Exchange Traceability and Processing History Data of Beef Products (Slaughter to Retail) Version 2.50]	No restrictions
	releasedDateTimeOfSupplier			Despatch Information. Release Date Time Of Supplier. Date Time	Date when the supplier released goods.	0..1	Date Time. Content Date Time. Format. Text	[BRD Exchange Traceability and Processing History Data of Beef Products (Slaughter to Retail) Version 2.50]	No restrictions

Class (ABIE)	Attribute (BBIE)	Association (ASBIE)	Secondary Class	Official Dictionary Entry Name	Definition	Multiplicity	Data Type Components	Related Requirements	Facets
			ActualShipping	Despatch Information. Choice_ Association. Actual Shipping	This information on ActualShipping for DespatchInformation.	1..1		[BRD Exchange Traceability and Processing History Data of Beef Products (Slaughter to Retail) Version 2.50]	
			Estimated Delivery	Despatch Information. Choice_ Association. Estimated Delivery	This information on EstimatedDelivery for DespatchInformation.	1..1		[BRD Exchange Traceability and Processing History Data of Beef Products (Slaughter to Retail) Version 2.50]	

3.2.7. Class Diagram: Estimated Delivery




3.2.8. GDD Report: Estimated Delivery

Class (ABIE)	Attribute (BBIE)	Association (ASBIE)	Secondary Class	Official Dictionary Entry Name	Definition	Multiplicity	Data Type Components	Related Requirements	Facets
EstimatedDelivery				Estimated Delivery. Details	EstimatedDelivery contains the attributes actualShipDateTime and estimatedDeliveryDateTime.				
	actualShipDateTime			Estimated Delivery. Actual Ship Date Time. Date Time	Date Time - The date and time the goods were shipped.	0..1	Date Time. Content Date Time. Format. Text		No restrictions

	estimated DeliveryD ateTime			Estimated Delivery. Choice_ Estimated Delivery Date Time. DOTW_ Date Time	Date and/or time when the shipper of the goods expects delivery will take place.	1..1	Date Time. Content Date Time. Format. Text		No restrictions
		estimatedD eliveryPeri od	TimeOrDat eTimePerio d	Estimated Delivery. Estimated Delivery Period_ Choice. Time Or Date Time Period	Provides the estimated delivery period for the shipment.	1..1			

3.2.9. Class Diagram: Inventory Status Line Item




3.2.10. GDD Report: Inventory Status Line Item

Class (ABIE)	Attribute (BBIE)	Association (ASBIE)	Secondary Class	Official Dictionary Entry Name	Definition	Multi plicity	Data Type Components	Related Requirements	Facets
InventoryStat usLineItem				Inventory Status Line Item. Details	Information specifying the inventory status of a specific trade item at a specific location at a specific point in time.				

Class (ABIE)	Attribute (BBIE)	Association (ASBIE)	Secondary Class	Official Dictionary Entry Name	Definition	Multi plicity	Data Type Components	Related Requirements	Facets
	inventoryDate			Inventory Status Line Item. Inventory Date Time. Date Time	Date and time the inventory for this line item was assessed. If this is not provided the beginDateTime provided at the business document level represents the inventoryDateTime.	0..1	Date Time. Content Date Time. Format. Text		No restrictions
			InventoryStatusQuantitySpecification	Inventory Status Line Item. Association. Inventory Status Quantity Specification	Information about the stored goods per inventory status.	1..*			
			LineItem	Inventory Status Line Item. Inheritance. Line Item	This information on line items for an inventory status line item.	1..1			
			LogisticUnitIdentification	Inventory Status Line Item. Association. Logistic Unit Identification	Detailed identification of the logistic unit that contains the goods.	0..1			
		inventorySubLocation	PartyIdentification	Inventory Status Line Item. Inventory Sub Location. Party Identification	Detailed identification of the location at which the goods are stored.	0..1			
InventoryStatusQuantitySpecification				Inventory Status Quantity Specification. Details	Supplies the inventory status information with the quantity and the inventory status type.				
	inventoryStatusType			Inventory Status Quantity Specification. Inventory Status Type. Code	Code specifying the status of the goods.	1..1	Code. Content Code List. Agency. Identifier Code List. Agency Name. Text		Facets constrained by code list values
	quantityOfUnits			Inventory Status Quantity Specification. Quantity Of Units. Quantity	Quantity of goods with the specified status.	1..1	Quantity. Content Quantity Unit. Code Quantity Unit. Code List Agency.		No Restrictions

Class (ABIE)	Attribute (BBIE)	Association (ASBIE)	Secondary Class	Official Dictionary Entry Name	Definition	Multiplicity	Data Type Components	Related Requirements	Facets
							Identifier		
			TransactionalItemData	Inventory Status Quantity Specification. Association. Transactional Item Data	Extended attributes describing the characteristics and history of the goods.	0..*			

3.2.11. Class Diagram: Item Containment




3.2.12. GDD Report: Item Containment

Class (ABIE)	Attribute (BBIE)	Association (ASBIE)	Secondary Class	Official Dictionary Entry Name	Definition	Multi plicity	Data Type Components	Related Requirements	Fac ets
ItemCo ntainme nt				Item Containment. Details	Information specifying the contents, characteristics, history and physical characteristics of delivered goods.				
	extensio n			Item Containment. Extension. Extension_ Text	Provides the extension for the item containment.	0..1	Text. Content		Un bou nde d
		consignment	DetailLevelRef erence	Item Containment. Consignment. Detail Level Reference	Reference to the identification of the consignment.	0..1			
		contract	DetailLevelRef erence	Item Containment. Contract. Detail Level Reference	Reference to the contractual agreement under which the goods are delivered.	0..1			
		customer	DetailLevelRef erence	Item Containment. Customer. Detail Level Reference	Reference to the end customer that will receive the goods.	0..1			
		deliveryNote	DetailLevelRef erence	Item Containment. Delivery Note. Detail Level Reference	Reference to the physical document that accompanies the delivered goods.	0..1			
		productCertifi cation	DetailLevelRef erence	Item Containment. Product Certification. Detail Level Reference	Reference to a number assigned by a governing body (or their agents) to a product which certifies compliance with a standard.	0..1			
		promotionalD eal	DetailLevelRef erence	Item Containment. Promotional Deal. Detail Level Reference	Reference to a number assigned by a vendor to a special promotion activity.	0..1			
		specification	DetailLevelRef erence	Item Containment. Specification. Detail Level Reference	definition missing	0..1			
		purchaseCon ditions	DocumentOrD ocumentLineR eference	Item Containment. Purchase Conditions. Document Or Document Line Reference	Reference to the business document that describes the commercial conditions under which the goods are delivered.	0..1			
		purchaseOrd er	DocumentOrD ocumentLineR eference	Item Containment. Purchase Order. Document Or Document Line Reference	Reference to the business document that triggered the delivery of the goods.	0..1			
			LineItem	Item Containment. Inheritance. Line Item	This information on line items for an item containment.	1..1			

Class (ABIE)	Attribute (BBIE)	Association (ASBIE)	Secondary Class	Official Dictionary Entry Name	Definition	Multi plicity	Data Type Components	Related Requirements	Fac ets
		listForEachItem	SpecificItemData	Item Containment. List For Each Item. Specific Item	The list of serial numbers for the delivered goods.	0..*			
		containedItemIdentification	TradeItemIdentification	Item Containment. Contained Item Identification. Trade Item Identification	The trade item identification of the goods that were delivered.	1..1			
		requestedItemIdentification	TradeItemIdentification	Item Containment. Requested Item Identification. Trade Item Identification	The trade item identification of the goods that were ordered or planned to be delivered.	0..1			
		extendedAttributes	TransactionalItemData	Item Containment. Extended Attributes. Transactional Item Data	Information specifying the characteristics and history of the delivered goods.	0..1			
SpecificItemData				Specific Item. Details	Information about the individual items that were delivered.				
	serialNumber			Specific Item. Serial. Text	A unique identifier assigned to a specific trade item.	1..1	Text. Content		Un bounded


3.2.13. Class Diagram: Location Information



3.2.14. GDD Report: Location Information

Class (ABIE)	Attribute (BBIE)	Association (ASBIE)	Secondary Class	Official Dictionary Entry Name	Definition	Multiplicity	Data Type Components	Related Requirements	Facets
LocationInformation				Location Information. Details	Provides the contact, name and address, and GLN of the location.				
		contactInformation	Contact	Location Information. Association. Contact	Provides the contact information.	0..*			
			NameAnd Address	Location Information. Association. Party Address Group	Provides the location's name and address.	1..1			
			PartyIdentification	Location Information. Association. Party Identification	Provides the location's Global Location Number.	0..1			


3.2.15. Class Diagram: Logistic Unit Measurement



3.2.16. GDD Report: Logistic Unit Measurement

Class (ABIE)	Attribute (BBIE)	Association (ASBIE)	Secondary Class	Official Dictionary Entry Name	Definition	Multiplicity	Data Type Components	Related Requirements	Facets
LogisticUnitMeasurement				Logistic Unit Measurement. Details	not available				
			PackageDimension	Logistic Unit Measurement. Association. Package Dimension	not available	0..1			
			UnitMeasurement	Logistic Unit Measurement. Association. Unit Measurement	not available	0..*			

3.2.17. Class Diagram: Logistic Units




3.2.18. GDD Report: Logistic Units

Class (ABIE)	Attribute (BBIE)	Association (ASBIE)	Secondary Class	Official Dictionary Entry Name	Definition	Multiplicity	Data Type Components	Related Requirements	Facets
LevelIdentification				Level Identification. Details	To identify the sequence in which physical packing is presented in the consignment, and optionally to identify the hierarchical relationship between packing layers.				
	levelIdentification			Level Identification. Level Identification. Integer_Numeric	Hierarchical structure identifier.	1..1	Numeric. Content		Unbounded
LogisticUnits				Logistic Units. Details	Information specifying the physical appearance, the physical dimensions as well as the contents of a specific logistic unit.				
	childPackageType			Logistic Units. Child PackageType. Code	Code specifying the type of the included (lower level) package.	0..1	Code. Content Code List. Agency. Identifier Code List. Agency Name. Text		Facets constrained by code list values
	packageType			Logistic Units. Package Type. Code	Code specifying the type of package.	0..1	Code. Content Code List.		Facets constrained

Class (ABIE)	Attribute (BBIE)	Association (ASBIE)	Secondary Class	Official Dictionary Entry Name	Definition	Multiplicity	Data Type Components	Related Requirements	Facets
							Agency. Identifier Code List. Agency Name. Text		d by code list values
	quantityOfChildren			Logistic Units. Quantity Of Children. Integer_Numeric	Number of packages at the next lower level.	0..1	Numeric. Content		Unbounded
		levelId	LevelIdentification	Logistic Units. Level Id. Level Identification	Hierarchical structure level identifier (Sequential numbering recommended).	0..1			
		parentLevelId	LevelIdentification	Logistic Units. Parent Level Id. Level Identification	Hierarchical structure parent identifier	0..1			
			LogisticUnitIdentification	Logistic Units. Association. Logistic Unit Identification	The globally unique identification attached to the logistic unit, used for logistical and traceability purposes.	1..1			
			LogisticUnitMeasurement	Logistic Units. Association. Logistic Unit Measurement	The physical dimensions of the logistic unit.	0..1			


3.2.19. Class Diagram: Package Dimension



3.2.20. GDD Report: Package Dimension

Class (ABIE)	Attribute (BBIE)	Association (ASBIE)	Secondary Class	Official Dictionary Entry Name	Definition	Multi plicity	Data Type Components	Related Requirements	Fac ets
PackageDimension				Package Dimension. Details	Provides the package height, package length, and package width of an item with their associated unit of measure. The unit of measure may be represented in multiple formats.				
		packageHeight	MultiMeasurementValue	Package Dimension. Package Height. Multi Measurement Value	The vertical dimension from the lowest extremity to the highest extremity.	1..1			
		packageLength	MultiMeasurementValue	Package Dimension. Package Length. Multi Measurement Value	The extent, measurement, or dimension downward, backward, or inward.	1..1			
		packageWidth	MultiMeasurementValue	Package Dimension. Package Width. Multi Measurement Value	The measurement of the extent of something from side to side. Width is the measurement from left to right.	1..1			

3.2.21. Class Diagram: Transactional Item Data




3.2.22. GDD Report: Transactional Item Data

Class (ABIE)	Attribute (BBIE)	Association (ASBIE)	Secondary Class	Official Dictionary Entry Name	Definition	Multiplicity	Data Type Components	Related Requirements	Facets
TransactionalItemData				Transactional_ Trade Item Containment Line. Details	Provides the transactional item data information.				
	availableForSaleDate			Transactional_ Trade Item Containment Line. Available For Sale Date. Date Time	Date - The date the item is available for sale represented in CCYY-MM-DD.	0..1	Text. Content		Unbounded
	batchNumber			Transactional_ Trade Item Containment Line. Batch Number. Text	A batch unites products or items that have undergone or are grouped together to undergo the same transformation process, not necessarily a production process.	0..1	Text. Content		Unbounded
	bestBeforeDate			Transactional_ Trade Item Containment Line. Best Before Date. Date_ Date Time	Ideal consumption or best effective use date of a product.	0..1	Date Time. Content		No restrictions
	countryOfOrigin			Transactional_ Trade Item Containment Line. Of Origin_ Country. ISO_ Country_ Code	Country from which the goods are supplied.	0..1	Code. Content		Facets constrained by code list values
	itemExpirationDate			Transactional_ Trade Item Containment Line. Item Expiration_ Date. Date_ Date Time	Date - The maximum durability of an item CCYY-MM-DD. The format is ISO 8601 CCYY-MM-DD for all data types.	0..1	Date Time. Content		Unbounded
	lotNumber			Transactional_ Trade Item Containment Line. Lot Number. Text	A distinctive combination of numbers and/or letters from which the complete history of the manufacture, processing, packaging, coding and distribution of a batch can be determined.	0..1	Text. Content		Unbounded
	packagingDate			Transactional_ Trade Item Containment Line. Packaging Date. Date_ Date Time	The date on which the packaging of a product took place.	0..1	Date Time. Content		No restrictions
	productionDate			Transactional_ Trade Item Containment Line. Production Date. Date Time	Date - The date that the product was produced.	0..1	Text. Content		Unbounded
	productQualityIndication			Transactional_ Trade Item Containment	Number used to indicate the quality of a specific batch of products.	0..1	Code. Content		Facets constrained by

Class (ABIE)	Attribute (BBIE)	Association (ASBIE)	Secondary Class	Official Dictionary Entry Name	Definition	Multiplicity	Data Type Components	Related Requirements	Facets
				Line. Product Quality Indication. Quantity Type Code_ Code	Optionally a Unit of Measure can be specified, which means that the number is expressed per unit. Example: 100 GRM means 100 per gram.				code list values
	sellByDate			Transactional_ Trade Item Containment Line. Sell By Date. Date_ Date Time	Date - Maximum durability date of an item CCYY-MM-DD.	0..1	Date Time. Content		Unbounded
	shelfLife			Transactional_ Trade Item Containment Line. Shelf Life. Text	The length of time a material; substance; product; or reagent can be stored under specified environmental conditions and continue to meet all applicable specification requirements and/or remain suitable for its intended function.	0..1	Text. Content		Unbounded
		transactionalItemWeight	UnitMeasurement	Transactional_ Trade Item Containment Line. Transactional Item Weight_ Association. Unit Measurement	Weight is a measurement of the gravitational force acting on a transactional object.	0..*			

3.2.23. Class Diagram: Unit Measurement




3.2.24. GDD Report: Unit Measurement

Class (ABIE)	Attribute (BBIE)	Association (ASBIE)	Secondary Class	Official Dictionary Entry Name	Definition	Multiplicity	Data Type Components	Related Requirements	Facets
UnitMeasurement				Unit Measurement. Details	Information specifying the weight or volume of a unit.				
	measurementType			Unit Measurement. Measurement Type. Code	Specification of the attribute measured	1..1	Code. Content Code List. Agency. Identifier Code List. Agency Name. Text		Facets constrained by code list values
	measurementValue			Unit Measurement. Measurement Value. Measure	Value of the attribute measured.	1..1	Measure. Content Measure Unit. Code Measure Unit. Code List Version. Identifier		No Restrictions Facets constrained by code list values

3.3. Package Overview: Order Common


3.3.1. Class Diagram: Order Header Indicator



3.3.2. GDD Report: Order Header Indicator

Class (ABIE)	Attribute (BBIE)	Association (ASBIE)	Secondary Class	Official Dictionary Entry Name	Definition	Multiplicity	Data Type Components	Related Requirements	Facets
OrderHeaderIndicator				Order Header Indicator. Details	Provides the order header information.				
	isApplicationReceiptAcknowledgementRequired			Order Header Indicator.Is Application Receipt Acknowledgement Required.Indicator	A buyer's requirement to receive an order receipt acknowledgement from the seller's application system to ensure the seller received the order message.	0..1	Indicator. Content Indicator. Format. Text	[BRAD For Multi Shipment Order Receipt Response and Excise Tax Free V 0.0.4] {BR 1 BR 2}	
	isOrderFreeOfExciseTaxDuty			Order Header Indicator.Is Order Free Of Excise Tax Duty.Indicator	An excise tax is a tax applied to the consumption of a particular type of good, such as alcohol or tobacco. Excise taxes apply at the same rates to domestic or imported goods. They must not be confused with customs duties which apply to imports only.	0..1	Indicator. Content Indicator. Format. Text	[BRAD For Multi Shipment Order Receipt Response and Excise Tax Free V 0.0.4] {BR 1 BR 2}	
	orderInstruction			Order Header Indicator.Order Instruction.SpecialOrderConditionCodeList_Code	Provides special order condition.	0..1	Code. Content	CR 8-40	

3.3.3. Class Diagram: Order Logistical Information



3.3.4. GDD Report: Order Logistical Information

Class (ABIE)	Attribute (BBIE)	Association (ASBIE)	Secondary Class	Official Dictionary Entry Name	Definition	Multi plicity	Data Type Components	Related Requirements	Facets
LogisticalDate				Order Logistical_ Date. Details	Contains the information regarding the specific date and an optional time associated to the logistical information in the order.				
	date			Order Logistical_ Date. Date. Code	The time at which an event occurs, expressed as a day	1..1	Code. Content Code List. Agency. Identifier Code List. Agency Name. Text		Facets constrained by code list values
	time			Order Logistical_ Date. Time. Code	An appointed, fixed, or customary moment or hour for something to happen, begin, or end in a specific role	0..1	Code. Content Code List. Agency. Identifier Code List. Agency Name. Text		Facets constrained by code list values
LogisticalDateRange				Order Logistical_ Time Period. Details	Contains the information regarding the specific date ranges and an optional time ranges associated to the logistical information in the order.				
	earliestDate			Order Logistical_ Time Period. Begin Date. Date_ Date Time	Beginning day for a period	1..1	Date Time. Content		Facets constrained by code list values
	earliestTime			Order Logistical_ Time Period. Begin Time. Code	Beginning time for a period	0..1	Code. Content Code List. Agency. Identifier Code List. Agency Name. Text		Facets constrained by code list values
	latestDate			Order Logistical_ Time Period. End Date. Date_ Date Time	End of a period expressed as a day	1..1	Date Time. Content		Facets constrained by code list values


Class (ABIE)	Attribute (BBIE)	Association (ASBIE)	Secondary Class	Official Dictionary Entry Name	Definition	Multi plicity	Data Type Components	Related Requirements	Facets
	latestTime			Order Logistical_ Time Period. End Time. Code	End of a period expressed as time	0..1	Code. Content Code List. Agency. Identifier Code List. Agency Name. Text		Facets constrained by code list values
OrderLogisticalDateGroup				Order Logistical_ Date Group. Details	Contains the choices to select various types of dates or date ranges associated to the order.				
		requestedDeliveryDate	LogisticalDate	Order Logistical_ Date Group. Choice_Requested Delivery_ Date. Order Logistical_ Date	Provides the date and optional time on which the goods are requested to be delivered.	1..1			
		requestedDeliveryDateAtUltimateConsignee	LogisticalDate	Order Logistical_ Date Group. Choice_Requested Delivery At Ultimate Consignee_ Date. Order Logistical_ Date	Provides the date and optional time on which the goods are requested to be delivered to the Ultimate Consignee.	1..1			
		requestedPickUpDate	LogisticalDate	Order Logistical_ Date Group. Choice_Requested Pick Up_ Date. Order Logistical_ Date	Provides the date and optional time on which the goods are requested to be available for pickup at the seller's location.	1..1			
		requestedShipDate	LogisticalDate	Order Logistical_ Date Group. Choice_Requested Ship_ Date. Order Logistical_ Date	Provides the date and optional time on which the goods are requested to be shipped or dispatched by the supplier.	1..1			
		requestedDeliveryDateRange	LogisticalDateRange	Order Logistical_ Date Group. Choice_Requested Delivery_ Date Range. Order Logistical_ Time Period	Provides the earliest and latest date ranges and the optional times on which the goods are requested to be delivered.	1..1			
		requestedDeliveryDateRangeAtUltimateConsignee	LogisticalDateRange	Order Logistical_ Date Group. Requested Delivery At Ultimate Consignee_ Date Range. Order Logistical_ Time Period	Provides the earliest and latest date ranges and the optional times on which the goods are requested to be delivered to the Ultimate Consignee.	1..1			
		requestedShip	LogisticalDateR	Order Logistical_ Date	Provides the earliest and	1..1			

Class (ABIE)	Attribute (BBIE)	Association (ASBIE)	Secondary Class	Official Dictionary Entry Name	Definition	Multi plicity	Data Type Components	Related Requirements	Facets
		DateRange	ange	Group. Choice_Requested Ship_ Date Range. Order Logistical_ Time Period	latest date ranges and the optional times on which the goods are requested to be shipped or dispatch.				
OrderLogisticalInformation				Order_ Logistical Information Group. Details	Provides the earliest and latest date ranges and the optional times for the range of ship date associated to the order.				
			OrderLogisticalDateGroup	Order_ Logistical Information Group. Association. Order Logistical_ Date Group	Contains the choices to select various types of dates or date ranges associated to the order.	1..1			
			ShipFromLogistics	Order_ Logistical Information Group. Choice_ Association. Ship From_ Party Group	Allows the identification of shipping details where the goods or services must be shipped from.	1..1			
			ShipToLogistics	Order_ Logistical Information Group. Choice_ Association. Ship To_ Party Group	Allows the identification of shipping details where the goods or services must be shipped to.	1..1			
ShipFromLogistics				Ship From_ Party Group. Details	Allows the identification of shipping details where the goods or services must be shipped from.				
		shipFrom	PartyIdentification	Ship From_ Party Group. Ship From. Party Identification	Identifies the origin location where the goods will be shipped.	1..1			
		shipTo	PartyIdentification	Ship From_ Party Group. Ship To. Party Identification	Identifies the destination location where the goods will be shipped.	0..1			
ShipToLogistics				Ship To_ Party Group. Details	Allows the identification of shipping details where the goods or services must be shipped to.				
		inventoryLocation	PartyIdentification	Ship To_ Party Group. Inventory Location. Party Identification	Identifies the location of merchandise or stock on hand.	0..1			
		shipFrom	PartyIdentification	Ship To_ Party Group. Ship From. Party Identification	Identifies the origin location from which goods will be shipped.	0..1			
		shipTo	PartyIdentification	Ship To_ Party Group. Choice_ Ship To. Party	Identifies the destination location to which goods will	1..1			

Class (ABIE)	Attribute (BBIE)	Association (ASBIE)	Secondary Class	Official Dictionary Entry Name	Definition	Multi plicity	Data Type Components	Related Requirements	Facets
				Identification	be shipped.				
		ultimateConsignee	PartyIdentification	Ship To_ Party Group. Ultimate Consignee_ Association. Party Identification	Identifies the final destination location to which goods will be shipped.	0..1			
			ShipmentTransportationInformation	Ship To_ Party Group. Association. Shipment Transportation Information	Contains the trade agreement reference number and the trade agreement reference date.	0..1			
			ShipToNonCommercial	Ship To_ Party Group. Choice Association. Ship To Non Commercial. Details	Contains the identification of the non commercial address and contact information.	1..1		BR3: BRAD Multi Shipment Order Enhancements Version 0.0.1	
ShipToNonCommercial				Ship To Non Commercial. Details	Allows the identification of the ship to non commercial's address and contact information. The destination location to which goods will be shipped when the ship-to party cannot be prealigned due to the business relationship. The Receiver of the items ordered is a non-Retail party that does not have a GLN, for example, ship directly to a consumer.			BR3: BRAD Multi Shipment Order Enhancements Version 0.0.1	
			Contact	Ship To Non Commercial. Details. Association. Contact	The destination contact information to which goods will be shipped when the ship to party cannot be prealigned due to the business relationship. The receiver of the items ordered is a non-Retail party that does not have a GLN, for example, ship directly to a consumer.	0..1		BR3: BRAD Multi Shipment Order Enhancements Version 0.0.1	
			NameAndAddress	Ship To Non Commercial. Details. Association. Party Address Group	The destination location to which goods will be shipped when the ship-to party	1..1		BR3: BRAD Multi Shipment	

Class (ABIE)	Attribute (BBIE)	Association (ASBIE)	Secondary Class	Official Dictionary Entry Name	Definition	Multi plicity	Data Type Components	Related Requirements	Facets
					cannot be prealigned due to the business relationship. The Receiver of the items ordered is a non-Retail party that does not have a GLN, for example, ship directly to a consumer.			Order Enhancements Version 0.0.1	


3.3.5. Class Diagram: Order Party Information



3.3.6. GDD Report: Order Party Information

Class (ABIE)	Attribute (BBIE)	Association (ASBIE)	Secondary Class	Official Dictionary Entry Name	Definition	Multi plicity	Data Type Components	Related Requiremen ts	Face ts
OrderPartyInf or mation				Order_ Party Group. Details	Contains the information regarding the parties related in the order process.				
	buyerCompany RegistrationNu mber			Order_ Party Group. Buyer Company Registration Number.Text	The Company Registration Number is a single identifier for all business dealings with the tax office and for dealings with other government departments and agencies. This specifies the buyer company registration number.	0..1	Text. Content	CR 8-55	min Leng th=' 1' max Leng th=' 70'
	sellerCompany RegistrationNu mber			Order_ Party Group. Seller Company Registration Number.Text	The Company Registration Number is a single identifier for all business dealings with the tax office and for dealings with other government departments and agencies. This specifies the seller company registration number.	0..1	Text. Content	CR 8-55	min Leng th=' 1' max Leng th=' 70'
		goodsRequirem entsPlanner	Contact	Order_ Party Group. Goods Requirements Planner_ Association. Contact	Contains the contact information of the person or department responsible for the planning at the buyer side.	0..1			
		orderContact	Contact	Order_ Party Group. Order Contact_ Association. Contact	Department or person responsible for issuing the order.	0..1			
		billTo	PartyIdentifica tion	Order_ Party Group. Bill To. Party Identification	Identifies the party which receives invoice.	0..1			
		buyer	PartyIdentifica tion	Order_ Party Group. Buyer. Party Identification	Identifies the party to which products or services is sold.	1..1			
		seller	PartyIdentifica tion	Order_ Party Group. Seller. Party Identification	Identifies the party which sells products or services to a buyer.	1..1			

3.3.7. Class Diagram: Simple Order Line Item




3.3.8. GDD Report: Simple Order Line Item

Class (ABIE)	Attribute (BBIE)	Association (ASBIE)	Secondary Class	Official Dictionary Entry Name	Definition	Multiplicity	Data Type Components	Related Requirements	Facets
SimpleOrderLineItem				Simple_ Purchase Order Line. Details	Specify the information related to each line item within the order.				
	additionalOrderLineInstruction			Simple_ Purchase Order Line. Additional Order Line Instruction. {1..1000}_ Text	Additional Order Line Instruction captures information that has not been previously synchronised and is ad-hoc in nature. This field should only be used in exception circumstances if the information cannot be codified. Examples of Purchase Order Line: Use chrome hinges (not standard brass hinges) Please use timber Please prime (paint) door and jamb and pre-hang door	0..1	Language. Identifier Text. Content	BR2: BRAD Multi Shipment Order Enhancements Version 0.0.1	
	lineItemActionCode			Simple_ Purchase Order Line. Line	Provides the activity required by the recipient on the line item of this order line	0..1	Code. Content	BR1: BRAD	Facets Constrain

Class (ABIE)	Attribute (BBIE)	Association (ASBIE)	Secondary Class	Official Dictionary Entry Name	Definition	Multiplicity	Data Type Components	Related Requirements	Facets
				Item Action Code.Order Line Item Action Code List_ Code	item.			Multi Shipment Order Line Item Version 0.0.1	ed by Code List Values
	requestedQuantity			Simple_ Purchase Order Line. Requested_ Quantity. Quantity	The quantity which has been requested.	1..1	Text. Content		Unbounded
	taxRate			Simple_ Purchase Order Line.Tax Rate.Float_ Numeric	This tax rate is known as GST (Goods and Services Tax) and is a value added tax applying to the majority of goods and services sold in Australia.	0..1	Numeric. Content	CR8-5	
				Simple_ Purchase Order Line. Association. Shipment Transportation Information	Contains the identification of the carrier and mode associated with the transportation of the goods or services	0..1			
			LineItem	Simple_ Purchase Order Line. Inheritance_ Association. Line Item	Provides the line number associated to the Simple Order Line Item.	1..1			
		netAmount	MultiAmount	Simple_ Purchase Order Line. Net Amount. Multi-currency Amount	Identifies the net amount of the item.	0..1			
		netPrice	MultiAmount	Simple_ Purchase Order Line. Net_ Price. Multi-currency Amount	Identifies the net price of the item.	0..1			
			ShipmentTransportationInformation	Simple_ Purchase Order Line. Association. Shipment Transportation Information	Provides the shipment transportation information details.	0..1			
			TradeItemIdentification	Simple_ Purchase Order Line. Association. Trade Item Identification	Identifies the Trade Item with the Global Trade Item Number associated to the Simple Order Line Item.	1..1			

3.3.9. Class Diagram: Shipment Detail




3.3.10. GDD Report: Shipment Detail

Class (ABIE)	Attribute (BBIE)	Association (ASBIE)	Secondary Class	Official Dictionary Entry Name	Definition	Multiplicity	Data Type Components	Related Requirements	Facets
Shipment Detail				Multi Shipment_ Purchase Order Sub Line. Details	Allows the identification of various shipping details by MultiShipmentOrderLineItem.				
	requeste dQuantit y			Multi Shipment_ Purchase Order Sub Line. Requested Quantity_ Quantity. Quantity	The quantity which has been requested.	1..1	Quantity. Content Quantity Unit. Code Quantity Unit. Code List Agency. Identifier		No Restrictions
			ShipmentTransportat ionInformation	Multi Shipment_ Purchase Order Sub Line. Association. Shipment Transportation Information	Contains the identification of the carrier and mode associated with the transportation of the goods or services.	0..1			
		purchaseCo nditions	DocumentOrDocume ntLineReference	Multi Shipment_ Purchase Order Sub	A reference to the purchase conditions. The reference is	0..1			

Class (ABIE)	Attribute (BBIE)	Association (ASBIE)	Secondary Class	Official Dictionary Entry Name	Definition	Multiplicity	Data Type Components	Related Requirements	Facets
				Line. Purchase Conditions_ Association. Document Or Document Line Reference	associated with specific items in the order.				
			OrderLogisticalDateGroup	Multi Shipment_ Purchase Order Sub Line. Association. Order Logistical_ Date Group	The date/time on which the goods are requested, to be delivered, pickup or shipped.	0..1			
		inventoryLocation	PartyIdentification	Multi Shipment_ Purchase Order Sub Line. Inventory Location_ Association. Party Identification	The location where the goods are stored.	0..1			
		shipFrom	PartyIdentification	Multi Shipment_ Purchase Order Sub Line. Ship From_ Association. Party Identification	The location from which goods will be shipped.	0..1			
		shipTo	PartyIdentification	Multi Shipment_ Purchase Order Sub Line. Ship To_ Association. Party Identification	The location destination to which goods will be shipped.	0..1			
		ultimateConsignee	PartyIdentification	Multi Shipment_ Purchase Order Sub Line. Ultimate Consignee_ Association. Party Identification	The final destination to which goods will be shipped.	0..1			

3.3.11. Class Diagram: Trade Agreement




3.3.12. GDD Report: Trade Agreement

Class (ABIE)	Attribute (BBIE)	Association (ASBIE)	Secondary Class	Official Dictionary Entry Name	Definition	Multiplicity	Data Type Components	Related Requirements	Facets
TradeAgreement				Trade Agreement. Details	Contains the trade agreement reference number and the trade agreement reference date.				
	tradeAgreementReferenceDate			Trade Agreement.Trade Agreement Reference Date.Date_ Date Time	Unique date identifying a trade agreement that the order is referring to.	0..1	Date Time. Content		No restrictions
	tradeAgreementReferenceNumber			Trade Agreement. Number_ Reference. Text	Unique number identifying a trade agreement that the order is referring to. A number of different trading agreements may exist.	1..1	Text. Content		Unbounded

3.4. Package Overview: Pay Common


3.4.1. Class Diagram: Adjustment Reason



3.4.2. GDD Report: Adjustment Reason

Class (ABIE)	Attribute (BBIE)	Association (ASBIE)	Secondary Class	Official Dictionary Entry Name	Definition	Multiplicity	Data Type Components	Related Requirements	Facets
Adjustment Reason				Adjustment Reason. Details	Provides the message reason and the source code for the adjustment.				
	messageReason			Adjustment Reason. Message Reason. Code	A description of a message reason selected from a code list.	1..1	Code. Content Code List. Agency. Identifier Code List. Agency Name. Text		Facets constrained by code list values
	sourceCode			Adjustment Reason. Source Code. Code	The identification of the source of the reason for an adjustment from a list of sources. Example: buyer or seller.	1..1	Code. Content Code List. Agency. Identifier Code List. Agency Name. Text		Facets constrained by code list values

3.4.3. Class Diagram: Financial Institution Information




3.4.4. GDD Report: Financial Institution Information

Class (ABIE)	Attribute (BBIE)	Association (ASBIE)	Secondary Class	Official Dictionary Entry Name	Definition	Multiplicity	Data Type Components	Related Requirements	Facets
AccountNumber				Financial_ Account. Details	This identifies the account number.				
	number			Financial_ Account.Account Number.Text	The identification of the account run by a financial institution.	1..1	Text. Content		minLength='1' maxLength='80'
	accountNumberType			Financial_ Account. Account Number Type. Account	This will identify the type of the account number.	1..1	Numeric. Content Numeric.		No Restrictions

Class (ABIE)	Attribute (BBIE)	Association (ASBIE)	Secondary Class	Official Dictionary Entry Name	Definition	Multiplicity	Data Type Components	Related Requirements	Facets
				Number Type_ Code			Format. Text		
FinancialInstitutionInformation				Financial Institution. Details	Information that is used for identifying the Financial Institution that will process the information.				
	accountName			Financial Institution. Account_ Name. Text	Name of account owner of originating transaction.	1..1	Text. Content		minLength='1' maxLength='80'
	branch			Financial Institution. Branch_ Name. Text	Identification for a division, location of the account holder's financial institution	0..1	Text. Content		minLength='1' maxLength='80'
			AccountNumber	Financial Institution. Association. Financial_ Account	Provides the Account Number for the Financial Institution.	0..1			
		additionalFinancialInformation	MultiDescription	Financial Institution. Description. Multi-language Description	A description used to provide any additional information about a financial institution.	0..1			
		financialInstitutionNameAndAddress	NameAndAddress	Financial Institution. Association. Party Address Group	The company name and address of a financial institution.	0..1			
			RoutingNumber	Financial Institution. Association. Financial_ Routing	Provides the Routing Number for the Financial Institution.	0..1			
RoutingNumber				Financial_ Routing. Details	Provides the routing information regarding the routing number and routing number type.				
	routingNumber			Financial_ Routing. Number. Text	Number assigned to a transaction in financial routing between parties. The number is determined by and used in conjunction with the type of routing, e.g. SWIFT,ABA,CHIPS.	1..1	Text. Content		Facets constrained by code list values
	routingNumberType			Financial_ Routing. Routing Number Type.	A predefined selection of code names used to identify the type of	1..1	Code. Content Code List.		Facets constrained

Class (ABIE)	Attribute (BBIE)	Association (ASBIE)	Secondary Class	Official Dictionary Entry Name	Definition	Multiplicity	Data Type Components	Related Requirements	Facets
				Code	routing number used in the message. Also see Routing Number List.		Agency. Identifier Code List. Agency Name. Text		ained by code list values

3.4.5. Class Diagram: Invoice Allowance Charge




3.4.6. GDD Report: Invoice Allowance Charge

Class (ABIE)	Attribute (BBIE)	Association (ASBIE)	Secondary Class	Official Dictionary Entry Name	Definition	Multiplicity	Data Type Components	Related Requirements	Facets
InvoiceAllowance Charge				Invoice Allowance Charge. Details	The allowances and/or charges applicable to the invoice.				
	invoiceAllowanceChargeAmount			Invoice Allowance Charge. Invoice Allowance Charge Amount. Amount	Amount of allowance or charge applicable to the complete invoice.	0..1	Amount. Content Amount Currency. Code List Version. Identifier		No restrictions Facets constrained by code list values
	invoiceAllowanceChargeType			Invoice Allowance Charge. Invoice Allowance Charge Type. Code	Code specifying the identification of an allowance or charge.	0..1	Code. Content Code List. Agency. Identifier Code List. Agency		Facets constrained by code list values

Class (ABIE)	Attribute (BBIE)	Association (ASBIE)	Secondary Class	Official Dictionary Entry Name	Definition	Multiplicity	Data Type Components	Related Requirements	Facets
							Name. Text		
	invoiceAllowanceOrChargeType			Invoice Allowance Charge. Invoice Allowance Or Charge Type. Code	Code specifying whether the amount is a deduction (allowance) or addition (charge) to the invoiced amount.	0..1	Code. Content Code List. Agency. Identifier Code List. Agency Name. Text		Facets constrained by code list values
			InvoiceTaxInformation	Invoice Allowance Charge. Association. Invoice Tax Information	Information about the tax applicable to the allowance and/or charge.	0..1			

3.4.7. Class Diagram: Invoice Party



3.4.8. GDD Report: Invoice Party

Class (ABIE)	Attribute (BBIE)	Association (ASBIE)	Secondary Class	Official Dictionary Entry Name	Definition	Multiplicity	Data Type Components	Related Requirements	Facets
InvoiceParty				Invoice Party. Details	Provides the unique identifier,				

Class (ABIE)	Attribute (BBIE)	Association (ASBIE)	Secondary Class	Official Dictionary Entry Name	Definition	Multiplicity	Data Type Components	Related Requirements	Facets
					name and address, and the account number information.				
	companyRegistrationNumber			Invoice Party. Company Registration Number. Text	Company registration number as legally required.	0..1	Text. Content		Unbounded
	extension			Invoice Party. Extension. Extension_ Text	Extension point	0..1	Text. Content		Unbounded
			AccountNumber	Invoice Party. Association. Financial_ Account	Identification assigned by the account servicing bank to identify the account of the account owner.	0..1			
			NameAndAddress	Invoice Party. Association. Party Address Group	The specification of person and a physical location.	0..1			
			PartyIdentification	Invoice Party. Association. Party Identification	The identification of a party.	1..1			

3.4.9. Class Diagram: Invoice Tax Information


InvoiceTaxInformation
<<2.5.0>> dutyTaxFeeDescription[0..1] : String(1..35) dutyTaxFeeType[0..1] : DutyTaxFeeTypeCodeList extension[0..1] : Extension taxableAmount[0..1] : Float taxableAmountInTaxAccountingCurrency[0..1] : Float taxAmount[0..1] : Float taxAmountInTaxAccountingCurrency[0..1] : Float taxPercentage[0..1] : Percentage

3.4.10. GDD Report: Invoice Tax Information

Class (ABIE)	Attribute (BBIE)	Association (ASBIE)	Secondary Class	Official Dictionary Entry Name	Definition	Multiplicity	Data Type Components	Related Requirements	Facets
InvoiceTaxInformation				Invoice Tax Information. Details	Information about the taxes applicable to the invoice.				
	dutyTaxFeeDescription			Invoice Tax Information. Duty Tax Fee Description. Text	Automatically generated text description of tax type code. For example, "Taxes sur les supports audio". WEEE is for Waste Electrical and Electronic Equipment"	0..1	Text. Content	CR 8-209	minLength='1' maxLength='35'
	dutyTaxFeeType			Invoice Tax Information. Duty Tax Fee Type. Code	Type of duty, tax or fee.	0..1	Code. Content Code List. Agency. Identifier Code List. Agency Name. Text	[BRAD Upstream Standards –Financial Settlement 0.1.0] {7.1.1-70}	Facets constrained by code list values
	extension			Invoice Tax Information. Extension. Extension_ Text	Extension Point	0..1	Text. Content	[BRAD Upstream Standards –Financial Settlement 0.1.0] {7.1.1-70}	Unbounded
	taxableAmount			Invoice Tax Information. Taxable Amount. Float_ Numeric	Amount on which a tax has to be applied.	0..1	Numeric. Content	[BRAD Upstream Standards –Financial Settlement 0.1.0] {7.1.1-70}	No Restrictions
	taxableAmountInTaxAccountingCurrency			Invoice Tax Information. Taxable Amount In Tax_ Accounting	Amount on which a tax has been applied, where the monetary value is expressed in the currency used for tax	0..1	Numeric. Content	[BRAD Upstream Standards –Financial Settlement 0.1.0] {7.1.1-81}	No Restrictions

Class (ABIE)	Attribute (BBIE)	Association (ASBIE)	Secondary Class	Official Dictionary Entry Name	Definition	Multiplicity	Data Type Components	Related Requirements	Facets
				Currency. Float_Numeric	accounting purposes.				
	taxAmount			Invoice Tax Information. Tax Amount. Float_Numeric	Tax imposed by government or other official authority related to the weight/volume charge or valuation charge.	0..1	Numeric. Content	[BRAD Upstream Standards –Financial Settlement 0.1.0] {7.1.1-78}	No Restrictions
	taxAmountInTaxAccountingCurrency			Invoice Tax Information. Tax Amount In Tax Accounting Currency. Float_Numeric	Tax imposed by government or other official authority related to the weight/volume charge or valuation charge, and where the monetary value is expressed in the currency used for tax accounting purposes.	0..1	Numeric. Content	[BRAD Upstream Standards –Financial Settlement 0.1.0] {7.1.1-82}	No Restrictions
	taxPercentage			Invoice Tax Information. Tax Percentage. Percent_Numeric	Tax Percentage is defined as a percentage or rate on the line item.	0..1	Numeric. Content	[BRAD Invoice Enhancement V 0.0.1] {BR# 3}	Percentage

3.4.11. Class Diagram: Payment Method




3.4.12. GDD Report: Payment Method

Class (ABIE)	Attribute (BBIE)	Association (ASBIE)	Secondary Class	Official Dictionary Entry Name	Definition	Multiplicity	Data Type Components	Related Requirements	Facets
PaymentMethod				Pay_ Payment Method. Details	Provides the choice of payment method.				
	automatedClearingHousePaymentFormat			Pay_ Payment Method. Choice Automated Clearing House_ Format. Code	A predefined list of values that identify the format used when payment is made through an automated clearing house.	1..1	Code. Content Code List. Agency. Identifier Code List. Agency Name. Text		Facets constrained by code list values

Class (ABIE)	Attribute (BBIE)	Association (ASBIE)	Secondary Class	Official Dictionary Entry Name	Definition	Multiplicity	Data Type Components	Related Requirements	Facets
	paymentMethodType			Pay_ Payment Method. Choice_ Payment Method. Code	A predefined list that identifies a method of payment. Also see Payment Method List.	1..1	Code. Content Code List. Agency. Identifier Code List. Agency Name. Text		Facets constrained by code list values

3.5. Package Overview: Plan Common

3.5.2. Class Diagram: Goods Requirements Line Item




3.5.3. GDD Report: Goods Requirements Line Item

Class (ABIE)	Attribute (BBIE)	Association (ASBIE)	Secondary Class	Official Dictionary Entry Name	Definition	Multiplicity	Data Type Components	Related Requirements	Facets
GoodsRequirementsLineltem				Goods Requirements Line Item. Details	Contains the required quantity for a specific time bucket.				
	requiredQuantity			Goods Requirements Line Item. Required_Quantity.	The number of units required.	1..1	Quantity. Content Quantity Unit. Code Quantity		No Restrictions

Class (ABIE)	Attribute (BBIE)	Association (ASBIE)	Secondary Class	Official Dictionary Entry Name	Definition	Multi plicity	Data Type Components	Related Requirements	Facets
				Quantity			Unit. Code List Agency. Identifier		
	timeBucketSize			Goods Requirements Line Item. Time Bucket Size. Bucket Size_ Code	Contains a code describing the size of the requirements period.	1..1	Code. Content		Facets constrained by code list values
		purchaseCondi tions	DocumentOr DocumentLin eReference	Goods Requirements Line Item. Purchase Conditions. Document Or Document Line Reference	Contains a reference to the commercial agreement under which the goods are supplied.	0..1			
			LineItem	Goods Requirements Line Item. Inheritance. Line Item	Provides the line item information.	1..1			
		requiredQuant itySpecificatio n	QuantitySpec ification	Goods Requirements Line Item. Required Quantity Specification. Quantity Specification	Contains the cumulative quantity already received for the current time bucket.	0..1			
		requirementsP eriod	TimeOrDateTi mePeriod	Goods Requirements Line Item. Requirements Period. Time Or Date Time Period	Contains the start and end dates and optionally start and end times of the time bucket.	1..1			

3.5.4. Class Diagram: Quantity Specification




3.5.5. GDD Report: Quantity Specification

Class (ABIE)	Attribute (BBIE)	Association (ASBIE)	Secondary Class	Official Dictionary Entry Name	Definition	Multiplicity	Data Type Components	Related Requirements	Facets
QuantitySpecification				Quantity Specification. Details	Information specifying details about goods planned to be produced and or delivered.				
	quantitySpecificationType			Quantity Specification. Quantity Specification Type. Code	Code specifying the type of planning information that is being provided.	1..1	Code. Content Code List. Agency. Identifier Code List. Agency Name. Text		Facets constrained by code list values
	specificQuantity			Quantity Specification. Specific Quantity. Quantity	Quantity of goods planned to be delivered or produced.	1..1	Quantity. Content Quantity Unit. Code Quantity		No Restrictions

Class (ABIE)	Attribute (BBIE)	Association (ASBIE)	Secondary Class	Official Dictionary Entry Name	Definition	Multiplicity	Data Type Components	Related Requirements	Facets
							Unit. Code List Agency. Identifier		
			TransactionalItemData	Quantity Specification. Association. Transactional Item Data	Provides the transactional item data.	0..1			

3.6. Package Overview: Process Common

3.6.1. Class Diagram: Contact



3.6.2. GDD Report: Contact

Class (ABIE)	Attribute (BBIE)	Association (ASBIE)	Secondary Class	Official Dictionary Entry Name	Definition	Multiplicity	Data Type Components	Related Requirements	Facets
CommunicationChannel				Communication Channel. Details	The channel or manner in which a communication can be made, such as telephone or email.				
	communicationChannelCode			Communication Channel. Communication Channel. Text	Means used to communicate with another party.	1..1	Text. Content		Unbounded

Class (ABIE)	Attribute (BBIE)	Association (ASBIE)	Secondary Class	Official Dictionary Entry Name	Definition	Multiplicity	Data Type Components	Related Requirements	Facets
	communicationNumber			Communication Channel. Communication Number. Text	Number assigned to a specific means of communication.	1..1	Text. Content		minLength='1' maxLength='70'
Contact				Contact. Details	The name and associated communication channel of a given party or organisation.				
			Communication Channel	Contact. Association. Communication Channel	This information on CommunicationChannel for Contact.	0..*			
		personOrDepartmentName	MultiDescription	Contact. Person or Department_ Name. Multi-language Description	The name of a department within this address. The name of the individual or department that can be contacted to provide additional information.	1..1			

3.6.3. Class Diagram: Currency Exchange Rate Information


CurrencyExchangeRateInformation
currencyConversionFrom : ISO4217_Code
currencyConversionTo : ISO4217_Code
exchangeRate : Float
exchangeRateDate [0..1] : Date

3.6.4. GDD Report: Currency Exchange Rate Information

Class (ABIE)	Attribute (BBIE)	Association (ASBIE)	Secondary Class	Official Dictionary Entry Name	Definition	Multiplicity	Data Type Components	Related Requirements	Facets
CurrencyExchangeRateInformation				Currency Exchange Rate Information. Details	Provides the currency exchange rate information. Rate at which one currency may be converted into another. Generally, one unit of the home currency is expressed in terms of another currency. For example, a North				

Class (ABIE)	Attribute (BBIE)	Association (ASBIE)	Secondary Class	Official Dictionary Entry Name	Definition	Multiplicity	Data Type Components	Related Requirements	Facets
					American bank may quote the exchange rate between the dollar and the Euro as the number of dollars needed to buy one Euro.				
	currencyConversionFrom			Currency Exchange Rate Information. Currency Conversion From_ ISO4217 Code. ISO_Currency_Code	ISO Code for the currency from which an amount is converted	1..1	Code. Content		Facets constrained by code list values
	currencyConversionTo			Currency Exchange Rate Information. Currency Conversion To_ ISO4217 Code. ISO_Currency_Code	ISO Code for the currency to which an amount is converted	1..1	Code. Content		Facets constrained by code list values
	exchangeRate			Currency Exchange Rate Information. Exchange Rate_ Float. Float_ Numeric	The price of one currency in terms of another, that is, the number of units of one currency that may be exchanged for one unit of another currency.	1..1	Numeric. Content		No Restrictions
	exchangeRateDate			Currency Exchange Rate Information. Exchange Rate Date. Date_ Date Time	The date as of which the currency exchange rate is valid.	0..1	Date Time. Content		No restrictions

3.6.5. Class Diagram: Name and Address



3.6.6. GDD Report: Name and Address


Class (ABIE)	Attribute (BBIE)	Association (ASBIE)	Secondary Class	Official Dictionary Entry Name	Definition	Multiplicity	Data Type Components	Related Requirements	Facets
Geographical Coordinates				Geographical Coordinate. Details	The longitude and latitude of a geographical location.				
	latitude			Geographical Coordinate. Latitude. Text	Angular distance North or South from the earth's equator measured through 90 degrees.	1..1	Text. Content		minLength h='1' maxLength h='80'

Class (ABIE)	Attribute (BBIE)	Association (ASBIE)	Secondary Class	Official Dictionary Entry Name	Definition	Multiplicity	Data Type Components	Related Requirements	Facets
	longitude			Geographical Coordinate. Longitude. Text	The arc or portion of the earth's equator intersected between the meridian of a given place and the prime meridian and expressed either in degrees or in time	1..1	Text. Content		minLength='1' maxLength='80'
NameAndAddress				Party Address Group. Details	Each party will identify their party name and address. The Party information includes city, name, country code ISO 3166, and the language of the party ISO 639-1988. Optional address information may include: street address, P.O. Box number, state, province code, postal code, latitude, longitude, cross street, county code, city code.				
	city			Party Address Group. City. Text	An inhabited place of greater size, population, or importance than a town or village where the initial ship to location took place	1..1	Text. Content		minLength='1' maxLength='35'
	cityCode			Party Address Group. City Code. Text	Identifier for a city, expressed as a short code rather than the full name	0..1	Text. Content		minLength='1' maxLength='80'
	countryCode			Party Address Group. Country Code. Text	ISO 3661-1 Country Code associated with consignee address	1..1	Text. Content		Unbounded
	countyCode			Party Address Group. County Code. Text	A code that identifies a county. A county is a territorial division in some countries, forming the chief unit of local administration. In the US, a county is a political and administrative division of a state.	0..1	Text. Content		minLength='1' maxLength='80'
	crossStreet			Party Address Group. Cross Street. Text	A street intersecting a main street (usually at right angles) and continuing on both sides of it	0..1	Text. Content		minLength='1' maxLength='80'

Class (ABIE)	Attribute (BBIE)	Association (ASBIE)	Secondary Class	Official Dictionary Entry Name	Definition	Multiplicity	Data Type Components	Related Requirements	Facets
	currency			Party Address Group. Currency. Text	The ISO currency code of the currency in which business is conducted with the current party (i.e. currency in which orders are placed and invoices are paid).	0..1	Text. Content		Unbounded
	languageOfTheParty			Party Address Group. Language. Text	The ISO code of the language in which business with the current party is conducted.	1..1	Text. Content		Unbounded
	name			Party Address Group. Name. Text	The name of the party expressed in text.	1..1	Text. Content		minLength='1' maxLength='80'
	pOBoxNumber			Party Address Group. PO Box Number. Text	The number that identifies a PO box. A PO box is a box in a post office or other postal service location assigned to an organization where postal items may be kept.	0..1	Text. Content		minLength='1' maxLength='80'
	postalCode			Party Address Group. Postal Code. Text	Code defining international postal zone code.	0..1	Text. Content		minLength='1' maxLength='80'
	provinceCode			Party Address Group. Province Code. Text	Free form text for State/Province.	0..1	Text. Content		minLength='1' maxLength='80'
	state			Party Address Group. State. Text	One of the constituent units of a nation having a federal government.	0..1	Text. Content		minLength='1' maxLength='80'
	streetAddressOne			Party Address Group. Street Address One. Text	The first free form line of an address, This first part is printed on paper as the first line below the name. For example, the name of the street and the number in the street or the name of a	0..1	Text. Content		minLength='1' maxLength='80'

Class (ABIE)	Attribute (BBIE)	Association (ASBIE)	Secondary Class	Official Dictionary Entry Name	Definition	Multiplicity	Data Type Components	Related Requirements	Facets
					building.				
	streetAddressTwo			Party Address Group. Street Address Two. Text	The second free form line of an address, This second part is printed on paper as the second line below the name. The second free form line complements the first free form line to locate the party e.g. floor number, name of a building, suite number o	0..1	Text. Content		minLength h='1' maxLength h='80'
			Geographical Coordinates	Party Address Group. Association. Geographical Coordinate	This information on GeographicalCoordinates for NameAndAddress.	0..1			

3.6.7. Class Diagram: Trade Item Tax Information




3.6.8. GDD: Trade Item Tax Information

Class (ABIE)	Attribute (BBIE)	Association (ASBIE)	Secondary Class	Official Dictionary Entry Name	Definition	Multi plicity	Data Type Components	Related Requireme nts	Facets
TaxAgency				Tax Agency. Details	A logical grouping of information detailing the tax code and managing agency.				
	taxAgencyCode			Tax Agency. Tax Agency Code. Text	Identifies the agency responsible for the tax code list. For example, X1 = BE, ICODIF/EAN Belgium - Luxembourg.	1..1	Text. Content		minLength='1' maxLength='3'
	taxTypeCode			Tax Agency. Tax Type Code. Text	Identification of the type of duty or tax or fee applicable to the trade item. This will vary by target market.	1..1	Text. Content		minLength='1' maxLength='14'
	taxTypeDescription			Tax Agency. Tax Type Description. Text	Automatically generated text description of tax type code. For example, "Taxes sure les supports audio".	1..1	Text. Content		Unbounded
TradeItemTaxAmount				Trade Item_ Tax Amount. Details	This class is part of the TradeItem Tax Information class.				
	taxAmount			Trade Item_ Tax Amount. Amount. Amount	The current tax or duty or fee amount applicable to the trade item.	1..1	Amount. Content Amount Currency. Code List Version. Identifier		totalDigits='17' fractionDigits='4'
			TaxAgency	Trade Item_ Tax Amount. Association. Tax Type	This information on TaxAgency for TradeItemTaxAmount.	1..1			
TradeItemTaxInformation				Trade Item_ Tax Information Group. Details	This reusable class from Trade Item Tax Information is part of the Trading Partner Neutral Trade Item Information Class.				
			TradeItemTaxA	Trade Item_ Tax	This information on	1..*			

Class (ABIE)	Attribute (BBIE)	Association (ASBIE)	Secondary Class	Official Dictionary Entry Name	Definition	Multi plicity	Data Type Components	Related Requireme nts	Facets
			mount	Information Group. Association. Trade Item_ Tax Amount	TradelItemTaxAmount for TradelItemTaxInformation.				
			TradelItemTaxRate	Trade Item_ Tax Information Group. Association. Trade Item_ Tax Rate	This information on TradelItemTaxRate for TradelItemTaxInformation.	1..*			
TradelItemTaxRate				Trade Item_ Tax Rate. Details	This class is part of the TradelItem Tax Information class.				
	taxRate			Trade Item_ Tax Rate. Percentage. Percent_ Numeric	The current tax or duty rate percentage applicable to the trade item.	1..1	Numeric. Content Numeric. Format. Text		No Restrictions
			TaxAgency	Trade Item_ Tax Rate. Association. Tax Type	This information on TaxAgency for TradelItemTaxRate.	1..1			

3.6.9. Class Diagram: Shipment Transportation Information




3.6.10. GDD Report: Shipment Transportation Information

Class (ABIE)	Attribute (BBIE)	Association (ASBIE)	Secondary Class	Official Dictionary Entry Name	Definition	Multiplicity	Data Type Components	Related Requirements	Facets
ShipmentTransportationInformation				Shipment Transportation Information. Details	When shipments from the Supplier to a Buyer or other non-Retail party are made, the Buyer may stipulate the method of shipment and/or the carrier to be used for the shipment.				
	serviceLevelCode			Shipment Transportation Informaiton. Code. Service Level_ Code	Allows to specify the service level of shipment - in addition to designating the transportation method.	0..1	Code. Content		Facets constrained by code list values
	shipmentSpecialHandlingCode			Shipment Transportation Information.Shipment Special Handling Code.Shipment Special Handling_ Code	Provides the special handling requirements for a specific shipment.	0..*	Code. Content		Facets constrained by code list values
	transportationMethodType			Shipment Transportation Informaiton. Method Type. Transportation Method Type Code List_ Code	The shipment designation. Examples: FedEx, UPS, air, ground, etc.	0..1	Code. Content		Facets constrained by code list values
		carrier	PartyIdentification	Shipment Transportation Information. Carrier. Party Identification	Allows to specify the carrier to be used for the shipment.	0..1			

3.7. Package Overview: Terms

3.7.1. Class Diagram: Allowance Charge




3.7.2. GDD Report: Allowance Charge

Class (ABIE)	Attribute (BBIE)	Association (ASBIE)	Secondary Class	Official Dictionary Entry Name	Definition	Multiplicity	Data Type Components	Related Requirements	Facets
AllowanceCharge				Allowance Charge. Details	Specifies allowances and charges specified to either the entire message or to individual line items contained in the message.				
	allowanceChargeType			Allowance Charge. Allowance Charge_ Type. Indicator	The identification of an allowance charge selected from a predefined list. Also see Allowance Charge List.	1..1	Indicator. Content Indicator. Format. Text		No Restrictions
	allowanceOrChargeType			Allowance Charge. Allowance Or Charge_ Type. Indicator	The identification of either an allowance or a charge selected from the allowance or charge list.	1..1	Indicator. Content Indicator. Format. Text		No Restrictions
	effectiveDateType			Allowance Charge. Effective_ Date Type. Indicator	The date on which this event is effective	0..1	Indicator. Content Indicator. Format. Text		No Restrictions
	sequenceNumber			Allowance Charge. Sequence Number. Integer_ Numeric	A unique number used to indicate the order in which the allowances or charges are to be calculated.	0..1	Numeric. Content		totalDigits='2'
	settlementType			Allowance Charge. Settlement_ Type. Indicator	The identification of a type of settlement selected from a predetermined list of types. Also see Allowance Charge List.	1..1	Indicator. Content Indicator. Format. Text		No Restrictions
			Allowance ChargePriceBracket	Allowance Charge. Association. Allowance Charge_ Price Bracket	This information on AllowanceChargePriceBracket for AllowanceCharge.	0..1			
			Monetary AmountOrPercentage	Allowance Charge. Monetary Amount Or Percentage. Amount Percent Group	The amount of the allowance charge expressed as a measurement value, amount or percent.	1..*			

Class (ABIE)	Attribute (BBIE)	Association (ASBIE)	Secondary Class	Official Dictionary Entry Name	Definition	Multiplicity	Data Type Components	Related Requirements	Facets
		baseAmount	Monetary AmountOrPercentage	Allowance Charge. Base Amount. Amount Percent Group	The amount of the allowance charge expressed as a measurement value, amount or percent.	0..1			
		allowanceChargeDescription	MultiDescription	Allowance Charge. Allowance Charge_ Description. Multi-language Description	A text explanation of the allowance or charge. description is optional	0..1			
AllowanceChargePriceBracket				Allowance Charge_ Price Bracket. Details					
	bracketIdentifier			Allowance Charge_ Price Bracket. Description. Text	A code that identifies a price bracket.	1..*	Text. Content		minLength='1' maxLength='80'
MonetaryAmountOrPercentage				Amount Percent Group. Details					
	amount			Amount Percent Group. Choice_ Amount. Numeric	used to indicate an allowance or charge applied against a given other amount	1..1	Numeric. Content Numeric. Format. Text		No Restrictions
	measurementValue			Amount Percent Group. Choice_ Measurement. Numeric	used to indicate an allowance or charge applied against a given measurement or quantity	1..1	Numeric. Content Numeric. Format. Text		No Restrictions
	percentage			Amount Percent Group. Choice_ Percentage. Numeric	Allowance and charges can be expressed in different ways. By using percentage, they are expressed as a percentage of another amount, e.g. the base amount.	1..1	Numeric. Content Numeric. Format. Text		No Restrictions
			RatePerUnit	Amount Percent Group. Choice_ Association. Allowance Charge Unit Rate	This information on RatePerUnit for MonetaryAmountOrPercentage.	1..1			
RatePerUnit				Allowance Charge Unit	The rate per unit is specified as a monetary amount per unit, as a				

Class (ABIE)	Attribute (BBIE)	Association (ASBIE)	Secondary Class	Official Dictionary Entry Name	Definition	Multiplicity	Data Type Components	Related Requirements	Facets
				Rate. Details	measurement such as a quantity, weight, or dimension, or as a percentage per unit.				
	allowanceOrChargeRatePerUnit			Allowance Charge Unit Rate. Value. Numeric	Allowance/charge per unit expressed as a figure without decimals.	1..1	Numeric. Content Numeric. Format. Text		totalDigits='35'
	amountPerUnit			Allowance Charge Unit Rate. Value. Numeric	Allowance/charge per unit expressed as an amount.	0..1	Numeric. Content Numeric. Format. Text		No Restrictions
	measurementPerUnit			Allowance Charge Unit Rate. Value. Numeric	The allowance/charge rate per unit defined as a measurement. E.g. per ton	0..1	Numeric. Content Numeric. Format. Text		No Restrictions
	percentagePerUnit			Allowance Charge Unit Rate. Value. Percent_Numeric	Allowance/charge per unit expressed as a percentage.	0..1	Numeric. Content		No Restrictions

3.7.3. Class Diagram: Payment Terms



3.7.4. GDD Report: Payment Terms

Class (ABIE)	Attribute (BBIE)	Association (ASBIE)	Secondary Class	Official Dictionary Entry Name	Definition	Multiplicity	Data Type Components	Related Requirements	Facets
DiscountPayment				Discount_ Payment Due. Details	This class is used to describe the amount for a discounted payment. Zero or more discounts may be specified using this class. The discount amount is expressed as a percent and is based on the number of days by which the payment must be made to earn the discount. For each discount, a time period is required to specify the percent discount earned.				
	discount Amount			Discount_ Payment Due. Discount Amount. Amount	The deduction represented in amount format.	0..1	Amount. Content Amount Currency. Code List Version. Identifier		No restrictions Facets constrained by code list values
	discount Percent			Discount_ Payment Due. Percent Of Payment. Numeric	The deduction represented in percentage.	0..1	Numeric. Content Numeric. Format. Text		No Restrictions
	discount Type			Discount_ Payment Due. Discount Type. Text	A code that specifies the type of payment discount.	1..1	Text. Content		minLength='1' maxLength='80'
		discountDescription	MultiDescription	Discount_ Payment Due. Description. Multi-language Description	A text field describing the discount.	0..1			
			PaymentTimePeriod	Discount_ Payment Due. Terms Discount Due. Payment Due	This information on PaymentTimePeriod for DiscountPayment.	1..1			
InstallmentDue				Installment_ Payment Due. Details	This class is used to specify the percentage amount of the payment due for the defined PaymentTimePeriod.				
	percentOfPaymentDue			Installment_ Payment Due. Percent Of Payment. Percent_ Numeric	specifies the exact amount of the payment due this payment period. The amount is expressed as a percent. The percent is sent with a decimal point only when needed, e.g., 10.5% is sent as 10.5.	1..1	Numeric. Content Numeric. Format. Text		No Restrictions
			PaymentTimePeriod	Installment_ Payment Due.	This information on PaymentTimePeriod for InstallmentDue.	1..1			

Class (ABIE)	Attribute (BBIE)	Association (ASBIE)	Secondary Class	Official Dictionary Entry Name	Definition	Multiplicity	Data Type Components	Related Requirements	Facets
				Payment Time Period. Payment Due					
NetPayment				Net_ Payment Due. Details	If used, a time period is required to specify when the payment is due.				
			PaymentTimePeriod	Net_ Payment Due. Association. Payment Due	The time period in which a payment is due may be specified in one of three ways:	1..1			
PaymentTerms				Payment Terms. Details	This class is the root class for the message.				
	payment TermsEvent			Payment Terms. Event Type. Date Time	Provides the payment terms event from a code list.	1..1	Date Time. Content Date Time. Format. Text		No restrictions
	payment TermsType			Payment Terms. Payment Terms Type. Payment Terms_ Code	Required to define specific payment terms.	1..1	Date Time. Content Date Time. Format. Text		No restrictions
	proximo CutoffDay			Payment Terms. Proximo Cut-off Day. Integer_ Numeric	This class is used in conjunction with the payment term 'Proximo'. It contains a numeric value for the day of the month.value – The day of the month payment becomes due. value is mandatory.	0..1	Numeric. Content		No restrictions
			DiscountPayment	Payment Terms. Association. Discount_ Payment Due	This information on DiscountPayment for PaymentTerms.	0..*			
			InstallmentDue	Payment Terms. Association. Installment_ Payment Due	This information on InstallmentDue for PaymentTerms.	0..1			
			NetPayment	Payment Terms. Association. Net_ Payment Due	This information on NetPayment for PaymentTerms.	0..1			
			PaymentMethod	Payment Terms. Association. Pay_ Payment Method	This information on PaymentMethod for PaymentTerms.	0..*			
PaymentTimePeriod				Payment Due. Details	Provides the payment time period information.				
	date			Payment Due. Choice_ Date. Date_ Date Time	The time at which an event occurs, expressed as a day	1..1	Date Time. Content		No Restrictions

Class (ABIE)	Attribute (BBIE)	Association (ASBIE)	Secondary Class	Official Dictionary Entry Name	Definition	Multiplicity	Data Type Components	Related Requirements	Facets
	dayOfMonthDue			Payment Due. Choice_ Day Of Month. Numeric	The time at which a payment is due, expressed as a day of the month.	1..1	Numeric. Content Numeric. Format. Text		No Restrictions
			TimePeriod Due	Payment Due. Choice_ Association. Time Period	A time period, in which a number (the time period) is specified in terms of days, weeks, or months.	1..1			
TimePeriodDue				Time Period. Details	The payment time period in which the payment becomes due is expressed as a numeric value.				
	timePeriod			Time Period. Type. Code	The time span within which this event takes place	1..1	Code. Content Code List. Agency. Identifier Code List. Agency Name. Text		Facets constrained by code list values
	value			Time Period. Length. Duration_ Measure	Numeric value describing the time period in which the payment comes due. value is mandatory.	1..1	Code. Content Code List. Agency. Identifier Code List. Agency Name. Text		Facets constrained by code list values

4. Code Lists

4.1. Account Number Type List

Code Value	Code Value Definition
01_TIME_DEPOSIT	The resource value of a time deposit is the net amount due after penalties are imposed for early withdrawal. If the funds cannot be withdrawn before maturity, the time deposit is not a resource until it matures. Time deposits include but are not limited to certificates of deposit, savings certificates, and individual retirement accounts (IRAs)
03_CHECKING_ACCOUNT	US term corresponding to "current account" in the UK. A demand deposit account, withdrawals from which may be made by a written, negotiable instrument.
10_BUSINESS_ACCOUNT	An identifying number or code assigned by issuing authorities to manage business activities. Note: 1. This code value will be removed effective with directory D.04A. (UN/CEFACT)

4.2. Additional Party Identification List

Code Value	Code Value Definition
BUYER_ASSIGNED_IDENTIFIER_FOR_A_PARTY	Not Available
DEA_DRUG_ENFORCEMENT_AGENCY	Not Available
DUNS	Not Available
DUNS_PLUS_FOUR	Not Available
FOR_INTERNAL_USE_1	Not Available
FOR_INTERNAL_USE_10	Not Available
FOR_INTERNAL_USE_11	Not Available
FOR_INTERNAL_USE_12	Not Available
FOR_INTERNAL_USE_13	Not Available
FOR_INTERNAL_USE_14	Not Available
FOR_INTERNAL_USE_15	Not Available
FOR_INTERNAL_USE_16	Not Available
FOR_INTERNAL_USE_17	Not Available
FOR_INTERNAL_USE_18	Not Available
FOR_INTERNAL_USE_19	Not Available
FOR_INTERNAL_USE_2	Not Available
FOR_INTERNAL_USE_20	Not Available
FOR_INTERNAL_USE_3	Not Available
FOR_INTERNAL_USE_4	Not Available
FOR_INTERNAL_USE_5	Not Available
FOR_INTERNAL_USE_6	Not Available
FOR_INTERNAL_USE_7	Not Available
FOR_INTERNAL_USE_8	Not Available
FOR_INTERNAL_USE_9	Not Available
HIN_CANADIAN_HEALTHCARE_IDENTIFICATION_NUMBER	Not Available
SCAC	Not Available

Code Value	Code Value Definition
SELLER_ASSIGNED_IDENTIFIER_FOR_A_PARTY	Not Available
SIRET	The SIRET is a 14 digit number composed by the SIREN (9 digits) and an internal classification number of 5n (NIC) identifying the company location. This code value is applicable in the French context and SIRET stands for Système d'Identification du Répertoire des Etablissements
TD_LINK_TRADE_DIMENSIONS	Not Available
UCC_COMMUNICATION_IDENTIFICATION	Not Available
UN_LOCATION_CODE	Not Available
UNKNOWN	Not Available
USDA_ESTABLISHMENT_NUMBER	Not Available

4.3. Additional Trade Item Identification List

Code Value	Code Value Definition
BUYER_ASSIGNED	Not Available
DISTRIBUTOR_ASSIGNED	The additional Trade Item Identification value populated has been developed and assigned by an entity which purchases and takes title to goods which are then resold / redistributed elsewhere.
FOR_INTERNAL_USE_1	Not Available
FOR_INTERNAL_USE_10	Not Available
FOR_INTERNAL_USE_11	Not Available
FOR_INTERNAL_USE_12	Not Available
FOR_INTERNAL_USE_13	Not Available
FOR_INTERNAL_USE_14	Not Available
FOR_INTERNAL_USE_15	Not Available
FOR_INTERNAL_USE_16	Not Available
FOR_INTERNAL_USE_17	Not Available
FOR_INTERNAL_USE_18	Not Available
FOR_INTERNAL_USE_19	Not Available
FOR_INTERNAL_USE_2	Not Available

Code Value	Code Value Definition
FOR_INTERNAL_USE_20	Not Available
FOR_INTERNAL_USE_3	Not Available
FOR_INTERNAL_USE_4	Not Available
FOR_INTERNAL_USE_5	Not Available
FOR_INTERNAL_USE_6	Not Available
FOR_INTERNAL_USE_7	Not Available
FOR_INTERNAL_USE_8	Not Available
FOR_INTERNAL_USE_9	Not Available
INDUSTRY_ASSIGNED	Not Available
SUPPLIER_ASSIGNED	The additional Trade Item Identification value populated has been developed and assigned by the party which provides service(s) and/or manufactures or otherwise has possession the goods and consigns or makes them available in trade.

4.4. Allowance Charge List

CodeValue	CodeDefinition
ALLOWANCE_GLOBAL	Not Available
CHARGE_GLOBAL	Not Available
CONSOLIDATED	Not Available
EARLY_PAYMENT	A discount provided if payment is made on or before a specified date.
FLAT_RATE	Not Available
FREE_GOODS	Not Available
FREIGHT_COSTS	Not Available
FUEL_CHARGE	A charge to cover the cost of fuel required to supply the goods
INSURANCE_CHARGE	Not Available
LUMP_SUM	Not Available
MARKUP_FOR_SMALL_VOLUME_PURCHASES	Not Available
PACKING_CHARGES	Not Available

CodeValue	CodeDefinition
PALLET_CHARGE	Charges made by a supplier associated with using a pallet to deliver goods.
QUANTITY_DISCOUNT	A discount based on the number or quantity of goods purchased. For example, 5% discount if more than 100 units are purchased.
SORTING	Code used by the trading partners to communicate sorting allowances or charges that result from organizing returnable items or assets such as glass bottles, pallet platforms, etc.
SPECIAL_HANDLING	Any special charges nominated by the supplier
TRADE_DISCOUNT	A discount normally given by the supplier to buyers who are in the same trade and will be on-selling to the end customer. This discount may also be extended to other buyers with significant purchasing volume.
ULLAGE_AMOUNT	The allowance made for expansion of liquids in a container.
VOLUME_DISCOUNT	A discount based on the value of goods purchased. For example, 3% discount if more than \$1,000 is spent.
WAREHOUSE_AMOUNT	Warehouse storage charges usually incurred when in transit storage is required e.g. between landing on the wharf and trans-shipment to the buyer.

4.5. Allowance Or Charge List

Code Value	Code Value Definition
ALLOWANCE	Not Available
CHARGE	Not Available

4.6. Alternate Adjustment Reference List

Code Value	Code Value Definition
DEPARTMENT_NUMBER	Not Available
LOCATION_NUMBER	Not Available
OTHER_REQUEST_FOR_PAYMENT_IDENTIFICATION	Not Available
PRO_NUMBER	Not Available
RETURN_GOODS_AUTHORIZATION_NUMBER	Not Available
SELLER_AUTHORIZATION_ALLOWANCE_NUMBER	Not Available

Code Value	Code Value Definition
STORE_NUMBER	Not Available

4.7. Appointment Time Measurement Basis Type List

Specifies whether an on-time delivery calculation considers the appointment date time to be the latest time that the delivery can arrive (the default option), or the centre of a delivery window that allows deliveries before or after the appointment time by an amount indicated by the Appointment Window parameter.

Code Value	Code Value Definition
APPOINTMENT_WINDOW	If the delivery occurs before or after the indicated appointment date and time by less than the number of minutes given by the Appointment Window parameter, it is considered to be on time.
DEADLINE	The appointment date and time represent the latest instance that the delivery can arrive and still be considered on time.

4.8. Bucket Size Type Code List

Code Value	Code Value Definition
DAY	Information requested in daily buckets.
MONTH	Information requested in monthly buckets.
QUARTER	Information requested in quarterly buckets.
UNSPECIFIED	Information may be provided in whatever time format that is available.
WEEK	Information requested in weekly buckets
YEAR	Information requested in yearly buckets.

4.9. Change Reason Code List

Code Value	Code Value Definition
ARTICLE_CODE_UNKNOWN	The article code is not known.
DAMAGED	If a shipment or any part thereof, is lost or damaged in transit and so received, the person making such receipt is responsible for securing proper notation of damage or shortage from the delivering carrier, on the bill of lading, so proper claims may be filed with the carrier.
ITEM_NOT_ORDERED	Item was not requested.

OUT_OF_INVENTORY	Not available for sale or use.
PACK_DIFFERENCE	There is a pack deviation from the standard or norm.

4.10. Communication Channel Code List

Code Value	Code Value Definition
EMAIL	Not Available
TELEFAX	Not Available
TELEPHONE	Not Available
WEBSITE	Not Available

4.11. Credit Reason Code List

Code Value	Code Value Definition
AGREED_SETTLEMENT	An adjustment made based on an agreement between partners, and selected when the available credit reason codes are not applicable.
BELOW_SPECIFICATION	The goods delivered are of a lower specification than the agreed specification between the buyer and seller.
CASH_DISCOUNT	An adjustment has been made due to the application of a cash discount.
DAMAGED_GOODS	An adjustment due to the damage of goods. <i>Note where damage is identifiable as being caused during transit then transport damage reason code should be used.</i>
DISCOUNT_FOR_LATE_DELIVERY	Penalty amount deducted for late delivery.
EARLY_PAYMENT_ALLOWANCE_ADJUSTMENT	Adjustment results from the application of an early payment allowance this could be for the whole invoice or specific items within the invoice.
GOODS_NOT_DELIVERED	Buyer has not received the goods.
GOODS_ON_CONSIGNMENT	Buyer does not accept invoice(s) charge as it relates to goods where the ownership remains with the seller until sold.
INCORRECT_CHARGE	A charge that was not agreed with the buyer, hence the reason for the credit.
INCORRECT_DISCOUNT	Seller has applied incorrect discount calculation on invoices.
INCORRECT_DUE_DATE_FOR_MONETARY_AMOUNT	Adjustment has been made because an incorrect due date was referred to the previous invoice with regard to the monetary amount.
INVOICE_ERROR	Invoice not in accordance with the order.

Code Value	Code Value Definition
PRICE_DISCREPANCY	Seller has charged a price on the invoice that was not agreed with the buyer.
SHORT_DELIVERY	1. When there is shortage on the delivery. <i>Example There is a shortage of 4 units when 10 units are ordered and invoiced, but only 6 units were delivered.</i>
TRADE_DISCOUNT	A discount from the list price of a commodity allowed by a seller to a buyer.
TRANSPORT_DAMAGE	2. Damage occurred during transit of goods. Note where damage is identifiable as being caused during transit then transport damage reason code should be used.
WRONG_DELIVERY	Goods returned not ordered.
WRONG_INVOICE	Wrong monetary amount resulting from incorrect free goods quantity.

4.12. Debit Credit Indicator List

Code Value	Code Value Definition
CREDIT	The deduction of a payment made by a debtor from an amount due. The right-hand side of an account on which such amounts are entered.
DEBIT	An accounting entry acknowledging sums that are owing The left-hand side of an account on which such entries are made opposite a credit.

4.13. Deliver Date Type List

Code Value	Code Value Definition
ACTUAL_DELIVERY_DATE	Not Available
ACTUAL_PICKUP_DATE	Not Available
CUSTOMS_RELEASE_DATE	Not Available
NOTIFICATION_DATE	Not Available
REQUESTED_PICKUP_DATE	Not Available
SCHEDULED_DELIVERY_DATE	Not Available

4.14. Deliver Reference Code List

Code Value	Code Value Definition
ACCOUNTS_RECEIVABLE_CUSTOMER_ACCOUNT	Not Available

Code Value	Code Value Definition
AGENTS_SHIPMENT_NUMBER	Not Available
APPOINTMENT_NUMBER	Not Available
APPROPRIATION_NUMBER	Not Available
BILL_OF_LADING_NUMBER	Not Available
BOOKING_NUMBER	Not Available
CANADIAN_SOCIAL_INSURANCE_NUMBER	Not Available
CARRIER_ASSIGNED_PACKAGE_ID	Not Available
CARRIERS_REFERENCE_NUMBER_PRO_OR_INVOICE_NUMBER	Not Available
CONSIGNEE_INVOICE_NUMBER	Not Available
CONSIGNEE_ORDER_NUMBER	Not Available
CONSIGNEE_REFERENCE_NUMBER	Not Available
COST_ALLOCATION_REFERENCE	Not Available
CUSTOMER_ACCOUNT_NUMBER	Not Available
CUSTOMER_ORDER_NUMBER	Not Available
CUSTOMER_REFERENCE_NUMBER	Not Available
DATA_RELIABILITY_CODE_NUMBER	Not Available
DEALER_ORDER_NUMBER	Not Available
DEPARTMENT_NUMBER	Not Available
DESPATCH_ADVICE_NUMBER	Not Available
EMPLOYERS_IDENTIFICATION_NUMBER	Not Available
EQUIPMENT_NUMBER	Not Available
FEDERAL_TAXPAYERS_IDENTIFICATION_NUMBER	Not Available
FOOD_AND_DRUG_ADMINISTRATION_FDA_PRODUCT_CODE	Not Available
FREE_ASTRAY_NUMBER	Not Available
GOODS_AND_SERVICE_TAX_REGISTRATION_NUMBER	Not Available
INVALID_ACCOUNT_REASON_CODE	Not Available

Code Value	Code Value Definition
LOAD_NUMBER	Not Available
LOAD_PLANNING_NUMBER	Not Available
LOCATION_NUMBER	Not Available
MANIFEST_KEY_NUMBER	Not Available
MASTER_BILL_OF_LADING	Not Available
MUTUALLY_DEFINED	Not Available
NEXT_AVAILABLE_FLIGHT_JOB_NUMBER	Not Available
OFFER_IDENTIFIER_NUMBER	Not Available
ORIGINAL_INVOICE_NUMBER	Not Available
PACKAGE_NUMBER	Not Available
PACKING_LIST_NUMBER	Not Available
PART_NUMBER	Not Available
PICKUP_REFERENCE_NUMBER	Not Available
PORT_CODE	Not Available
PRODUCTION_CODE	Not Available
PURCHASE_ORDER_ITEM_NUMBER	Not Available
PURCHASE_ORDER_NUMBER	Not Available
PURCHASE_REQUISITION_NUMBER	Not Available
RETURN_MATERIAL_AUTHORIZATION_NUMBER	Not Available
RETURNED_GOODS_AUTHORIZATION_NUMBER	Not Available
SALESPERSON	Not Available
SELLER_INVOICE_NUMBER	Not Available
SERIAL_NUMBER	Not Available
SERVICE_CHARGE_NUMBER	Not Available
SERVICE_REQUEST_NUMBER	Not Available
SHIP_FROM_ACCOUNT_NUMBER	Not Available
SHIP_NOTICE_MANIFEST_NUMBER	Not Available
SHIPPER_IDENTIFYING_NUMBER_FOR_SHIPMENT	Not Available

Code Value	Code Value Definition
SHIPPERS_ACCOUNT_NUMBER	Not Available
SHIPPERS_ORDER_INVOICE_NUMBER	Not Available
SOCIAL_SECURITY_NUMBER	Not Available
SOFTWARE_APPLICATION_NUMBER	Not Available
SPECIAL_APPROVAL_NUMBER	Not Available
SPLIT_SHIPMENT_NUMBER	Not Available
SSCC_18	Not Available
SSCC_18_AND_APPLICATION_NUMBER	Not Available
STORE_NUMBER	Not Available
TERMINAL_RELEASE_NUMBER	Not Available
TRACER_ACTION_REQUEST_NUMBER	Not Available
TRACKING_NUMBER	Not Available
TRANSACTION_REFERENCE_NUMBER	Not Available
TRANSPORTATION_CONTROL_NUMBER	Not Available
VENDOR_IDENTIFICATION_NUMBER	Not Available
WAYBILL_NUMBER	Not Available

4.15. Delivery Time Measurement Type List

Indicates the source of the date to be used to determine whether a delivery was on-time (the original P.O. need-by date, the first scheduled appointment date or the last scheduled appointment date).

Code Value	Code Value Definition
FIRST_APPOINTMENT_DATE_TIME	First negotiated appointment date and time
LAST_APPOINTMENT_DATE_TIME	Last negotiated appointment date and time
PO_NEED_BY_DATE	Desired delivery date as expressed in the purchase order

4.16. Demand Estimation Type List

Specifies the technique used to estimate demand when measuring inventory cover

Code Value	Code Value Definition
FORECAST_BASIS	Demand estimate is based upon a forecast
HISTORICAL_BASIS	Demand estimate is based upon historical results

4.17. Document Status List

Code Value	Code Value Definition
ADDITIONAL_TRANSMISSION	Message already transmitted via another communication channel. This transmission provides electronically processable data only. The French tax authorities ask to distinguish the different transmission modes for the invoices in case of control
COPY	Not Available
ORIGINAL	Not Available
REPLACE	Indicates that the original document that was sent should be replaced with the new document. This is only possible when the original document has not yet been processed in the recipient's application.

4.18. Duty Tax Fee Type Code List

Code Value	Code Value Definition
NON_VALUE_ADDED_TAX	A generic code for duty tax to define other taxes than value added tax like environmental tax, tobacco tax, energy tax.
VALUE_ADDED_TAX	A tax on domestic or imported goods applied to the value added at each stage.

4.19. Effective Date List

Code Value	Code Value Definition
EFFECTIVE_DATE	Not Available
EXPIRATION_DATE	Not Available
FIRST_ARRIVAL_DATE	Not Available
FIRST_ORDER_DATE	Not Available
FIRST_SHIP_DATE	Not Available

Code Value	Code Value Definition
LAST_ARRIVAL_DATE	Not Available
LAST_ORDER_DATE	Not Available
LAST_SHIP_DATE	Not Available

4.20. Entity Type List

Code Value	Code Definition
1_BUYER_RECONCILIATION_OF_REQUEST_FOR_PAYMENT	N/A
10_CONFIRMATION_OF_SETTLEMENT_INSTRUCTIONS	Not Available
11_CONTROL_TOTAL	Not Available
12_DATA_SYNCHRONISATION_DATA_POOL_PROFILE	Not Available
13_DATA_SYNCHRONISATION_ERROR	Not Available
14_DEBIT_CREDIT_ADVICE	Not Available
15_DESPATCH_ADVICE	Not Available
16_EANUCC_RESPONSE	Not Available
17_EVENT	Not Available
18_EXCEPTION_CRITERIA	Not Available
19_EXCEPTION_NOTIFICATION	Not Available
2_CARRIER_ROUTING_INSTRUCTION	N/A
20_FINANCIAL_INSTITUTION_CONTROL_TOTAL	Not Available
21_FORECAST	Not Available
22_FORECAST_BULK_DATA	Not Available
23_FORECAST_REVISION	Not Available
24_FTL_LOAD_TENDER_RESPONSE	Not Available
25_FTL_LTL_SHIPMENT_STATUS	Not Available
26_FTL_LTL_SHIPMENT_STATUS_INQUIRY	Not Available
27_FULL_TRUCKLOAD_FREIGHT_INVOICE	Not Available

Code Value	Code Definition
28_FULL_TRUCKLOAD_LOAD_TENDER	Not Available
29_GDSN_EXCEPTION	Not Available
3_CATALOGUE_ITEM_CONFIRMATION	Not Available
30_INVENTORY_ACTIVITY_OR_INVENTORY_STATUS	Not Available
31_LESS_THAN_TRUCKLOAD_FREIGHT_INVOICE	Not Available
32_LTL_CARRIER_BILL_OF_LADING	Not Available
33_MOTOR_FUEL_CARRIER_BILL_OF_LADING	Not Available
34_MULTI_SHIP_TO_ORDER	Not Available
35_ORDER	Not Available
36_ORDER_RESPONSE	Not Available
37_PARTY_CONFIRMATION	Not Available
38_PARTY_DOCUMENT	Not Available
39_PARTY_NOTIFICATION	Not Available
4_CATALOGUE_ITEM_LINK	Not Available
40_PARTY_PUBLICATION	Not Available
41_PARTY_REGISTRATION	Not Available
42_PARTY_REGISTRATION_RESPONSE	Not Available
43_PARTY_SUBSCRIPTION	Not Available
44_PERFORMANCE_HISTORY	Not Available
45_PICKUP_NOTIFICATION_LTL	Not Available
46_PRICE_BRACKET_DOCUMENT	Not Available
47_PRICE_DOCUMENT	Not Available
48_PRODUCT_ACTIVITY	Not Available
49_PRODUCT_ACTIVITY_BULK_DATA	Not Available
5_CATALOGUE_ITEM_NOTIFICATION	Not Available
50_RECEIVING_ADVICE	Not Available
51_REGISTRY_CATALOGUE_ITEM	Not Available
52_REPLENISHMENT_PROPOSAL	Not Available

Code Value	Code Definition
53_REPLENISHMENT_REQUEST	Not Available
54_REQUEST_FOR_CATALOGUE_ITEM_NOTIFICATION	Not Available
55_REQUEST_FOR_PARTY_NOTIFICATION	Not Available
56_REQUEST_FOR_PAYMENT	Not Available
57_RETAIL_EVENT	Not Available
58_SEARCH_REQUEST	Not Available
59_SEARCH_RESULT	Not Available
6_CATALOGUE_ITEM_PUBLICATION	Not Available
60_SETTLEMENT	Not Available
61_SIMPLE_INVOICE	Not Available
62_SMALL_PACKAGE_CARRIER_FREIGHT_INVOICE	Not Available
63_SMALL_PACKAGE_PICKUP_MANIFEST	Not Available
64_SPC_SHIPMENT_STATUS	Not Available
65_SPC_SHIPMENT_STATUS_INQUIRY	Not Available
66_TRADE_ITEM_DOCUMENT	Not Available
67_TRADE_ITEM_INFORMATION_REQUEST	Not Available
68_TRADE_ITEM_LOCATION_PROFILE	Not Available
69_WAREHOUSE_SHIPPING_ORDER	Not Available
7_CATALOGUE_ITEM_REGISTRATION_RESPONSE	Not Available
70_PERFORMANCE_MEASUREMENT	The Performance Measurement message allows trading partners to identify goals for the measures that they wish to share, as well as exchange the values for those measures. The scope of the message includes key measures of Sales, Operations, Supply Chain, and Data Accuracy performance.
8_CATALOGUE_ITEM_SUBSCRIPTION	Not Available
9_CONFIGURE_TO_ORDER	Not Available

4.21. Error Or Warning List

Code Value	Code Value Definition
APPLICATION_ROUTING_ERROR	Application Routing Error
BUSINESS_SCOPE_BLOCK	Indicates the type of scope, the identifiers for the scope, other supporting information and the scope content itself.
CODE_NOT_MAPPED_TO_APPLICATION	Code Not Mapped to Application.
CUSTOMER_IDENTIFICATION_NUMBER_AND_ENTITY_NAME_DO_NOT_MATCH	Customer Identification Number and Entity Name Do not match
CUSTOMER_IDENTIFICATION_NUMBER_DOES_NOT_EXIST	Customer Identification Number Does not Exist
CUSTOMER_IDENTIFICATION_NUMBER_IS_INVALID	Customer Identification Number is Invalid
CUSTOMER_IDENTIFICATION_NUMBER_IS_MISSING	Customer Identification Number Is Missing
DELIVERY_SLOT_MISSED	Latest time to place order exceeded therefore slot not available.
DELIVERY_SLOT_NOT_VALID_FOR_LOCATION	Requested delivery time slot not valid for that ship to location.
DISCONTINUED_LINE	To cease making or manufacturing.
DOCUMENT_ENCLOSED_IN_THE_FIRST_TRANSMISSION	Documents enclosed in the first transmission
DOCUMENT_ENCLOSED_IN_THE_SECOND_TRANSMISSION	Documents enclosed in the second transmission
DOCUMENT_NOT_ATTACHED	Document not attached
DOCUMENT_NOT_AVAILABLE	Document not available.
DOCUMENT_NOT_REQUIRED_WAIVER_ISSUED	Document not required, waiver issued.
DUPLICATE	Duplicate
GAP_IN_TIME_PERIOD	Expected adjacent, non-overlapping weekly samples but got non-adjacent weekly samples.
INCOMPLETE_MESSAGE	Incomplete Message
INCORRECT_DATE	Incorrect Date
INSTANCE_IDENTIFIER	Descriptor which contains reference information which uniquely identifies this instance of the SBD between the sender and the receiver
INVALID_BUSINESS_PROCESS_CURRENT_STATUS_CODE	Invalid Business Process Current Status Code

Code Value	Code Value Definition
INVALID_BUYER_EVENT_IDENTIFICATION	As a result of an acknowledgement, change, or change in status; the 'buyer' Event ID does not exist
INVALID_BUYER_IDENTIFICATION	Buyer (Trading Partner Identification) is invalid.
INVALID_BUYER_LOCATION_GROUP_IDENTIFICATION	Invalid buyer group location Identification
INVALID_BUYER_LOCATION_IDENTIFICATION	Invalid buyer location identification number
INVALID_DATE	Invalid date
INVALID_PRODUCT_BUYER_GROUP_IDENTIFICATION	Product / Item Buyer Group Identification Number does not exist.
INVALID_PRODUCT_OR_ITEM_IDENTIFICATION	Product / Item Number does not exist
INVALID_PRODUCT_SELLER_GROUP_IDENTIFICATION	Product / Item Seller Group Identification Number does not exist.
INVALID_SELLER_EVENT_IDENTIFICATION	As a result of an acknowledgement, change, or change in status; the 'seller' Event ID does not exist
INVALID_SELLER_IDENTIFICATION	Seller (Trading Partner Identification) is invalid.
INVALID_SELLER_LOCATION_GROUP_IDENTIFICATION	Invalid seller group location Identification
INVALID_SELLER_LOCATION_IDENTIFICATION	Invalid seller location identification number
INVALID_STATUS_TRANSITION	The Status of this Event has changed and does not follow the acceptable status change life cycle.
INVALID_TIME_PERIOD	Example: Expected weekly forecast and received monthly
ITEM_MARKED_FOR_DELETE	Item Marked For Delete.
ITEM_NOT_AUTHORIZED	Item Not Authorized.
ITEM_TEMPORARILY_NOT_AVAILABLE	Item temporarily not available.
MANIFEST_BLOCK	A flag to indicate that there is more than one type of Document in the instance.
MESSAGE_UNDER_DEVELOPMENT	Message under development.
MISSING_CODE_FOR_APPLICATION	Missing Code for Application
MISSING_DATA	Missing Data.
MISSING_EFFECTIVE_MESSAGE_DATE	Missing Effective Message Date
MISSING_IDENTIFICATION_CODE	Missing Identification Code
MISSING_MESSAGE_REFERENCE_NUMBER	Missing Message Reference Number
MISSING_OR_INVALID_DUNS_NUMBER	Missing or Invalid DUNS Number
MISSING_OR_INVALID_LOCATION	Missing or Invalid Location

Code Value	Code Value Definition
MISSING_OR_INVALID_MESSAGE_CODE	Missing or Invalid Message Code
MISSING_OR_INVALID_SCAC	Missing or Invalid SCAC
MISSING_OR_INVALID_UPC_CODE	Missing or Invalid U.P.C. Code
OTHER_UNLISTED_REASON	Other Unlisted Reason
OVERLAPPING_TIME_PERIOD	Expected adjacent, non-overlapping weekly samples, but got overlapping weekly samples.
PARTICIPATING_LOCATION	Number of Participating Locations does not equal the number of Locations communicated in the detail.
PARTICIPATION_PERCENT	Percent of all participating locations
PRODUCT_NOT_VALID_FOR_LOCATION	Requested product not valid for that ship to location.
PRODUCT_OUT_OF_STOCK	Product out of stock.
RECEIVED_AFTER_CUTOFF_DATE_OR_TIME	Received After Cutoff Date or Time
SENDER_NOT_AUTHORIZED_FOR_THIS_MESSAGE	Sender Not Authorized for this message
STANDARD_BUSINESS_DOCUMENT_STANDARD_TYPE	Originator of the type of the Business Data standard, e.g. SWIFT, OAG, used.
STANDARD_STANDARD_BUSINESS_DOCUMENT_STANDARD_TYPE	**DEPRECATE For MAJOR VERSION** Originator of the type of the Business Data standard, e.g. SWIFT, OAG, used.
TO_ARRIVE_BY_SEPARATE_XML_MESSAGE	To arrive by separate XML message
TYPE	A logical indicator representing the type of Business Data being sent or the named type of business data.
TYPE_VERSION	(Standard Business Document. Standard Type Version.Identifier): Descriptor which contains versioning information or number of the standard that defines the document which is specified in the 'Type' data element, e.g. D.96A.
UNAUTHORIZED_BUSINESS_PROCESS_STATE	Unauthorized Business Process State code.
UNAUTHORIZED_BUSINESS_SERVICE_ACTION_CODE	Unauthorized Business Service Action Code.

4.22. Forecast Purpose Code List

Specifies whether the forecast is for the amount sold, received or shipped.

Code Value	Code Value Definition
ORDER_FORECAST	The forecast is for the expected receipt of items at the location.
SALES_FORECAST	The forecast is for the expected sales or consumption of items at the location.
SHIPMENT_FORECAST	The forecast is for shipments to the location

4.23. Forecast Type Code List

Specifies whether the forecast pertains to all items in the period, only item/location combinations on promotion during the period, or non-promoted items.

Code Value	Code Value Definition
BASE	The forecast includes only baseline (non-promoted) demand
PROMOTIONAL	The forecast includes only promotional demand
SEASONAL	The forecast includes only the seasonal component of total demand
TOTAL	The forecast includes all types of demand

4.24. Goods Requirements Type List

Code Value	Code Value Definition
ACTUAL_SALES	Actual goods sales
FORECAST	Forecasted goods sales
GROSS_REQUIREMENTS	Planned material consumption
NET_REQUIREMENTS	Planned material consumption corrected for available inventory

4.25. Incoterm Code List

Code Value	Code Value Definition
CFR	Cost and Freight
CIF	Cost, Insurance and Freight
CIP	Carriage and Insurance Paid To
CPT	Carriage Paid To
DAF	Delivered at Frontier

Code Value	Code Value Definition
DDP	Delivered Duty Paid
DDU	Delivered Duty Unpaid
DEQ	Delivered Ex Quay
DES	Delivered Ex Ship
EXW	ExWorks
FAS	Free Alongside Ship
FCA	Free Carrier
FOB	Free On Board

4.26. Inventory Activity List

Code Value	Code Value Definition
DAMAGED_IN_FACILITY	A decrease or increase due to product being damaged in the warehouse or warehouse location.
DAMAGED_IN_TRANSIT	A decrease or increase due to product being damaged during transfer or transportation in-bound or out-bound to a warehouse or warehouse location.
DESPATCH_DISCREPANCY	A decrease or increase in inventory as a result of shipping product to or from the warehouse or warehouse location.
DESPATCHES	A decrease or increase of inventory because of shipment of goods to another location.
DESTROYED	A decrease or increase due to product being dumped or destroyed and physically no longer exists.
DISTRESSED	A decrease or increase for product in inventory that is about to expire.
EXPIRATION	A decrease or increase for product in inventory that has expired.
ON_HOLD	A decrease or increase due to product being placed on hold.
PHYSICAL_COUNT	A decrease or increase due to the result of a physical count of inventory.
QUARANTINE	A decrease or increase in a status of product that has been produced, but has not yet cleared quality /performance testing and is therefore not available for transport or sale.
RECALL	A decrease or increase for inventory received back to the warehouse or warehouse location.

Code Value	Code Value Definition
RECEIPT_DISCREPANCY	A decrease or increase in inventory as a result of discrepancies made at receipt of product at the warehouse or warehouse location.
RECEIPTS	A decrease or increase in inventory because of shipment of goods from another location.
RECOUP_REWORK_OF_DAMAGED_PRODUCT	A decrease or increase in inventory as a result of restoring damaged product.
REIDENTIFICATION	A decrease or increase in inventory as a result of changing the identification of a product; e.g. regarding, stock number change, material identification change.
TRANSFER	A decrease or increase in inventory as a result of moving inventory between warehouses, warehouse locations, or cost centres.

4.27. Inventory Document Type List

Code Value	Code Value Definition
INVENTORY_ACTIVITY	Inventory Activity is used to report on all the changes on the inventory level per item.
INVENTORY_STATUS	Inventory Status is used to report on the actual inventory per item.

4.28. Inventory Measurement Basis Type List

Indicator of whether the inventory included in an inventory cover calculation includes inbound (pipeline) inventory.

Code Value	Code Value Definition
ON_HAND_ONLY	Only the current on-hand balance is included in the inventory cover calculation
ON_HAND_PLUS_PIPELINE	Both the current on-hand balance as well as inbound inventory in the distribution pipeline is included in the inventory cover calculation

4.29. Inventory Movement Type List

Code Value	Code Value Definition
MOVING_INVENTORY_INTO_INVENTORY	An inventory or product movement into the place where item is stored.
MOVING_INVENTORY_OUT_OF_INVENTORY	An inventory or product movement out of the place where item is stored.

4.30. Inventory Status List

Code Value	Code Value Definition
ALLOCATED_FOR_ORDER	Inventory designated to fulfil a shipment request.
AVAILABLE_FOR_SALE	Inventory designated to fulfil future shipment requests.
BLOCKED	Inventory that has been identified and categorized as blocked.
DAMAGED	Inventory that has been identified and categorized as damaged.
EXPIRED	Inventory that has been identified as exceeding the maximum durability date of an item.
IN_TRANSIT	Inventory being transferred or transported either in-bound or out-bound to the warehouse or warehouse location.
MAXIMUM_STOCK	Maximum stock target quantity in storage location in order to trigger action if this is exceeded.
MINIMUM_STOCK	Minimum stock target quantity in storage location in order to trigger actions if this is exceeded.
ON_CONSIGNMENT_ON_HAND	is the total quantity of all inventory for a warehouse or warehouse location. To be used in a Consignment Stock process, meaning goods in stock with agreement on payment when goods are sold or consumed out of this stock. Goods or products are owned by the vendor until they are sold or consumed by the buyer.
ON_CONSIGNMENT_ON_HOLD	is the total quantity of non-shippable or non-saleable inventory in a warehouse or warehouse location. This status is temporary. As an example this is product that has promotion, sales, or damage hold reasons. To be used in a Consignment Stock process, meaning goods in stock with agreement on payment when goods are sold or consumed out of this stock. Goods or products are owned by the vendor until they are sold or consumed by the buyer.
ON_CONSIGNMENT_QUARANTINED	Defines the status of product in a warehouse or warehouse location that has been produced, but has not yet cleared quality /performance testing and is therefore not available for transport or sale. To be used in a Consignment Stock process, meaning goods in stock with agreement on payment when goods are sold or consumed out of this stock. Goods or products are owned by the vendor until they are sold or consumed by the buyer.
ON_CONSIGNMENT_RESTRICTED_USE	is the status for items that are going through a specific check outside of the quarantined process. For example: If an item is nearing its expiration date, it is available for controlled use and is identified by a restricted status. To be used in a Consignment Stock process, meaning goods in stock with agreement on payment when goods are sold or consumed out of this stock. Goods or products are owned by the vendor until they are sold or consumed by the buyer.

Code Value	Code Value Definition
ON_HAND	The total quantity of all inventory for a warehouse or warehouse location.
ON_HOLD	is the total quantity of non-shippable or non-saleable inventory in a warehouse or warehouse location. This status is temporary. As an example this is product that has promotion, sales, or damage hold reasons.
QUARANTINED	Defines the status of product in a warehouse or warehouse location that has been produced, but has not yet cleared quality /performance testing and is therefore not available for transport or sale.
RECALLED	Product in inventory that has been withdrawn from circulation.
RESTRICTED_USE	Status for items that are going through a specific check outside of the quarantined process. For example: If an item is nearing its expiration date, it is available for controlled use and is identified by a restricted status.
RETURNED	Product in inventory that has been returned from the buyer.

4.31. Invoice Type Code List

Code Value	Code Value Definition
AGREED_TERMS	Claim for payment of goods or services based upon terms agreed on a bi-lateral basis between the trading partners.
CORRECTED_INVOICE	Claim for payment of goods and services that includes revised information differing from an earlier submission of the same claim for payment
CREDIT_NOTE	Credit correction of an earlier exchanged claim for payment by an invoice or any other claim for an identified and agreed financial discrepancy.
DEBIT_NOTE	Debit correction of an earlier exchanged claim for payment by an invoice or any other claim for an identified and agreed financial discrepancy.
INVOICE	Claim for payment for goods or services supplied under conditions agreed between the seller and the buyer, seller originated.
PRO_FORMA_INVOICE	Document or message serving as a preliminary invoice, containing – on the whole - the same information as the final invoice, but not actually claiming payment.
SELF_BILLED_CREDIT_NOTE	Credit correction of an earlier exchanged claim for payment by a (Self Billed) invoice or any other claim for an identified and agreed financial discrepancy, buyer originated.
SELF_BILLED_INVOICE	Claim for payment for goods or services supplied under conditions agreed between the seller and the buyer, buyer originated.

Code Value	Code Value Definition
TAX_INVOICE	Claim for payment for goods or services supplied under conditions agreed between the seller and the buyer, seller originated for taxation purposes.

4.32. Item Scope Type List

Specifies the type of item scope (brand, category, etc.) of a goal or measure value.

Code Value	Code Value Definition
BRAND	All products of a specific brand
CLASS	All products that fall within a global product class or category
COLOUR	All products of a specific colour
DEPARTMENT	All products that fall within a retailer's department
FLAVOUR	All products of a specific flavour
GPC	A component of GS1 GDSN. It provides the required global framework for trade item categorisation supporting global data synchronisation.
GTIN	The GS1 Identification Key used to identify trade items. The key comprises a GS1 Company Prefix followed by an Item Reference Number and a Check Digit.
ITEM	All of the style, colour, size, flavour and variety variations of a specific product
LINE_OF_BUSINESS	All products that fall within a supplier's line of business
RETAIL_CATEGORY	All products that fall within a retailer's item category
SIZE	All products of a specific size
SKU	All products that are equivalent from a retailer's stocking perspective
STYLE	All products of a specific style
SUBCLASS	All products that fall within a global product subclass or subcategory
TOTAL	All products
TRADING_RELATIONSHIP	All of the supplier's products that the customer distributes
VARIETY	All products of a specific variety

4.33. Location Scope Parameter Type List

Determines the role of a facility or group of facilities specified in the performance measurement. Depending on the measure selected, multiple location scope selections may be required to fully identify the range of facilities that should be included

Code Value	Code Value Definition
CUSTOMER_DESTINATION_LOCATION	Filters the location scope specified by a RECEIVING_LOCATION to include only those locations of a certain type. For example, if the RECEIVING_LOCATION is CHAIN (normally all locations within the chain), CUSTOMER_DESTINATION_LOCATION can be set to DISTRIBUTION_CENTER to indicate that the locations should only include the distribution centres within the chain, not other types of locations (such as stores). Because it is a filter, CUSTOMER_DESTINATION_LOCATION does not have a corresponding location value.
LOCATION_CONTEXT	Defines the overall range of locations from which a selection of locations may be made. For example, the location context could be set to COUNTRY with a value of "FR" (France). Then if the LOCATION_SELECTION is set to CHAIN with the corporate GLN value of a retailer, the result is that only those retailer chain locations within France would be within the scope of the calculation.
LOCATION_SELECTION	Describes the specific set of locations to be measured within a broader location context. For example, if the LOCATION_CONTEXT is CHANNEL, with a value of Grocery, and the LOCATION_SELECTION is POSTAL_CODE, with a value of 01742, only grocery stores within the 01742 postal code would be within the scope of the calculation.
RECEIVING_LOCATION	Identifies the facility or a range of facilities that are at the destination of a delivery.
SHIPPING_LOCATION	Identifies the facility or a range of facilities that are at the origin of a delivery.
VENDOR_LOCATION	Filters the location scope specified by a SHIPPING_LOCATION to include only those facilities of a certain type. For example, if the SHIPPING_LOCATION is SUPPLIER (normally all locations within the supplier), VENDOR_LOCATION can be set to PLANT to indicate that the locations should only include the plant shipments from the supplier, not shipments from distribution centres. Because it is a filter, VENDOR_LOCATION does not have a corresponding location value.

4.34. Location Scope Type List

Specifies the type of location scope (store, region, chain) of a goal or measure value.

Code Value	Code Value Definition
AREA	All store regions within an area
CHAIN	All locations within a retail chain
CHANNEL	All locations within a specific class of trade
CITY	All locations within the boundaries of a city
COUNTRY	All locations within a country
DISTRIBUTION_CENTRE	A specific distribution centre location
DIVISION	A specific division location.
GEOGRAPHICAL_REGION	All locations within a specified geographic region
GEOGRAPHICAL_SUBREGION	All locations within a specified geographic subregion
GLN	The GS1 Identification Key used to identify physical locations or legal entities. The key comprises a GS1 Company Prefix, Location Reference, and Check Digit.
LANE_OR_ROUTE	A specific transportation lane or route
PLANT	A specific production plant or factory location
POSTAL_CODE	All locations within a specific postal code
STATE	All locations within a state or province
STOCKING_LOCATION	A specific stocking location (e.g. shelf, display) within a store
STORE	A specific store location
STORE_CLUSTER	All locations that share a set of common characteristics (such as customer demographics)

STORE_REGION	All locations within a retailer's store region
SUPPLIER	All supplier distribution locations (plant / DC)
TOTAL	All locations
ZONE	All locations within a zone

4.35. Measurement Type Code List

Code Value	Code Value Definition
DECLARED_NET_WEIGHT	Not Available
GROSS_VOLUME	Not Available
NET_VOLUME	Not Available
TARE_WEIGHT	Not Available
TOTAL_GROSS_WEIGHT	Not Available
UNIT_GROSS_WEIGHT	Not Available
UNIT_NET_WEIGHT	Not Available

4.36. Message Reason List

Code Value	Code Value Definition
01_PRICING_ERROR	Not Available
02_ALLOWANCE_CHARGE_ERROR	Not Available
03_EXTENSION_ERROR	Not Available
04_ITEM_NOT_ACCEPTED_DAMAGED	Not Available
05_ITEM_NOT_ACCEPTED_QUALITY	Not Available
07_INCORRECT_PRODUCT	Not Available
08_SUBSTITUTE_PRODUCT	Not Available
09_TERMS_OF_SALE_ERROR	Not Available
10_PALLET_CONTAINER_CHARGE_ERROR	Not Available
11_RETURNS_DAMAGE	Not Available
12_RETURNS_QUALITY	Not Available
13_RETURNS_DATING	Not Available

Code Value	Code Value Definition
14_RETURNS_PROMOTION	Not Available
15_RETURNS_RECALL	Not Available
18_NOT_COMPANY_BILL	Not Available
19_DUPLICATE_BILLING	Not Available
20_BALANCE_DUE_DECLINED	Not Available
21_SHIPMENT_METHOD_OF_PAYMENT_INCORRECT	Not Available
22_WEIGHT_ERROR	Not Available
24_DISCOUNT	Not Available
25_ITEMS_NOT_ACCEPTED	Not Available
26_INVOICE_CANCELLED	Not Available
27_PRODUCT_TRANSFERS_SUBJECT_TO_CHARGEBACK	Not Available
29_FEE_INCORRECT	Not Available
30_DELIVERY_CHARGE_INCORRECT	Not Available
31_PICKUP_CHARGE_INCORRECT	Not Available
32_OVERSIZE_PREMIUM_INVALID	Not Available
33_CURRENCY_EXCHANGE_INCORRECT	Not Available
34_DECLARED_VALUE_INCORRECT	Not Available
35_COMMODITY_CODE_INCORRECT	Not Available
36_SCALE_NUMBER_INCORRECT	Not Available
37_DIMENSIONS_INCORRECT	Not Available
38_SERVICE_INCORRECT	Not Available
39_SHIPPER_OR_CONSIGNEE_REFERENCE_NUMBER_MISSING	Not Available
40_ADDRESS_INCORRECT	Not Available
44_REQUIRED_DOCUMENTS_MISSING	Not Available
45_STALE_BILL_OVER_180_DAYS_OLD	Not Available
46_TRANSPORTATION_CHARGE_INCORRECT	Not Available
47_ADVANCE_CHARGE_INCORRECT	Not Available

Code Value	Code Value Definition
48_SERVICE_CHARGE	Not Available
49_PROCESSING_CHARGE	Not Available
50_LATE_CHARGE	Not Available
52_CREDIT_FOR_OVERPAYMENT	Not Available
53_REMITTANCE_FOR_PREVIOUS_UNDERPAYMENT	Not Available
54_FREIGHT_DEDUCTED	Not Available
59_ITEM_NOT_RECEIVED	Not Available
60_NO_OPEN_ITEM_ON_FILE	Not Available
61_NO_OPEN_ORDER_ON_FILE	Not Available
62_MATERIAL_OR_ITEM_DESCRIPTION_ERROR	Not Available
64_SALE_OF_PROPERTY	Not Available
70_ADVANCED_SHIP_NOTICE_NOT_RECEIVED	Not Available
71_ADVERTISING_ALLOWANCE	Not Available
72_AUTHORIZED_RETURN	Not Available
73_BILL_OF_LADING_NOT_RECEIVED	Not Available
74_CANCEL_OR_ADJUST_PRIOR_CREDIT_OR_DEBIT_ADJUSTMENT	Not Available
75_TOTAL_ORDER_NOT_RECEIVED	Not Available
76_CASH_DISCOUNT	Not Available
78_COMPETITIVE_PRICE	Not Available
79_COOPERATIVE_ADVERTISING	Not Available
81_CREDIT_AS_AGREED	Not Available
82_DEFECTIVE_ALLOWANCE	Not Available
83_EVALUATED_RECEIPT_SETTLEMENT_DELIVERY_CHARGE	Not Available
85_DISTRIBUTION_DISCOUNT_ALLOWANCE	Not Available
86_DUPLICATE_PAYMENT	Not Available
87_DUPLICATE_SHIPMENT	Not Available
88_DUTY_CHARGE_VARIANCE	Not Available

Code Value	Code Value Definition
89_EARLY_BUY_ALLOWANCE	Not Available
91_ENGRAVING_CHARGE	Not Available
92_MERCHANDISE_NOT_ORDERED	Not Available
93_FIELD_DESTROY	Not Available
94_FIXTURES_CHARGE	Not Available
95_FLOOR_STOCK_PROTECTION	Not Available
96_GOODS_TO_FOLLOW	Not Available
97_HANDLING_CHARGE	Not Available
98_LABOR_CHARGES	Not Available
99_LATE_SHIPMENT_OF_GOODS	Not Available
A1_LAYOUT_OR_DESIGN_CHARGE	Not Available
A3_NEW_STORE_ALLOWANCE	Not Available
A4_NON_RECEIPT_OF_GOODS	Not Available
A5_OVERAGE	Not Available
A7_PAYMENT_ON_ACCOUNT	Not Available
A8_PROMOTIONAL_ALLOWANCE	Not Available
A9_PROOF_OF_DELIVERY_NOT_RECEIVED	Not Available
AH_ORIGINATION_FEE	Not Available
AQ_RETURNS_OVERSTOCK	Not Available
AS_RETURNS_DISCONTINUED	Not Available
AT_ACCOUNT_LOCATION_CLOSED	Not Available
B1_PROOF_OF_SHIPMENT_NOT_RECEIVED	Not Available
B2_REBATE	Not Available
B4_REFURBISHING_CHARGE	Not Available
B5_REPAIR_OF_GOODS	Not Available
B6_REPAY_DISCOUNT	Not Available
B7_RESTOCKING_CHARGE	Not Available

Code Value	Code Value Definition
B8_ROUTING_VIOLATION	Not Available
B9_SAMPLES_NOT_RECEIVED	Not Available
BA_CANADIAN_GOODS_AND_SERVICES_TAX	Not Available
BB_QUEBEC_GOODS_AND_SERVICES_TAX	Not Available
BC_CANADIAN_HARMONIZED_GOODS_AND_SERVICES_TAX	Not Available
BE_FIXTURE_ALLOWANCE	Not Available
BF_RETURN_ALLOWANCE	Not Available
BG_BAG_CHARGE	Not Available
BH_OPPORTUNITY_BUY	Not Available
BI_HANGER_CHARGE	Not Available
BJ_INSURANCE_CHARGE	Not Available
BK_POSTAGE_CHARGE	Not Available
BL_NET_CHECK_RETURNED	Not Available
BM_NET_COLLECTION_EXPENSE_FACTOR	Not Available
BP_NET_CHARGEBACK_OF_CLIENT_RISK_FACTOR	Not Available
BS_PAID_DURING_PERIOD	Not Available
C1_SETTLEMENT_OF_ACCOUNT	Not Available
C3_SPECIAL_FINISH	Not Available
C4_STOCK_BALANCE	Not Available
C6_TESTING_CHARGE	Not Available
C8_TICKETING_ERROR	Not Available
C9_TICKETING_SERVICE	Not Available
CM_COVERED_BY_CREDIT_MEMO	Not Available
CU_CHARGE_FOR_UNREQUESTED_SERVICE	Not Available
D1_TRANSFER_BETWEEN_ACCOUNTS	Not Available
D2_TRANSPORTATION_DIRECT_BILLING	Not Available
D3_UNAUTHORIZED_DEDUCTION	Not Available

Code Value	Code Value Definition
D4_UNAUTHORIZED_PRODUCT	Not Available
D5_VOLUME_DISCOUNT	Not Available
D8_COUNT_AND_RECOUNT_ALLOWANCE	Not Available
D9_STORE_STOCK_PRICE_PROTECTION	Not Available
E1_RECOUPMENT	Not Available
E2_COVERED_BY_DEBIT_MEMO	Not Available
E4_WAREHOUSE_STOCK_PRICE_PROTECTION	Not Available
E5_INVOICE_PRICE_PROTECTION	Not Available
E6_GOODS_AND_SERVICES_TAX_0_PERCENTAGE_RATE_INTERNATIONAL_DOCUMENTATION_WILL_FOLLOW	Not Available
E7_GOODS_AND_SERVICES_TAX_DECREASED_DUE_TO_BILLING_ERROR	Not Available
E8_GOODS_AND_SERVICES_TAX_INCREASED_DUE_TO_BILLING_ERROR	Not Available
E9_ORDER_CANCELLED	Not Available
F1_DEFECTIVE	Not Available
FA_ANTICIPATION_TAKEN	Not Available
GA_FREE_GOODS	Not Available
GB_COUPON_RELATED	Not Available
GC_MARKET_DEVELOPMENT_FUND_DEDUCTION	Not Available
GD_SAMPLES	Not Available
GE_SLOTTING_CHARGE	Not Available
GF_INVALID	Not Available
GG_UNSALEABLE_MERCHANDISE	Not Available
GH_BILLBACK_ALLOWANCE_DEDUCTION	Not Available
GJ_UNSALEABLE_PAYMENTS_DEDUCTION	Not Available
GK_SPLIT_COMMISSION_DEDUCTION_BASIS_AMOUNT	Not Available
GL_UNRESOLVED_CUSTOMER_DEDUCTION	Not Available

Code Value	Code Value Definition
GM_SPLIT_COMMISSION_DEDUCTION_COMMISSION_AMOUNT	Not Available
GN_GENERAL_ADVANCE	Not Available
GR_GUARANTEE	Not Available
H1_INFORMATION_FORTHCOMING	Not Available
H2_PAYMENT_PREVIOUSLY_SENT	Not Available
H3_LOAN_PAID_IN_FULL	Not Available
H6_PARTIAL_PAYMENT_REMITTED	Not Available
H7_PAYMENT_FORTHCOMING	Not Available
H8_BILL_MORTGAGEE	Not Available
HD_EXPENSE_PAYMENT	Not Available
IA_INVOICE_AMOUNT_DOES_NOT_MATCH_ACCOUNT_ANALYSIS_STATEMENT	Not Available
J3_PROMISED_ADJUSTMENT_NOT_RECEIVED	Not Available
J8_UNABLE_TO_PROCESS	Not Available
L1_AUDIT	Not Available
L3_PENALTY	Not Available
L4_ADMINISTRATIVE_FEES	Not Available
L7_MISCELLANEOUS_DEDUCTIONS	Not Available
L8_MISCELLANEOUS_CREDITS	Not Available
L9_MILITARY_DISTRIBUTION_ADJUSTMENT	Not Available
LF_LAWYER_OR_CLAIMANT_ATTORNEY_FEES	Not Available
LO_LEDGER_OVERDRAFT_CHARGE	Not Available
M2_COMMISSIONS_DEDUCTIONS	Not Available
M3_GIFT_CERTIFICATES	Not Available
M4_SALARY_DEDUCTION	Not Available
MA_MARKETING_ALLOWANCES	Not Available
MB_PICKUP_ALLOWANCE	Not Available
MD_INCORRECT_PURCHASE_ORDER_NUMBER_ON_BILL_OF_LADING	Not Available

Code Value	Code Value Definition
ME_PURCHASE_ORDER_NUMBER_NOT_ON_BILL_OF_LADING	Not Available
MF_MULTIPLE_PURCHASE_ORDER_NUMBERS_ON_INVOICE	Not Available
MG_PURCHASE_ORDER_NUMBER_INCORRECT_ON_INVOICE	Not Available
MH_PURCHASE_ORDER_NUMBER_NOT_ON_INVOICE	Not Available
MI_TRANSFER_OR_DEBIT_BALANCE	Not Available
MJ_TRUCKLOAD_ALLOWANCE	Not Available
MK_WAREHOUSE_ALLOWANCE	Not Available
MM_INCORRECT_PRODUCT_ID_ON_CARTONS	Not Available
MN_INCORRECT_PURCHASE_ORDER_NUMBER_ON_CARTON	Not Available
MO_NO_PRODUCT_ID_ON_CARTONS	Not Available
MP_NO_PURCHASE_ORDER_NUMBER_ON_CARTON	Not Available
MQ_STORAGE_CHARGES	Not Available
OL_COURT_ORDERED_LIEN	Not Available
PP_QUEBEC_PENSION_PLAN	Not Available
PT_PAYMENT	Not Available
RB_AGREED_FREIGHT_ALLOWANCE	Not Available
RC_AUTHORIZED_AIR_SHIPMENT	Not Available
RF_COMMISSION_DISCREPANCY	Not Available
RG_DIFFERENC_ON_RETURNS	Not Available
RH_EARLY_SHIPMENT_OF_GOODS	Not Available
RI_EXCESSIVE_PACKAGING_MATERIALS	Not Available
RJ_FAILURE_TO_CONSOLIDATE	Not Available
RK_FREIGHT_ON_RETURNS_INBOUND_INCORRECT	Not Available
RL_FREIGHT_ON_RETURNS_OUTBOUND_INCORRECT	Not Available
RM_RETURNED_MATERIAL	Not Available

Code Value	Code Value Definition
RN_HANDLING_CHARGE_FOR_ITEM_NOT_RECEIVED	Not Available
RO_HANDLING_RECEIPT_FOR_NON_RECEIPT_OF_GOODS	Not Available
RP_HANDLING_CHARGE_FOR_LATE_ADVANCE_SHIP_NOTICE	Not Available
RQ_HANDLING_CHARGE_FOR_SAMPLES_NOT_RECEIVED	Not Available
RR_HANDLING_CHARGE_FOR_UNREADABLE_ADVANCE_SHIP_NOTICE	Not Available
RS_INCORRECT_PACKING_ASSORTMENT	Not Available
RT_IN_STORE_DECORATION_ALLOWANCE	Not Available
RU_INTEREST	Not Available
RV_LABEL_PLACEMENT	Not Available
RW_MARGIN_CONTRIBUTION	Not Available
RX_MARK_DOWN_ALLOWANCE	Not Available
RY_MULTIPLE_SHIPMENT_PENALTY	Not Available
RZ_OPENING_ORDER_ALLOWANCE	Not Available
SA_PAPER_INVOICE_MISSING	Not Available
SC_SERVICE_CANCELLED	Not Available
SE_PAPER_PACKING_SLIP_MISSING	Not Available
SG_PICKUP_CHARGE_OR_ADVANCED_CHARGES	Not Available
SH_PRESENTATION_OF_MERCHANDISE_NOT_AS_SPECIFIED	Not Available
SI_PURCHASER_SUPPLIED_RAW_MATERIAL	Not Available
SJ_RETURNS_FREIGHT_DISCREPANCY	Not Available
SK_SALARY_DISCREPANCY	Not Available
SM_SHIPPED_PAST_PURCHASE_ORDER_CANCELLATION_DATE	Not Available
SN_SHOULD_BE_SHIPPED_COLLECT_BUT_WAS_SHIPPED_PREPAID	Not Available
SO_SHOULD_BE_SHIPPED_PREPAID_BUT_WAS_SHIPPED_COLLECT	Not Available
SR_STORE_CONTEST_ALLOWANCE	Not Available
SS_TRADE_DISCOUNT	Not Available

Code Value	Code Value Definition
ST_UNAUTHORIZED_AIR_SHIPMENT_CHARGEBACK_IS_THE_DIFFERENCE_BETWEEN_AIR_AND_GROUND	Not Available
SU_UNAUTHORIZED_AIR_SHIPMENT_PARTIAL_FREIGHT_CHARGEBACK	Not Available
SW_UNAUTHORIZED_OR_INCORRECT_CARRIER	Not Available
SX_VOLUME_BREAK_CHARGEBACK	Not Available
SY_WEIGHT_BREAK_CHARGEBACK	Not Available
UB_UNCOLLECTED_BALANCE_CHARGE_REVERSED	Not Available
W6_SAFETY_VIOLATIONS	Not Available

4.37. Order Line Item Action Code List

Code Value	Code Value Definition
ADDITION	This line item is to be added to the original purchase order as a new or additional item. All required data must be transmitted.
CHANGED	This line item is to be changed. The data transmitted replaces the previously held information for the order line item.
DELETED	This line item is to be deleted from the referenced purchase order. No other data for the line item needs to be transmitted.
NOT_AMENDED	This line item has not been changed and is being sent for information.

4.38. Out of Stock Measurement Type List

Specifies the technique used to measure the out of stock percentage being reported.

Code Value	Code Value Definition
MANUAL_AUDIT	Visual inspection of stocking locations
OTHER	Other method
PERPETUAL_INVENTORY	Estimate of on-hand balance based upon the previous inventory value, adjusted by subsequent sales and receipts
RFID_EPC	Physical count of items at stocking locations taken by radio frequency identification
SALES_DATA_ANALYSIS	Estimate of on-hand balance based upon the observed vs. expected rate of sale

4.39. Payment Format List

Code Value	Code Value Definition
CCD	Not Available
CCP	Not Available
CTX	Not Available
PPD	Not Available
PPP	Not Available

4.40. Payment Method List

Code Value	Code Value Definition
BANK_CHEQUE	Not Available
BANK_GIRO	Not Available
BANKERS_DRAFT	Not Available
BOOKENTRY_CREDIT	Not Available
BOOKENTRY_DEBIT	Not Available
BOP	Not Available
CASH	Not Available
CERTIFIED_CHEQUE	Not Available
CHEQUE	Not Available
CREDIT_CARD	Not Available
DEBIT_CARD	Not Available
ELECTRONIC_CREDIT_ACH	Not Available
ELECTRONIC_DEBIT_ACH	Not Available
FED_WIRE_NON_REPETITIVE	Not Available
FED_WIRE_REPETITIVE	Not Available
INTERNATIONAL_WIRE	Not Available
LETTER_OF_CREDIT	Not Available
POSTGIRO	Not Available

Code Value	Code Value Definition
WIRE_TRANSFER_CREDIT	Not Available
WIRE_TRANSFER_DEBIT	Not Available

4.41. Payment Terms Event List

Code Value	Code Value Definition
AFTER_DATE_OF_DELIVERY	Not Available
ANTICIPATED_DELIVERY_DATE	Not Available
DATE_INVOICE_RECEIVED	Not Available
DATE_OF_DELIVERY_TO_SITE	Not Available
DATE_OF_INVOICE	Not Available
DATE_OF_SHIPMENT_AS_EVIDENCED_BY_TRANSPORT_DOCUMENTS	Not Available
EFFECTIVE_DATE	Not Available
INVOICE_TRANSMISSION_DATE	Not Available
PRIOR_TO_DATE_OF_DELIVERY	Not Available
RECEIPT_OF_GOODS	Not Available

4.42. Payment Terms Type List

Code Value	Code Value Definition
BASIC_DISCOUNT_OFFERED	Payment term is basic discount offered.
BASIC_NET	Payment conditions normally applied.
DEFERRED	Payment term is deferred.
DISCOUNT	Payment term is discount.
DISCOUNT_AFTER_DEDUCTING_FREIGHT	Payment term is discount after deducting freight.
DISCOUNT_NOT_APPLICABLE	Payment term is discount not applicable.
ELECTIVE	Payment term is to be chosen by buyer (from options separately advised).
END_OF_MONTH	Payment term is end of month.
EXTENDED	Payment term is extended.

Code Value	Code Value Definition
FIXED_DATE	Payment term is fixed date.
INSTANT	Payment term is due on receipt of invoice.
MIXED	Different payment terms negotiated under a documentary credit.
NO_CHARGE	There is no charge associated to the payment term.
PAYMENT_BY_INSTALLMENT	Payment term is payment by installment.
PENALTY_TERMS	Payment terms on which penalties apply. Penalty terms apply in case of non compliance to agreed payment terms.
PREVIOUSLY_AGREED_UPON	Payment term is previously agreed upon.
PROXIMO	Payment term is in the next month after present.
VALUTA	Value date, which is a prolongation of the terms for payment

4.43. Performance Measure Type List

Specifies the type of performance measure.

Code Value	Code Value Definition
FINISHED_GOODS_INVENTORY_COVER	The amount of finished goods inventory at the stocking location (or locations) in terms of the estimated daily demand.
FORECAST_ACCURACY	The mean absolute percent agreement of the forecast with the actual sales, receipt or shipment quantity, expressed in unit volume or monetary terms.
INVOICE_ACCURACY	The percentage of seller invoices deemed accurate out of all invoices received
ITEM_DATA_SYNCHRONISATION	The percentage of items (including applicable trade item hierarchy) published and sold from the seller that are synchronised by the buyer via the Global Data Synchronisation Network (GDSN).
ITEM_MASTER_DATA_ACCURACY	The percentage of items with accurate physically measured dimensions and weight attributes (as provided by the seller) out of all items that were physically verified.
MARKDOWN	The percentage of monetary sales that were sold at below the normal retail price (that can include but not exclusive to) seasonal clearance, discontinuation, employee discount, response to competitive activity or other retailer-initiated price reductions.
ON_TIME_DELIVERY	The percentage of shipments that arrived on the receiver's premises within the agreed date time out of all shipments that were delivered. The first scheduled appointment date time is the recommended agreed date time, and the complete agreed date time list is available in the parameter table.
ON_TIME_PAYMENT	The percentage of payments made within a seller's terms of sale out of all payments received.
ORDER_ITEM_QUANTITY_CHANGE	The percentage of orders placed by the customer in the trading relationship that required changes in items or item quantities prior to release.

Code Value	Code Value Definition
ORDER_TO_DELIVERY_CYCLE_TIME	The average length of time between order placement (fax, phone, EDI) and the time product arrived and was available for unloading at the agreed customer location.
OUT_OF_STOCK	The percentage of items that is not available at their expected stocking locations out of the set of item stocking locations that were evaluated.
RETAIL_GROSS_PROFIT_MARGIN	The average percentage amount a Retailer will profit per item or group of items sold to a consumer after deducting operating expenses.
RETAIL_ITEM_GROSS_MARGIN	The average percentage amount a Retailer will earn for an item sold to a consumer before deducting operating expenses
SALES_GROWTH	The percentage increase in monetary or unit sales compared to an equivalent time period one year prior to the period being measured
SERVICE_LEVEL_FILL_RATE	The percentage of product that a buyer received or the seller shipped compared to the original ordered quantity
SHARE	The percentage of sales of a subset of items and / or locations in a broader market context, which can be defined in terms of a product category, class of trade or geography.
UNSALEABLES	The percentage of products that were removed from the primary channel of distribution due to damage, expiration, discontinuation, seasonality, promotion completion or defects.

4.44. Periodicity Type List

Specifies the time unit of measure of a result.

Code Value	Code Value Definition
DAY	24-hour day
HOUR	A period of time equal to 1/24th of a day
MONTH	Calendar month
QUARTER	3-month period
WEEK	Seven day week
YEAR	12 – month period

4.45. Purchase Conditions Commitment Type List

Code Value	Code Value Definition
DELIVERY	Committed to be delivered.
PRODUCTION	Committed to be produced.

4.46. Quantity Identification List

Code Value	Code Value Definition
IN_TRANSIT	Not Available
ON_HAND	Not Available
ON_HOLD	Not Available
PRODUCED	Quantity produced so far.
RECEIVED	Quantity received so far.
TO_BE_DELIVERED	Not Available
TO_BE_DESPATCHED	Not Available
TO_BE_PRODUCED	Not Available

4.47. Receiving Condition Code List

Code Value	Code Value Definition
ACCEPTED_IN_FULL	Not Available
DAMAGED_PRODUCT_OR_CONTAINER	Not Available
GOOD_CONDITION	Not Available
HOLD	Not Available
INCORRECT_PRODUCT	Not Available
MATERIAL_SCRAPPED	Not Available
NON_STANDARD_CONTAINER	Not Available
NOT_RECEIVED_SERIAL_NUMBER_REQUIRED	Not Available
QUALITY_PROBLEM	Not Available
QUANTITY_OVER	Not Available
QUANTITY_OVER_RETURN_TO_SUPPLIER	Not Available
QUANTITY_RECEIVED_CANNOT_PROCESS_BECAUSE_NO_MATCHING_SERIAL_NUMBER	Not Available
QUANTITY_RECEIVED_PROCESSED_WITH_NO_MATCHING_SERIAL_NUMBER	Not Available
QUANTITY_SHORT	Not Available
REJECTED	Not Available

Code Value	Code Value Definition
SUBSTITUTED_ITEM	Not Available

4.48. Replenishment Proposal Document Type List

Code Value	Code Value Definition
ACTUAL_PRODUCTION	Document contains quantities of goods manufactured in previous periods.
DELIVERY_PLAN	Not Available
PRODUCTION_PLAN	Not Available

4.49. Replenishment Request Document Type List

Code Value	Code Value Definition
ACTUAL_SALES_AND_INVENTORY	Not Available
FORECAST_AND_INVENTORY	Not Available
GROSS_REQUIREMENTS_AND_INVENTORY	Not Available
MATERIAL_REQUIREMENTS	Not Available
MATERIAL_REQUIREMENTS_AND_INVENTORY	Not Available

4.50. Replenishment Request Status List

Code Value	Code Value Definition
COMMITTED	Not Available
PLANNED	Not Available

4.51. Reporting Code List

Code Value	Code Value Definition
CONFIRMATION	Not Available
EXCEPTIONS	Not Available
FULL_DETAILS	Not Available

4.52. Response Status List

Code Value	Code Value Definition
ACCEPTED	Not Available
MODIFIED	Not Available
REJECTED	Not Available

4.53. Routing Number Type List

Code Value	Code Value Definition
01_ABA_TRANSIT_ROUTING_NUMBER	Not Available
02_SWIFT_IDENTIFICATION	Not Available
03_CHIPS	Not Available
04_CANADIAN_BANK	Not Available

4.54. Sales Measurement Type List

Indicates whether the values used in the calculation are on a volume (unit) basis, or value (monetary) basis.

Code Value	Code Value Definition
MONETARY_BASIS	Product value in monetary terms
VOLUME_BASIS	Product value in volume terms

4.55. Service Level Basis Type List

Indicator of the basis for which a Service Level is to be calculated – in terms of the percentage of orders filled 100%, the percentage of order lines filled 100%, or the percentage volume of product filled vs. ordered.

Code Value	Code Value Definition
LINE	The service level calculation is based upon the percentage of order lines across all orders that were filled 100%.

Code Value	Code Value Definition
ORDER	The service level calculation is based upon the percentage of orders that were filled 100%.
VOLUME	The service level calculation is based upon the percentage of units in the items base unit of measure that were filled vs. ordered.

4.56. Service Level Code List

Code Value	Code Value Definition
AUTHORIZED_RETURN_SERVICE	Not Available
CONSIGNEE_BILLING_SERVICE	Not Available
DELIVERY_CONFIRMATION	Not Available
EXPEDITED_SERVICE	Not Available
EXPEDITED_SERVICE_WORLDWIDE	Not Available
EXPRESS_SERVICE	Not Available
EXPRESS_SERVICE_PLUS	Not Available
GROUND	Not Available
GROUND_CX_EXPRESS_SERVICE	Not Available
MULTIWEIGHT	Not Available
MUTUALLY_DEFINED	Not Available
NEXT_DAY_AIR	Not Available
NEXT_DAY_PM	Not Available
NEXT_MORNING	Not Available
PRIMARY_SERVICE_AREA_NEXT_DAY_BY_1030	Not Available
PRIMARY_SERVICE_AREA_NEXT_DAY_BY_1700	Not Available
SAME_DAY	Not Available
SATURDAY	Not Available
SATURDAY_PICKUP	Not Available
SECOND_DAY_AIR	Not Available
SECOND_MORNING	Not Available
STANDARD_GROUND_HUNDRED_WEIGHT	Not Available

Code Value	Code Value Definition
STANDARD_SERVICE	Not Available
THREE_DAY_SERVICE	Not Available

4.57. Service Level Measurement Type List

Indicates whether a fill rate / service level calculation is based upon the quantity shipped or quantity received.

Code Value	Code Value Definition
RECEIVED_QUANTITY	The calculation is based on the quantity received.
SHIPPED_QUANTITY	The calculation is based on the quantity shipped.

4.58. Settlement List

Code Value	Code Value Definition
BILL_BACK	Not Available
CHARGE_TO_BE_PAID_BY_CUSTOMER	Not Available
CHARGE_TO_BE_PAID_BY_VENDOR	Not Available
CREDIT_CUSTOMER_ACCOUNT	Not Available
ITEM_ACCRUALS	Not Available
OFF_INVOICE	Not Available
VENDOR_ACCRUALS	Not Available
VENDOR_CHECK	Not Available

4.59. Shipment Special Handling Code List

Code Value	Code Value Definition
AM_DELIVERY_REQUIREMENT	Delivery must be made in the AM (morning) local time.
BLIND_SHIPMENT	Shipment where the true origin is hidden from the receiver.
DEFERRED_DELIVERY	Delivery postponed by either the shipper or receiver.

Code Value	Code Value Definition
DISPOSE_OF_RESIDUE_HEEL	Loading of shipment should not commence until residue heel has been properly disposed of. Residue Heel forms from sediment accumulated from previous shipments in the same container.
DO_NOT_BREAK_DOWN	Instructions to not break down unitized freight during the shipping process.
DO_NOT_FREEZE	Shipment contents must not be exposed to freezing temperatures.
DO_NOT_SPLIT_SHIPMENT	Shipment must not be broken or split into multiple shipments.
DO_NOT_STACK	Shipment contents cannot be stacked or piled on top or underneath any other shipment contents.
DROP_OFF_DELIVERY	Delivery location requires equipment to be dropped.
DROP_YARD	A yard location where equipment can be dropped.
EXCLUSIVE_USE_OF_VEHICLE	Use of the equipment is limited only to the specific shipment.
EXPEDITED_SERVICE	Monitored to facilitate quicker service.
EXTRA_DRIVER	Additional driver required to meet service requirements.
FRAGILE_HANDLE_WITH_CARE	Shipment contents are fragile and extra care should be taken during shipping.
GUARANTEED	Delivery of the shipment is guaranteed for a specific date and/or time.
HEAT	Shipment requires heat to maintain contents condition for conveyance and/or delivery.
HEAT_IN_TRANSIT	Shipment will be conveyed using equipment equipped with a heating system.
HEAT_SPECIAL	Special Heating Equipment necessary to maintain shipment temperature or storage and/or delivery.
HEAT_WITH_STEAM	Safety concerns pertaining to a volatile component of the shipment requires steam heating equipment.
INSIDE_PICKUP	Pickup done within a structure.
KEEP_MATERIAL_DRY	Shipment contents cannot be allowed to get wet, must be kept dry.
LOAD_ON_TOP_OF_RESIDUE_HEEL	Motor Fuel shipment is to be loaded on top of a residue heel. Residue Heel forms from sediment accumulated from previous shipments in the same container.
LOADED_TO_FULL_VISIBLE_CAPACITY	Assure equipment is visibly loaded to full capacity.
NEXT_DAY_DELIVERY	Shipment must be delivered within 24 business hours of pickup at the shipper.
NOTIFY_CONSIGNEE_BEFORE_DELIVERY	Carrier must contact delivery location prior to arriving to arrange delivery appointment.
PERISHABLE	Shipment contents are perishable and special care should be used to deliver it.
PM_DELIVERY_REQUIRED	Delivery must be made in the PM (afternoon or evening) local time.

Code Value	Code Value Definition
PROTECT_FROM_HEAT	Shipment contents should avoid heat, as defined by shipper, and may require equipment equipped with cooling system.
REFRIGERATED	Shipment must use equipment equipped with cooling system.
RESIDENTIAL_DELIVERY	Delivery is in residential area.
ROUND_TRIP_SERVICE	Not Available
SECOND_DAY_DELIVERY	Shipment must be delivered within 48 business hours of pickup at the shipper.
SECURITY_SIGNATURE_SERVICE	Delivery requirements to assure security signature on paperwork.
SINGLE_SHIPMENT	One shipment tendered to the carrier.
TEMPERATURE_CONTROL	Shipment must use equipment equipped with heating and/or cooling systems to keep the contents within a temperature range as defined by the shipper.
TOP_FREIGHT_ONLY	Shipment contents may be stacked on top of other contents, but may not have any other contents stacked or piled on top of it.

4.60. Source Code List

Code Value	Code Value Definition
EANCOM	Not Available
EANUCC	Not Available
X12	Not Available

4.61. Special Order Condition Code List

Code Value	Code Value Definition
NO_PARTIAL_DELIVERY_ALLOWED	The goods that are not delivered have to be re-ordered by the buyer. Supplier only delivers the goods they have in stock at that moment. One order leads to one delivery.
PARTIAL_DELIVERY_ALLOWED	The supplier keeps delivering until the entire order is fulfilled. One order can lead to many deliveries. The buyer doesn't need to place a new order; they just waits for the other goods to be delivered.

4.62. Structure Type List

Code Value	Code Value Definition
ITEM_BY_LOCATION	The Item will be the header information followed with the applicable location(s) information.
LOCATION_BY_ITEM	The location will be the header information followed with the applicable item(s) information.

4.63. Synchronisation Calculation Type List

Indicates whether the item data synchronization percentage calculation was based on the total number of items, or the incremental number of items synchronised.

Code Value	Code Value Definition
INCREMENTAL_ITEMS	The item synchronisation calculation is based upon the items added to the customer's catalogue.
TOTAL_ITEMS	The item synchronisation calculation is based upon the total number of items in the customer's catalogue.

4.64. Time Period List

Code Value	Code Value Definition
DAYS	Not Available
MONTHS	Not Available
WEEKS	Not Available

4.65. Time Period Scope Type List

Specifies the type of time period of a goal or measure value.

Code Value	Code Value Definition
CALENDAR_MONTH	A calendar month
CALENDAR_QUARTER	A three-month calendar quarter
CALENDAR_YEAR	A calendar year
DATE_TIME	A specific moment in time
DAY	An individual day

Code Value	Code Value Definition
FISCAL_MONTH	A month in terms of the sender's fiscal calendar
FISCAL_QUARTER	A three-month quarter in terms of the sender's fiscal calendar
FISCAL_YEAR	A year in terms of the sender's fiscal calendar
MONTH_TO_DATE	The range of days from the start of the current calendar month to the specified date
NUMBER_OF_DAYS	The number of days applicable for the time period.
QUARTER_TO_DATE	The range of days from the start of the current calendar quarter to the specified date
ROLLING_12_WEEK_PERIOD	The 84-day period ending on the specified date
ROLLING_13_WEEK_PERIOD	The 91-day period ending on the specified date
ROLLING_4_WEEK_PERIOD	The 28-day period ending on the specified date
ROLLING_52_WEEK_PERIOD	The 364-day period ending on the specified date
SPECIFIED_TIME_PERIOD	The time period specified by the start and end date.
WEEK	A seven-day week
YEAR_TO_DATE	The range of days from the start of the current calendar year to the specified date

4.66. Transaction Handling Identifier List

Code Value	Code Value Definition
PAYMENT_AND_REMITTANCE	Not Available
PAYMENT_ONLY	Not Available
REMITTANCE_ONLY	Not Available

4.67. Transportation Method Type Code List

Code Value	Code Value Definition
AIR	A movement of material by air
AIR_CHARTER	A movement of material by chartered aircraft.
AIR_EXPRESS	A movement of material by air express service.
AIR_FREIGHT	A movement of material by freight air
BEST_WAY_SHIPPERS_OPTION	A movement the best way, choice is left to the shipper.
BOOK_POSTAL	A movement of material by postal of or relating to the system for delivering mail.
BUS	To specify that the means of transportation is a bus.
CAB	To specify that the means of transport is a taxi.
CONSOLIDATION	A movement of multiple shipments to a single destination.

Code Value	Code Value Definition
CONTRACT_CARRIER	An agreement between two or more parties, especially one that is written or spoken and enforceable by law.
CUSTOMER_PICKUP	Cargo will be picked up by the customer.
CUSTOMER_PICKUP_OR_CUSTOMERS_EXPENSE	Cargo will be picked up by the customer, or else it will be picked up at his expense
EXPEDITED_TRUCK	A movement of material by expedited truck.
GEOGRAPHIC_RECEIVING	A collection of shipments that involve a single origin, multiple destinations, and a single trailer, and are paid under a single freight bill.
GEOGRAPHIC_RECEIVING_SHIPPING	A collection of shipments that involve a single origin, multiple destinations, and a single trailer, and are paid under a single freight bill.
GEOGRAPHIC_SHIPPING	A collection of shipments that involve a single origin, multiple destinations, and a single trailer, and are paid under a single freight bill.
INLAND_WATERWAY	Transport by which goods are moved via an inland body of water.
INTERMODAL_PIGGYBACK	A tractor trailer is placed (usually without the tractor) on a flat car or specially-designed rail car.
LESS_THAN_TRUCK_LOAD	The transportation of relatively small freight. The alternatives to LTL carriers are parcel carriers or full truckload carriers.
MOTOR	A movement of material by motor carrier means a contract carrier, a common carrier or a private carrier of property or passengers by motor vehicle.
MOTOR_COMMON_CARRIER	Any person who or which undertakes, whether directly or by a lease or any other arrangement, to transport passengers or household goods.
MOTOR_FLATBED	Trailer or container without raised sides or ends.
MOTOR_PACKAGE_CARRIER	A movement of material by motor package carrier.
MOTOR_TRUCKLOAD	A movement of material by motor truckload.
MOTOR_VAN	A movement of material by motor van.
MUTUALLY_DEFINED	Mutually defined transport.
OCEAN	Transport by sea / ocean.
PARCEL_POST	Transport by parcel postal service that handles packages.
PIPELINE	Transport by pipeline.
POOL_TO_POOL	Transport by pool to pool.

Code Value	Code Value Definition
POOLED_AIR	A consolidated air shipment with other shipments into full air shipments bound for the same destination, or by pooling your shipments on one air shipment headed in a general line to all your delivery points. Either way, it means your shipments are not handled again until they arrive, which minimizes damage and loss claims and expedites transit times.
POOLED_PIGGYBACK	A consolidated movement of material by a trailer on a railcar.
POOLED_PIGGYPACK	<>A consolidated movement of material by a trailer on a railcar.
POOLED_RAIL	A consolidated rail shipment with other shipments into full rail shipments bound for the same destination, or by pooling your shipments on one rail shipment headed in a general line to all your delivery points. Either way, it means your shipments are not handled again until they arrive, which minimizes damage and loss claims and expedites transit times.
POOLED_TRUCK	A consolidated shipment with other shipments into full truckloads bound for the same destination, or by pooling your shipments on one truck headed in a general line to all your delivery points. Either way, it means your shipments are not handled again until they arrive, which minimizes damage and loss claims and expedites transit times.
PRIVATE_CARRIER	A code indicating privately owned transport.
PRIVATE_PARCEL_SERVICE	A code indicating privately owned parcel service.
PRIVATE_VESSEL	A code indicating privately owned ship.
RAIL	A movement of material to the consignee via rail.
ROADRAILER	In railroad terminology a roadrailer is a highway trailer that is specially equipped for use in railroad intermodal service. The advantage of using roadrailers is that due to their construction, the trailers can be pulled directly behind other freight equipment without the use of trailer flatcars.
SEA_AIR	The cargo is being moved by more than one transport means in succession: first by ship then by plane.
STEAM_SHIP	A steamboat or steamship, sometimes called a steamer, is a boat or vessel that is propelled by steam power driving a propeller or paddlewheel. The term steamboat is usually used to refer to smaller steam-powered boats working on lakes and rivers, particularly riverboats in the USA; steamship generally refers to steam powered ships capable of carrying a (ship's) boat. Nuclear powered ships and submarines use steam to drive turbines, but are not referred to as steamships or steamboats.
SUPPLIER_TRUCK	A code indicating transport by a truck owned by the supplier.

4.68. VAT Category Code List

Code Value	Code Value Definition
DOMESTIC_REVERSE_CHARGE	Code specifying that the rate is based upon the domestic reverse charge VAT treatment. This code value is particularly pertinent to the UK context.
EXEMPT_FROM_TAX	Code specifying that taxes are not applicable. All items in the transaction or a specific line item are exempt from tax.
FREE_EXPORT_ITEM	Code specifying that the item is free export and taxes are not charged.
HIGHER_RATE	Code specifying a higher rate. All items in the transaction or a specific line item are taxed at the higher rate of tax.
LOWER_RATE	A code specifying a lower rate. All items in the transaction or a specific line item are taxed at the lower rate of tax.
MIXED_TAX_RATE	Code specifying that the rate is based on mixed tax. Transaction includes item taxed at different rates.
SERVICES_OUTSIDE_SCOPE_OF_TAX	Code specifying that taxes are not applicable to the services.
STANDARD_RATE	Code specifying the standard rate. All items in the transaction or a specific line item are taxed at the standard rate of tax.
VALUE_ADDED_TAX_NOT_NOW_DUE_FOR_PAYMENT	A code to indicate that the Value Added Tax (VAT) amount which is due on the current invoice is to be paid on receipt of a separate VAT payment request. The value added tax is not due for payment now.
ZERO_RATED_GOODS	Code specifying that the goods are at a zero rate. All items in the transaction or a specific line item are zero tax rated.

4.69. VAT Payment Due List

Code Value	Code Value Definition
DUTY_TAX_OR_FEE_PAYMENT_DUE_ON_INVOICE_ISSUE_DATE	Duty, tax or fee payment is due on the date when the invoice is issued.
DUTY_TAX_OR_FEE_PAYMENT_DUE_ON_INVOICE_PAYMENT_DATE	Duty, tax or fee payment is due on the date when the invoice is paid

5. Summary of Changes

Change	BMS Doc Version	Associated CR Number
<p>Section 3.5.3 Trade Item Identification</p> <p>Renamed Class FROM:CommonAdditionalTradeItemIdentification TO : AdditionalTradeItemIdentification</p> <p>Deleted role name +additionalTradeItemIdentification as the revised class name defaults to the same name.</p>	0.1.2	For consistency to Party Identification structure.
<p>Section 3.4.1 Extended Data Type</p> <p>Renamed Attributes in Class Character Attribute FROM: character Attribute TO : characterString Class TimeZone Attribute FROM: timeZone Attribute TO : timeZoneDesignator Class Version Attribute FROM: version Attribute TO : versionIdentification</p>	0.1.2	<p>To differentiate the class name and attribute name.</p> <p>Helps to avoid the duplicate data element names in our standards.</p>
Removed Section 4.1 and 4.1.1 Application Receipt Acknowledgment	0.1.2	<p>Removed as ARA is a message and is contained in it's own BRD</p> <p>P4CL: 4844</p> <p>BRD Ver: 0.41.2</p>
Finished Plan Common section 4.7 to 4.7.6	0.1.2	Finished the remaining balance of 2.0 publication common library

Change	BMS Doc Version	Associated CR Number
Section 3.2.1. Amount Renamed Attribute in Class Character and corrected dataType Typo Attribute FROM: currencyISOCode : ISO4217Code Attribute TO: currencyCode : ISO4217_Code	0.1.3	Avoid duplicate element name in message.
Corrected dataType Typo in following classes and section Class: Description (3.2.3.) Class: LongDescription (3.2.4) Attribute FROM: language : ISO639Code Attribute TO : language : ISO639_Code:	0.1.3	
Renamed class BinarySignature (4.2.3.) FROM: BinarySignature TO : BinarySignatureInformation	0.1.3	Avoid duplicate element name in message.
Change in role name to match BRD. Order Logistical Information (4.4.1) OrderLogisticalDateGroup associated to LogisticalDate Role FROM: requestedDeliveryDateUltimateConsignee Role TO : requestedDeliveryDateAtUltimateConsignee	0.1.3	Consistency and matches the BRD requirements.
Section 4.9.2 Name And Address Renamed Attribute in Class NameAndAddress Attribute FROM: currencyISOCode : ISO4217_Code Attribute TO : currencyCode : ISO4217_Code	0.1.3	Avoid duplicate element name in message.
Section 4.11.1 Allowance Charge Change in role name AllowanceCharge associated to MultiDescription Role FROM: description Role TO : allowanceChargeDescription	0.1.3	Avoid duplicate element name in message.

Change	BMS Doc Version	Associated CR Number
<p>Section 3.5.2 Party Identification</p> <p>Change attribute name in AdditionalPartyIdentification</p> <p>Attribute FROM: additionalPartyIdentification</p> <p>Attribute TO : additionalPartyIdentificationValue</p>	0.1.4	Avoid duplicate element name
Added code list to common library in section 1.5.4.	0.1.4	Added code list
<p>Updated Deliver Reference Code List added following additional code values</p> <p>ACCOUNTS_RECEIVABLE_CUSTOMER_ACCOUNT</p> <p>AGENTS_SHIPMENT_NUMBER</p> <p>APPROPRIATION_NUMBER</p> <p>DEALER_ORDER_NUMBER</p> <p>EMPLOYERS_IDENTIFICATION_NUMBER</p> <p>FEDERAL_TAXPAYERS_IDENTIFICATION_NUMBER</p> <p>FOOD_AND_DRUG_ADMINISTRATION_FDA_PRODUCT_CODE</p> <p>INVALID_ACCOUNT_REASON_CODE</p> <p>LOCATION_NUMBER</p> <p>MANIFEST_KEY_NUMBER</p> <p>NEXT_AVAILABLE_FLIGHT_JOB_NUMBER</p> <p>PACKAGE_NUMBER</p> <p>PART_NUMBER</p> <p>PORT_CODE</p> <p>PRODUCTION_CODE</p> <p>PURCHASE_ORDER_ITEM_NUMBER</p> <p>PURCHASE_REQUISITION_NUMBER</p> <p>SALESPERSON</p> <p>SERIAL_NUMBER</p> <p>SERVICE_REQUEST_NUMBER</p> <p>SOCIAL_SECURITY_NUMBER</p> <p>SOFTWARE_APPLICATION_NUMBER</p> <p>VENDOR_IDENTIFICATION_NUMBER</p>	0.1.5	Updated Code List

Change	BMS Doc Version	Associated CR Number
<p>Replaced existing Exception Status Type Code List with the following values</p> <p>EXCEPTION_REASON_ONLY EXCEPTION_REASON_WITH_RESOLUTION EXCEPTION_REASON_WITH_STATUS</p>	0.1.5	Updated Code List
<p>Document Class: 3.1.2. For Datatype replaced Version=2.0 to</p>	0.1.6.	Update
<p>Based on Order Response work Added to Common Library section 3.1.4 ResponsesDocument This is similar to the Document structure, but this should be used for document responses.</p>	0.1.7	New Additions
<p>Based on work from MultiShipTo and Order Created new class: TradeAgreement section 4.4.4</p>	0.1.7	New Additions
<p>Based on work from MultiShipTo and Order Created new class: Transportation Mode Section 4.9.4</p>	0.1.7	New Addition
<p>Based on work from MultiShipTo and Order Modified OrderLogisticalInformation section 4.4.1</p> <p>Created association From: ShipToLogistics TO: TransportationMode class 0..1</p> <p>Created choice association From: ShipToLogistics TO: NameAndAddress class role +shipToNonCommercial1..1</p> <p>Created choice association From: ShipToLogistics TO: PartyIdentification class role +shipTo1..1</p>	0.1.7	Modification

Change	BMS Doc Version	Associated CR Number
<p>Based on work from MultiShipTo and Order Modified OrderPartyInformation section 4.4.2</p> <p>Created association From: OrderPartyInformation TO: Contact class role +orderContact0..1</p>	0.1.7	Modification
<p>Based on work from MultiShipTo and Order Modified SimpleOrderLineItem section 4.4.3</p> <p>Created association From: SimpleOrderLineItem TO: TransportationMode class 0..1</p>	0.1.7	Modification
<p>Based on public review from Order BRG. Added an optional unitOfMeasure attribute to the SimpleOrderLineItem class. Section 4.4.3</p> <p>Order rejected the idea to reuse the MeasurementValue class because there requirement was to have an optional UoM.</p>	0.1.8	Modification
<p>Based on Publicatoin 2.0.1 work on Plan. Added missing Code Lists into section 1.5. Following four code lists were added.</p> <p>ConsumerIncentiveTacticTypeCodeList DisplayTacticTypeCodeList FeatureTacticTypeCodeList TradeItemPackingLabelingTacticTypeCodeList</p> <p>EventTacticTypeCode (aggregate of enumerated code lists) Class diagram was inserted in section 4.7.3</p>	0.1.9	<p>Additions to section 1.5</p> <p>Section 4.7.3 Event Tactic Type Code class diagram</p>
<p>Added creationDateTime:DateTime into ResponseDocument Class.</p>	0.1.13	<p>Derived from BSD P4CL: 6359 BSD Title: Order Response BSD Version: 0.1.5</p> <p>Changed enforced based on the public review Order Response BSD</p>

Change	BMS Doc Version	Associated CR Number
<p>New components (new sections):</p> <p><u>Document Reference</u></p> <p><u>Quantity</u></p> <p><u>Logistic Unit Identification</u></p> <p><u>Unit Measurement</u></p> <p><u>Logistic Unit Measurement</u></p> <p><u>Inventory Status Line Item</u></p> <p><u>QuantitySpecification</u></p> <p>Modifications to existing sections:</p> <p><u>Date And Time</u></p> <p>Added class TimeOrDateTimePeriod</p> <p><u>Trade Item Unit Or Logistic Unit</u></p> <p>Split into two sections: 1. Logistic Units and 2. Item Containment</p> <p><u>LogisticUnits</u></p> <p>To class LogisticUnits added following attributes:</p> <p>quantityOfChildren,</p> <p>packageType,</p> <p>childPackageType,</p> <p>and added the following associations:</p> <p>LevelIdentification (+levelId),</p> <p>LevelIdentification (+parentLevelId),</p> <p>LogisticUnitIdentification,</p> <p>LogisticUnitMeasurement</p> <p>and removed attribute</p> <p>Identification</p> <p>and removed association</p> <p>ItemContainment (+itemsContained)</p> <p>Added class LevelIdentification</p> <p><u>ItemContainment</u></p> <p>Class ItemContainment</p> <p>Added inheritance to LineItem</p> <p>Removed attribute quantityContained</p> <p>Added association to TradeItemIdentification (+requestedItemIdentification)</p> <p>Added associations to DetailLevelReference (+customer, +productCertification, +promotionalDeal, +specification) and moved one association (+purchaseOrder)</p> <p>Added associations to DocumentOrDocumentLineReference (+purchaseOrder, +purchaseConditions)</p>	0.2.0	
<p>26-Oct-2009, <u>TradeItem Unit</u>: class was removed</p> <p>Removed class AdditionalItemData</p> <p><u>Transactional Item Data</u></p>		



Change	BMS Doc Version	Associated CR Number
Added Goods Requirements Line Item.	0.2.1	
Added Extension Point to ItemContainment: Updated GDD Report Updated Item Containment Model ItemContainment class added attribute extension[0..1] : Extension	0.2.2	
Updated Extended Data Types PackageTypeDescriptionCode MeasurementUnitCode	0.2.3	
Added Transportation Payment Method Code List which will replace Deliver Payment Method Code List in next major publication.	0.2.4	
Added QuantityRange to Range package	0.2.6	
GoodsRequirementsLineItem Association to DocumentReference (+purchaseConditions) was changed into DocumentOrDocumentLineReference (+purchaseConditions).	0.2.7	
TransactionallItemData: added attributes countryOfOrigin[0..1] : ISO3166_1Code productQualityIndication[0..1] : Quantity	0.2.8	
Created new class CurrencyExchangeRateInformation currencyConversionFrom : ISO4217_Code currencyConversionTo : ISO4217_Code exchangeRate : Float	0.2.9	
Additional Trade Item Identification List Added 20 qualifiers FOR_INTERNAL_USE_1..20 Additional Party Identification List Added 20 qualifiers FOR_INTERNAL_USE_1..20	0.2.10	
PaymentTerms / Discount Payment added attributes discountAmount[0..1]: Amount discountPercent[0..1]: Percentage	0.2.11	

Change	BMS Doc Version	Associated CR Number
Added Transportation Reference which will replace Deliver Reference	0.2.12	
Added Transportation Reference Code List which will replace Deliver Reference Code List		
Added Hazardous Shipment Information which will replace Bill of Lading Hazardous Information		
Added Invoice following classes into Process Common: Pay Common 1. Tax Information 2. Invoice Party		
Added Trade Item Price Date Information into Process Common: Trade Item Common		
Added Dimension into Common Library for Major Pubs 3.0 Release.		
Added Entertainment Common into Process Common: Trade Item Common		
Added Out of Box Information into Process Common: Trade Item Common		
Added Description 2500 Description2500 added attributes language : ISO639_Code text : String{1..2500} MultiDescription2500 added attribute description[1..*] : Description2500		
Added Description 5000 Description5000 added attributes language : ISO639_Code text : String{1..5000} MultiDescription5000 added attribute description[1..*] : Description5000		
Need to review Measurement Unit Code List (External) and Package Type Description Code List (External) for next major publication.		

Change	BMS Doc Version	Associated CR Number
Added Receiving Condition Code List into Common Library. Originated from Deliver context, Reused in Pay Advanced Remittance Notice. Added SUBSTITUTED_ITEM in code list.	0.2.13	
Added FMCG Trade Item Identification	0.2.14	
<p>GS1 Code List policy states special characters are not allowed for code names. The change originated from Claims Notification BSD work. Noted are the detail changes to the MessageReasonList.</p> <p>74_CANCEL_OR_ADJUST_PRIOR_CREDIT_OR_DEBIT_ADJUSTME→ 74_CANCEL_OR_ADJUST_PRIOR_CREDIT_OR_DEBIT_ADJUSTMENT</p> <p>Removed (ERS) 83_EVALUATED_RECEIPT_SETTLEMENT_(ERS)_DELIVERY_CHARGE→ 83_EVALUATED_RECEIPT_SETTLEMENT_DELIVERY_CHARGE</p> <p>Removed parenthesis BM_NET_COLLECTION_EXPENSE_(FACTOR)→ BM_NET_COLLECTION_EXPENSE_FACTOR</p> <p>Removed parenthesis BP_NET_CHARGEBACK_OF_CLIENT_RISK_(FACTOR)→ BP_NET_CHARGEBACK_OF_CLIENT_RISK_FACTOR</p> <p>Replaced % with Percentage E6_GOODS_AND_SERVICES_TAX_0%_RATE_INTERNATIONAL_DOCUMENTATION_WILL_FOLL OW→ E6_GOODS_AND_SERVICES_TAX_0_PERCENTAGE_RATE_INTERNATIONAL_DOCUMENTATIO N_WILL_FOLLOW</p> <p>RR_HANDLING_CHARGE_FOR_UNREADABLE_ADVANCE_SHIP_NOT→ RR_HANDLING_CHARGE_FOR_UNREADABLE_ADVANCE_SHIP_NOTICE</p> <p>ST_UNAUTHORIZED_AIR_SHIPMENT_CHARGEBACK_IS_THE_DIFFERENCE_BETWEENAIR_AN D_GROUND →ST_UNAUTHORIZED_AIR_SHIPMENT_CHARGEBACK_IS_THE_DIFFERENCE_BETWEEN_AIR_ AND_GROUND</p>	0.2.15	GS1 code policy not to use special characteristics for code names.
<p>GS1 Code List policy states special characters are not allowed for code names. Noted are the detail changes to the Service Level Code List. Remove colon.</p> <p>PRIMARY_SERVICE_AREA_NEXT_DAY_BY_5:00_PM→ PRIMARY_SERVICE_AREA_NEXT_DAY_BY_1700</p> <p>PRIMARY_SERVICE_AREA_NEXT_DAY_BY_10:30_AM→ PRIMARY_SERVICE_AREA_NEXT_DAY_BY_1030</p>	0.2.16	
<p>CurrencyExchangeRateInformation</p> <p>Added new optional attribute exchangeRateDate.</p>	0.2.17	n/a

Change	BMS Doc Version	Associated CR Number					
<p>Delete targetMarketDescription</p> <p>Rationale</p> <p>The target market is identified with a code sent with "targetMarketCountryCode". The description is useless and requires useless cross checking to control that it matches the code.</p>	0.2.18	05-000389 Source from BRAD Implementation Feedback Phase #1 P4CL: 7983					
<p>Moved into Deliver Common.</p> <p>Commodity Group and Equipment Information</p> <p>Process Common Components: Deliver Common: Commodity Group</p> <p>20060301 the work from FTL Load Tender changed from OLD to New. Moved into common as reused in FTL Load Tender and now Transportation Rate Simple Request</p> <p>Old</p> <table border="1"><tr><td>CommodityGroup</td></tr><tr><td>commodityCode : CommodityCodeList</td></tr><tr><td>commodityDescription : Description</td></tr><tr><td>commodityQuantity : Integer</td></tr><tr><td>commodityWeight : MeasurementValue</td></tr></table> <p>New</p>	CommodityGroup	commodityCode : CommodityCodeList	commodityDescription : Description	commodityQuantity : Integer	commodityWeight : MeasurementValue	0.2.19	
CommodityGroup							
commodityCode : CommodityCodeList							
commodityDescription : Description							
commodityQuantity : Integer							
commodityWeight : MeasurementValue							

Change	BMS Doc Version	Associated CR Number
<div data-bbox="323 245 966 789"> <pre> classDiagram class PackageDimension["PackageDimension
(from Package Dimension)"] class CommodityGroup["CommodityGroup
commodityDescription : Description
commodityType : CommodityCodeList
commodityQuantity[0..1] : Quantity"] class MultiMeasurementValue["MultiMeasurementValue
(from Measurement)"] PackageDimension --> "0..1" CommodityGroup : +commodityDimension CommodityGroup --> "0..1" MultiMeasurementValue : +netWeight MultiMeasurementValue --> "0..1" CommodityGroup : +grossWeight MultiMeasurementValue --> "0..1" CommodityGroup : +volume </pre> </div> <p>Note: 20060301 moved into common as reused in FTL Load Tender and now Transportation Rate Simple Request</p> <div data-bbox="323 906 718 1284"> <pre> classDiagram class EquipmentInformation["EquipmentInformation
equipmentType : EquipmentTypeCodeList
equipmentIdentification[0..1] : String"] class MultiMeasurementValue["MultiMeasurementValue
(from Measurement)"] EquipmentInformation --> "0..1" MultiMeasurementValue : +equipmentLength </pre> </div>		


Change	BMS Doc Version	Associated CR Number
<p>Changed cardinality from mandatory to optional for flashPointTemperature. Trade Item Hazardous Information associated to Multi Measurement Value</p>  <pre> classDiagram class MultiMeasurementValue { (from Measurement) } class TradeItemHazardousInformation { dangerousGoodsRegulationCode : String{1..3} } MultiMeasurementValue "0..1" -- "*" TradeItemHazardousInformation : +flashPointTemperature </pre>	0.2.20	04-44 BRAD Implementation Feedback Appendix D/E p4CL: 8023 BR 12
Added UN_INFODS_Code to Extended Data Types Class Diagram.	0.2.21	CR 05-000195
<p>Added Payment Discount to Pay Common as it is reused in Advanced Remittance Notification and EU National Extension</p> <p>Pasted in Class Diagram, Need to populate GDD.</p>	0.2.22	
<p>Common Library updated for next major release. Updated Document to reflect Modelling Team recommendation. Remove the redundant Data Description Report and consolidated into a column within GDD report Removed the Code Lists and future work will reference GDD for most current lists. Consolidated Class Diagram and GDD report snapshot. Modelling team performed QA measures against Model and GDD Report. The Common Library Project schedule can be referenced P4CL: 8563</p>	0.2.23	
<p>Common Library Updated for BMS Release Version 2.3 Section 3.8.9 Invoice Tax Information Based on BSD Invoice BMS Release Version 2.3 InvoiceTaxInformation Addition of taxPercentage[0..1]:Percentage{3..2}</p>  <pre> classDiagram class InvoiceTaxInformation { dutyTaxFeeType[0..1] : DutyTaxFeeTypeCodeList extension[0..1] : Extension taxableAmount[0..1] : Float taxableAmountInTaxAccountingCurrency[0..1] : Float taxAmount[0..1] : Float taxAmountInTaxAccountingCurrency[0..1] : Float taxPercentage[0..1] : Percentage{3..2} } </pre>	0.4.0	07-000128 06-000300 06-000301 06-000302 06-000282 06-000283 06-000285 06-000297 CR 07-00026/27/31

Change	BMS Doc Version	Associated CR Number								
<div>SimpleOrderLineItem</div> <div>Added attribute</div> <div>additionalOrderLineInstruction[0..1]:Description</div> <div>lineItemActionCode[0..1]:OrderLineItemActionCodeList</div> <div><div><div><div>UNECE Recommendation 20 is referenced as possible values for unit of measure.</div><div>TradeItemIdentification (from Trade Item Identification)</div><div>additionalOrderLineInstruction should only be used in exception circumstances if the information cannot be codified.</div></div><div><div><div><<abstract>> LineItem (from Document)</div><div>SimpleOrderLineItem requestedQuantity : Quantity additionalOrderLineInstruction[0..1] : Description lineItemActionCode[0..1] : OrderLineItemActionCodeList</div><div>ShipmentTransportationInformation (from Shipment Transportation Information)</div><div>MultiAmount (from Amount)</div></div><div><div>1</div><div>0..1</div><div>0..1</div><div>0..1</div></div><div><div>+netPrice</div><div>+netAmount</div></div></div></div></div>										
<div>Order Line Item Action Code List: Provides the action required on the line item.</div> <table><tr><th>CodeValue</th><th>CodeDefinition</th></tr><tr><td>ADDITION</td><td>This line item is to be added to the original purchase order as a new or additional item. All required data must be transmitted.</td></tr><tr><td>CHANGED</td><td>This line item is to be changed. The data transmitted replaces the previously held information for the order line item.</td></tr><tr><td>DELETED</td><td>This line item is to be deleted from the referenced purchase order. No other data for the line item needs to be transmitted.</td></tr></table>	CodeValue	CodeDefinition	ADDITION	This line item is to be added to the original purchase order as a new or additional item. All required data must be transmitted.	CHANGED	This line item is to be changed. The data transmitted replaces the previously held information for the order line item.	DELETED	This line item is to be deleted from the referenced purchase order. No other data for the line item needs to be transmitted.		
CodeValue	CodeDefinition									
ADDITION	This line item is to be added to the original purchase order as a new or additional item. All required data must be transmitted.									
CHANGED	This line item is to be changed. The data transmitted replaces the previously held information for the order line item.									
DELETED	This line item is to be deleted from the referenced purchase order. No other data for the line item needs to be transmitted.									


Change	BMS Doc Version	Associated CR Number
<div> <div>NOT_AMENDED</div> <div>This line item has not been changed and is being sent for information.</div> </div> <p>Order Logistical Information</p> <p>ShipToNonCommercial</p> <p>Create ShipToNonCommercial class</p> <p>with mandatory(1..1) association to NameAndAddress and Optional (0..1)association to Contact.</p> <pre> classDiagram class OrderLogisticalInformation { +requestedDeliveryDateAtUltimateConsignee +requestedDeliveryDate +requestedShipDate +requestedPickUpDate } class ShipToLogistics { +inventoryLocation } class ShipToNonCommercial { } class ShipFromLogistics { } class NameAndAddress { (from Name And Address) } class Contact { (from Contact) } class ShipmentTransportationInformation { (from Shipment Transportation Information) } class PartyIdentification { (from Party Identification) } class LogisticalDate { date : Date time[0..1] : Time } class LogisticalDateRange { earliestDate : Date latestDate : Date earliestTime[0..1] : Time latestTime[0..1] : Time } OrderLogisticalInformation --> ShipToLogistics : <<choice>> OrderLogisticalInformation --> ShipToNonCommercial : <<choice>> OrderLogisticalInformation --> ShipFromLogistics : <<choice>> OrderLogisticalInformation --> NameAndAddress : 1 OrderLogisticalInformation --> Contact : 0..1 OrderLogisticalInformation --> ShipmentTransportationInformation : 0..1 OrderLogisticalInformation --> PartyIdentification : 0..1 OrderLogisticalInformation --> LogisticalDate : 1 OrderLogisticalInformation --> LogisticalDateRange : 1 ShipToLogistics --> ShipToNonCommercial : 1 ShipToLogistics --> ShipFromLogistics : 1 ShipToLogistics --> PartyIdentification : 0..1 ShipToNonCommercial --> PartyIdentification : 0..1 ShipFromLogistics --> PartyIdentification : 0..1 ShipToLogistics --> ShipmentTransportationInformation : 0..1 ShipToLogistics --> PartyIdentification : +ultimateConsignee ShipToLogistics --> PartyIdentification : +shipFrom ShipToNonCommercial --> PartyIdentification : +shipTo ShipFromLogistics --> PartyIdentification : +shipTo ShipFromLogistics --> PartyIdentification : +shipFrom </pre>		
<p>Response Document Class Diagram</p> <p>ResponseDocument</p> <p>Removed attribute</p> <p>creationDateTime:DateTime</p> <p>Added gernalisation to Document</p>		

Change	BMS Doc Version	Associated CR Number
<p>Simple Order Line Item</p> <p>Changed in SimpleOrderLineItem datatype from Description-->LongDescription</p> <p>additionalOrderLineInstruction[0..1] : Description→ additionalOrderLineInstruction[0..1] : LongDescription</p>	0.4.1	Based on Public Review 200704
<p>GDD Report</p> <p>Trade Item Hazardous Information</p> <p>Aligned the multiplicity of flashPointTemperature to optional 0..1</p> <p>Model and GDD Report</p> <p>Event Tactic Type Code</p> <p>Fixed typo on</p> <p>featureTacticTypeCode : FeatureTacticTypeCodeList</p>	0.4.3	
<p>BMS upgraded for Release 2.4.0</p> <p>Added Order Header Indicator Structure</p>	0.5.0	<ul style="list-style-type: none"> CR 07-000077

Change	BMS Doc Version	Associated CR Number
<ul style="list-style-type: none"> Common Library Addition OrderHeaderIndicator added attributes isApplicationReceiptAcknowledgementRequired isOrderFreeOfExciseTaxDuty <p>Added String Facets to align with the Description field lengths.</p> <p>Despatch Advice Work BMS Release 2.4</p> <p>Added Despatch Information into Deliver Common</p> <p>Note: 200707 added Despatch Information as part of BMS Release 2.4.0 and Common Library Document Version 0.5.0</p>		<ul style="list-style-type: none"> CR 07-000098 CR 07-000103

Change	BMS Doc Version	Associated CR Number
 <pre> classDiagram class DespatchInformation { despatchDateTime[0..1] : DateTime loadingDateTime[0..1] : DateTime pickUpDateTime[0..1] : DateTime releaseDateTimeOfSupplier[0..1] : DateTime } class ActualShipping { actualShipDateTime : DateTime estimatedDeliveryDateTime[0..1] : DateTime } class EstimatedDelivery { (from Estimated Delivery) } class TimeOrDateTimePeriod { (from Date and Time) } DespatchInformation --> ActualShipping : <<choice>> 1 DespatchInformation --> EstimatedDelivery : <<choice>> 1 ActualShipping --> TimeOrDateTimePeriod : +estimatedDeliveryPeriod 0..1 </pre>		
<p>Moved following structure into Common Library From Pay VAT TAX Information Extension VAT Invoice Party Extension</p> <p>Structure was not changed only included into Common Library for BMS Release 2.4.0</p>	0.5.1	■


Change	BMS Doc Version	Associated CR Number
<p>Package Dimension</p> <p>Removed the association from PackageDimension to Dimension As the reuse was redundant.</p>	0.5.2	■
<p>Common Library contains elements and code lists used in BMS Release 2.5.0</p> <p>BMS 2.5.0 Change</p> <p>ResponseDocument</p> <ul style="list-style-type: none"> Removed inheritance from Response Document to Document <ul style="list-style-type: none"> Added following attributes requirements sourced from Document Class to be backward compatible to Release 2.1.0 and pull requirements from 2.3.0 <ul style="list-style-type: none"> creationDateTime:DateTime contentVersion[0..1]:Version documentStatus[0..1]:DocumentStatusList documentStructureVersion[0..1]:Version lastUpdateDate[0..1]:Date <p>Version 2.5 Release</p> <pre> classDiagram class ResponseDocument { <<abstract>> responseStatusType : ResponseStatusList creationDateTime : DateTime <<2.5.0>> contentVersion[0..1] : Version <<2.5.0>> documentStatus[0..1] : DocumentStatusList <<2.5.0>> documentStructureVersion[0..1] : Version <<2.5.0>> lastUpdateDate[0..1] : Date } class EntityIdentification { (from Entity Identification) } class ReferenceDocument { referenceDocumentType : Integer{1..4} referenceIdentification : String referenceDateTime[0..1] : DateTime } ResponseDocument "1" --> "1" EntityIdentification : +responseIdentification ResponseDocument "1" --> "1" ReferenceDocument : +responseToOriginalDocument </pre> <p>For referenceDocumentType, reference the EntityTypeList in the GDD for the possible values.</p>	0.6.0	■

Change	BMS Doc Version	Associated CR Number
<p>Version 2.1 Release Snapshot History</p>  <pre> classDiagram class ResponseDocument { <<abstract>> creationDateTime : DateTime responseStatusType : ResponseStatusList } class EntityIdentification { (from Entity Identification) } class ReferenceDocument { referenceDocumentType : Integer{1..4} referenceIdentification : String referenceDateTime[0..1] : DateTime } ResponseDocument --> "1" EntityIdentification : +responseIdentification ResponseDocument --> "1" ReferenceDocument : +responseToOriginalDocument </pre> <p>Version 2.3 Release Snapshot History Response Document (CR 7-26/27/31)</p> <ul style="list-style-type: none"> Added inheritance from ResponseDocument to Document Deleted creationDateTime: DateTime 		

Change	BMS Doc Version	Associated CR Number
<div data-bbox="323 250 1182 764"> <pre> classDiagram class Document { <<abstract>> } class ResponseDocument { <<abstract>> responseStatusType : ResponseStatusList } class EntityIdentification { <<from Entity Identification>> } class ReferenceDocument { referenceDocumentType : Integer{1..4} referenceIdentification : String referenceDateTime : DateTime } Document < -- ResponseDocument ResponseDocument --> "1" EntityIdentification : +responseIdentification ResponseDocument --> "1" ReferenceDocument : +responseToOriginalDocument ReferenceDocument --> Note : For referenceDocumentType, reference the EntityTypeList in the GDD for the possible values. </pre> </div> <p>ISO639_Code Changed field length languageISOCode : String{1..5}</p> <p> Note: languageISOCode is a string length 1..5 for GDSN. eCom upgraded for BMS release 2.5.0 for consistency and usability in certain applications in China.</p> <div data-bbox="344 1159 714 1279"> <pre> classDiagram class ISO639_Code { <<data Type>> languageISOCode : String{1..5} } </pre> </div>		

Change	BMS Doc Version	Associated CR Number
<p>Simple Order Line Item (CR 8-5) Added taxRate[0..1]:Float BMS Release 2.5.0</p> <pre> classDiagram class SimpleOrderLineItem { requestedQuantity : Quantity additionalOrderLineInstruction[0..1] : LongDescription lineNumberActionCode[0..1] : OrderLineItemActionCodeList taxRate[0..1] : Float } class TradeItemIdentification { <<abstract>> LinItem (from Document) } class ShipmentTransportationInformation { <<abstract>> (from Shipment Transportation Information) } class MultiAmount { <<abstract>> (from Amount) } SimpleOrderLineItem -- > TradeItemIdentification SimpleOrderLineItem -- > ShipmentTransportationInformation SimpleOrderLineItem -- > MultiAmount SimpleOrderLineItem "1" --> TradeItemIdentification SimpleOrderLineItem "0..1" --> ShipmentTransportationInformation SimpleOrderLineItem "0..1" --> MultiAmount : +netPrice, +netAmount </pre> <p>BMS Release 2.4.0</p>		

Change	BMS Doc Version	Associated CR Number
<div data-bbox="323 250 1232 732"> </div> <p>OrderHeaderIndicator</p> <p>Changed multiplicity from (1..1) to (0..1)</p> <ul style="list-style-type: none"> isApplicationReceiptAcknowledgementRequired[0..1] : Boolean isOrderFreeOfExciseTaxDuty[0..1] : Boolean <p>Added</p> <ul style="list-style-type: none"> orderInstruction[0..1] : SpecialOrderConditionCodeList <p>BMS Release 2.5.0</p> <div data-bbox="323 1068 1178 1240"> <p>OrderHeaderIndicator</p> <p>isApplicationReceiptAcknowledgementRequired[0..1] : Boolean</p> <p>isOrderFreeOfExciseTaxDuty[0..1] : Boolean</p> <p><<2.5.0>> orderInstruction[0..1] : SpecialOrderConditionCodeList</p> </div> <p>BMS Release 2.4.0</p> <div data-bbox="323 1321 1081 1461"> <p>OrderHeaderIndicator</p> <p>isApplicationReceiptAcknowledgementRequired : Boolean</p> <p>isOrderFreeOfExciseTaxDuty : Boolean</p> </div>		

Change	BMS Doc Version	Associated CR Number
<p>Added SpecialConditionCodeList NO_PARTIAL_DELIVERY_ALLOWED PARTIAL_DELIVERY_ALLOWED</p> <p>Order Party Information (CR 8-55) BMS Order Party Information 2.5.0 Order Party Information Added Attributes</p> <ul style="list-style-type: none"> • buyerCompanyRegistrationNumber[0..1] : String{1..70} • sellerCompanyRegistrationNumber[0..1] : String{1..70} <p>Order Party Information BMS 2.5.0</p>  <p>Order Party Information BMS Release 2.4.0</p>		

Change	BMS Doc Version	Associated CR Number
<div data-bbox="323 250 825 597"> <pre> classDiagram class OrderPartyInformation class PartyIdentification["PartyIdentification (from Party Identification)"] class Contact["Contact (from Contact)"] OrderPartyInformation "1" --> "0..1" PartyIdentification : +seller OrderPartyInformation "0..1" --> "0..1" PartyIdentification : +billTo OrderPartyInformation "1" --> "0..1" PartyIdentification : +buyer OrderPartyInformation "0..1" --> "0..1" Contact : +orderContact OrderPartyInformation "0..1" --> "0..1" Contact : +goodsRequirementsPlanner </pre> </div> <p data-bbox="323 678 1360 732">Added Shipment Detail in Common Library as it is being used by Multi Shipment Order and Order Response (CR 8-53). No structure changes to Shipment Detail.</p> <p data-bbox="323 776 527 800">BMS Version 2.5.0</p> <div data-bbox="323 846 1325 1294"> <pre> classDiagram class ShipmentDetail class PartyIdentification["PartyIdentification (from Party Identification)"] class DocumentOrDocumentLineReference["DocumentOrDocumentLineReference (from Document Reference)"] class OrderLogisticalDateGroup["OrderLogisticalDateGroup (from Order Logistical Information)"] class ShipmentTransportationInformation["ShipmentTransportationInformation (from Shipment Transportation Information)"] class PartyIdentificationSelf["PartyIdentification (from Party Identification)"] ShipmentDetail "0..1" --> "0..1" PartyIdentification : +ultimateConsignee ShipmentDetail "0..1" --> "0..1" PartyIdentification : +shipFrom ShipmentDetail "0..1" --> "0..1" PartyIdentification : +shipTo ShipmentDetail "0..1" --> "0..1" DocumentOrDocumentLineReference : +purchaseConditions ShipmentDetail "0..1" --> "0..1" OrderLogisticalDateGroup ShipmentDetail "0..1" --> "0..1" ShipmentTransportationInformation PartyIdentification "0..1" --> "0..1" PartyIdentificationSelf : +inventoryLocation </pre> </div> <p data-bbox="323 1377 632 1430">BMS Invoice Tax Information 8-209</p>		

Change	BMS Doc Version	Associated CR Number
<p>BMS Release 2.5.0</p> <p>Class Invoice Tax Information</p> <p>Added dutyTaxFeeDescription[0..1]:String{1..35}</p> <div> <p>InvoiceTaxInformation</p> <pre><<2.5.0>> dutyTaxFeeDescription[0..1] : String{1..35} dutyTaxFeeType[0..1] : DutyTaxFeeTypeCodeList extension[0..1] : Extension taxableAmount[0..1] : Float taxableAmountInTaxAccountingCurrency[0..1] : Float taxAmount[0..1] : Float taxAmountInTaxAccountingCurrency[0..1] : Float taxPercentage[0..1] : Percentage{3.2}</pre> </div> <p>BMS Release 2.4.0</p> <div> <p>InvoiceTaxInformation</p> <pre>dutyTaxFeeType[0..1] : DutyTaxFeeTypeCodeList extension[0..1] : Extension taxableAmount[0..1] : Float taxableAmountInTaxAccountingCurrency[0..1] : Float taxAmount[0..1] : Float taxAmountInTaxAccountingCurrency[0..1] : Float taxPercentage[0..1] : Percentage{3.2}</pre> </div> <p>DutyTaxFeeTypeCodeList</p> <p>Added code value</p> <p>NON_VALUE_ADDED_TAX</p> <p>Removed from Common Library and added to Invoice Release 2.5.0</p>		

Change	BMS Doc Version	Associated CR Number
<p>VAT Invoice Party Extension</p> <p>VAT Tax Information Extension</p> <p>Reusing Trade Item Tax Information structure from GDSN community.</p> <p>No UML or GDD changes were made to Trade Item tax Information</p> <pre> classDiagram class TradeItemTaxInformation { <<choice>> <<choice>> } class TradeItemTaxAmount { taxAmount[0..1] : Decimal{13.4} } class TradeItemTaxRate { taxRate[0..1] : Percentage{3.2} } class TaxAgency { taxAgencyCode : String{1..3} taxTypeCode : String{1..14} taxApplicabilityCode[0..1] : String{1..35} taxTypeDescription[0..1] : String{1..35} } class AbstractAmount { <<abstract>> (from Abstract Amount) } TradeItemTaxInformation "1..*" --> "1..*" TradeItemTaxAmount TradeItemTaxInformation "1..*" --> "1..*" TradeItemTaxRate TradeItemTaxAmount "1..*" --> "1" TaxAgency TradeItemTaxRate "1..*" --> "1" TaxAgency AbstractAmount < -- TradeItemTaxAmount </pre>		

Change	BMS Doc Version	Associated CR Number
<p>Updated UML Class Diagram to match XSD field length BMS Release 2.5.0</p> <pre> classDiagram class Contact { +personOrDepartmentName } class MultiDescription { (from Description) } class CommunicationChannel { communicationChannelCode : CommunicationChannelCodeList communicationNumber : String{1..70} } Contact "1" --> "0..*" MultiDescription Contact "0..*" --> "0..*" CommunicationChannel </pre> <p>BMS Release</p> <pre> classDiagram class Contact { +personOrDepartmentName } class MultiDescription { (from Description) } class CommunicationChannel { communicationChannelCode : CommunicationChannelCodeList communicationNumber : String } Contact "1" --> "0..*" MultiDescription Contact "0..*" --> "0..*" CommunicationChannel </pre> <p>For BMS Release 2.5.0</p> <ul style="list-style-type: none"> eBallot Approved, Updated BMS to 'Approved' Status 		
	Issue 0.6.0	Not Applicable

Change	BMS Doc Version	Associated CR Number
<ul style="list-style-type: none"> • Update version to 'Issue' <p>To include the Performance Measurement Code List Sourced Performance Measurement BMS BMS Release 2.5.0 Issue 0.1.4 Date 26-Oct-2009</p> <p>Added new code lists</p> <ul style="list-style-type: none"> • Appointment Time Measurement Basis Type List • Delivery Time Measurement Type List • Demand Estimation Type List • Inventory Measurement Basis Type List • Item Scope Type List • Location Scope Parameter Type List • Location Scope Type List • Out of Stock Measurement Type List • Performance Measure Type List • Periodicity Type List • Sales Measurement Type List • Service Level Basis Type List • Service Level Measurement Type List • Synchronisation Calculation Type List • Time Period Scope Type List <p>Updated Existing Code List</p> <ul style="list-style-type: none"> • Entity Type List <ul style="list-style-type: none"> ◦ Added 70_PERFORMANCE_MEASUREMENT • Forecast Purpose Code List <ul style="list-style-type: none"> ◦ Added SHIPMENT_FORECAST ◦ Added definitions • Forecast Type Code List <ul style="list-style-type: none"> ◦ Added definitions 		<p>■</p>