5.69. Warranty Information Module



content	attribute / role	datatype /secondary class	multiplicity	definition
WarrantyConditions				Provides information on the usually written guarantee of the integrity of a product and of the maker's responsibility for the repair or replacement of defective parts.
Attribute	warrantyConstraint	string	0..1	Determines the relationship between multiple warranty conditions for example “and”, “or” , “greatest”, “least”.

All contents copyright © GS1

content	attribute / role	datatype /secondary class	multiplicity	definition
Attribute	warrantyDuration	Measurement	0..1	The time period that the warranty is valid within.
WarrantyInformation				An assurance that the trade item is reliable and that repairs or replacement will be done free of charge within a given time limit and under certain conditions in the event of a defect.
Association		ReferencedFileInformation	0..*	External file information for a warranty.
Association		WarrantyConditions	0..*	Warranty Conditions for this Trade Item Warranty.
Association	avpList	GS1_AttributeValuePairList	0..1	Attribute value pair information.
Attribute	warrantyDescription	Description2500	0..*	The description of warranty available for the trade item.
Attribute	warrantyEffectiveDateType	String	0..1	The type of date associated with the warranty trade item usually expressed as an event date for the item for example date of purchase, date of manufacture or date of delivery.
Attribute	warrantyType	String	0..1	The type of warranty available for the trade item for example labour, distance, extended service.
WarrantyInformationModule				An assurance that the trade item is reliable and that repairs or replacement will be done free of charge within a given time limit and under certain conditions in the event of a defect.
Association		WarrantyInformation	0..*	A module containing any warranty information relevant to a trade item.

All contents copyright © GS1